CÚNNTAS BLIADHANTAMHAIL ÁRD-CHLÁRUIDHE
SAORSTÁT ÉIREANN.

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL FOR SAORSTÁT ÉIREANN

CONTAINING

A GENERAL ABSTRACT of the NUMBERS

OF

MARRIAGES, BIRTHS AND DEATHS

REGISTERED IN SAORSTÁT ÉIREANN

DURING THE YEAR

1926

GENERAL SUMMARY.

POPULATION, MARRIAGES, THEIR NUMBER AND THEIR RELATION TO POPULATION, RELIGIOUS DENOMINATIONS, AND CIVIL CONDITION. **BIRTHS,** THEIR NUMBER AND THEIR RELATION TO POPULATION. **DEATHS,** THEIR NUMBER AND THEIR RELATION TO POPULATION, AGES, AND CAUSES; **EMIGRATION; METEOROLOGY.**

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
Messrs. EASON & SON, Ltd., 40-41 Lower Sackville Street, Dublin.

1927.

Price—One Shilling and Ninepence Net.

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call No.

CONTENTS.

REPORT :—

Page

INTRODUCTORY REMARKS vii

GENERAL SUMMARY

Population, Marriages, Births and Deaths viii

EMIGRATION AND IMMIGRATION viii

MARRIAGES :

Their Number and Proportion to the Population viii

Number by each mode of celebration in the years 1916-1926 ix

Civil Condition of Persons Married ix

Signatures to Marriage Registers and Certificates ix

BIRTHS :

Their Number and Proportion to the Population ix

Birth-rate in Urban and Rural Areas ix

Proportion of Illegitimate Births in Saorstát Éireann and in the several Provinces ... ix

Number of Births by Quarters x

Birth-rate in the Provinces x

Multiple Births in Saorstát Éireann x

DEATHS :

Their Number and Proportion to the Population x

Death-rate in the Provinces and in Urban and Rural areas x

Number and Proportion of Deaths registered during each Quarter x

Deaths in Institutions xi

Causes of Death—General Observations xi

,, Deaths from all causes and from the Principal causes during the years 1916-26 with the respective rates per 100,000 of the Estimated Population ... ... xii-xiii

,, Observations on the Mortality from each of the principal causes ... xiv-xxiii

Deaths from Tuberculous Disease ... ... xvi-xvii, xxxii-xxxiii

Deaths from Cancer in Saorstát Éireann during 1926, by Sexes, Ages, and Parts Affected ... ... xvii-xix

Deaths of Women from Diseases Caused by or Associated with Pregnancy or Child-bearing ... ... xxi-xxii, xxxii-xxxiii

Violent Deaths xxiii

Uncertified Deaths xxiii

Inquests xxiii

Ages at Death xxiii

REPORT—*Continued.* Page

Infant Mortality—General Observations xxiv

,, in Urban and Rural Districts of Saorstát Éireann xxiv

,, Deaths of Illegitimate Infants in Saorstát Éireann ... xxv

,, Deaths of all Infants per 1,000 Births, by causes during the years 1916-26 xxvi

,, Deaths of all Infants per 1,000 Births, by causes, ages and sexes during 1926 xxvii

,, Deaths of all Infants per 1,000 Births from certain causes in Urban and Rural Areas xxviii

,, Deaths of Infants relating to Urban and Rural areas by ages, also rates per 1,000 Births xxix

,, Deaths of Illegitimate Infants by causes and ages, also rates per 1,000 Illegitimate Births by age periods xxx

,, Deaths of Illegitimate Infants by ages registered in each County and County Borough of Saorstát Éireann xxxi

Rates per 1,000 of the Population represented by Marriages, Births, Deaths, and Deaths from certain causes, also Infant Mortality per 1,000 Births, in each County, County Borough, and Province xxxii

Rates per 1,000 of the Population represented by Births and Deaths, and Deaths from certain causes, also Infant Mortality per 1,000 Births, in Urban and Rural Areas xxxiii

METEOROLOGY xxxiv

ABSTRACTS :—

Marriages, Births (distinguishing Illegitimate Births), and Deaths registered in each Province, County and County Borough, with the results arising from correction for Births and Deaths in Institutions 1

Marriages, Births (distinguishing Illegitimate Births) and Deaths in the Superintendent Registrar's Districts, with the results arising from correction for Births and Deaths in Institutions 2-4

Marriages registered in Saorstát Éireann in each of the Provinces, Counties, and County Boroughs in 1926, distinguishing Roman Catholic from Marriages among other Denominations, and giving the total number registered in each quarter of the year ; the Conjugal Condition of Persons Married ; the Number of Minors and of those who signed the Registers by Marks 6-7

Births by sexes, and Deaths of Males and Females at different ages registered in 1926 relating to Provinces, Counties, and County Boroughs 8-10

Causes of Deaths of Males and of Females in Saorstát Éireann at different periods of life in 1926 12-27

Causes of Death in Saorstát Éireann in 1926 by Sexes, Ages and Place of Occurrence 28

ABSTRACTS :—*continued.* Page

Deaths by Causes, in 1926, relating to each County and County Borough (as under), showing Sexes, Ages and Place of Occurrence :— 29-59

	Page		Page		Page
Carlow	29	Kildare	32	Monaghan	59
Cavan	57	Kilkenny	33	Offaly	38
Clare	42	Leitrim	53	Roscommon ...	55
Cork	43	Leix	34	Sligo	56
Cork Co. Boro.' ...	44	Limerick	46	Tipperary N.R. ...	48
Donegal	58	Limerick Co. Boro.'	47	Tipperary S.R. ...	49
Dublin	30	Longford	35	Waterford	50
Dublin Co. Boro.' ...	31	Louth	36	Waterford Co. Boro'.	51
Galway	52	Mayo	54	Westmeath ...	39
Kerry	45	Meath	37	Wexford	40
				Wicklow	41

Causes of Death by Administrative Counties during 1926, distinguishing Urban and Rural districts, arranged by Provinces, with the number of deaths under one year, at 65 years and upwards, the number of uncertified deaths, the number of births, and the population according to the Census of 1926 (unrevised) 60-67

Population of the Saorstát Éireann area at each of the nine censuses, 1841-1926 ... 68

Population by Sexes and Ages according to census of 1911 68

Population estimated in the middle of the years 1911-26 68

Index to Superintendent Registrars' Districts 69

APPENDIX :—

Number of Searches at the General Register Office during the years 1864-1926, with the amounts of Fees received 69

ABSTRACTS—*continued.*

Deaths by Causes, in 1920, relating to each County and County Borough (including Dublin), showing Sex, Age and Place of Occurrence— ... ... Page

	Page		Page		Page
Carlow ...	... 29	Kildare ...	... 32	Monaghan ...	... 39
Cavan ...	... 27	Kilkenny ...	... 33	Offaly ...	... 34
Clare ...	... 12	Leitrim ...	... 33	Roscommon ...	... 35
Cork ...	... 13	Leix ...	... 31	Sligo ...	... 36
Cork (in Bantry) ...	... 22	Limerick ...	... 16	Tipperary N.R. ...	... 18
Donegal ...	... 36	Londonderry (in Donegal) ...	... 17	Tipperary S.R. ...	... 19
Dublin ...	... 20	Longford ...	... 35	Waterford ...	... 20
Dublin (in Rural) ...	... 21	Louth ...	... 30	Wexford (in Rural) ...	... 21
Galway ...	... 35	Mayo ...	... 36	Wicklow ...	... 30
Kerry ...	... 13	Meath ...	... 31	Wexford ...	... 30
				Wicklow ...	... 31

Causes of Death by Administrative Counties during 1920, including Dublin and Rural districts, arranged in Provinces, with the number of deaths under one year, at 5 years and upwards, the number of unascertained deaths, the number of births, and the population according to the Census of 1920 (Provisional) ... ... Page 37

Population of the Special Enumeration Areas at each of the nine censuses, 1841-1920 ... 38

Population by Sexes and Ages according to census of 1911 38

Population estimated in the middle of the year 1921-22 38

Index to Supplementary Reports, Journals 39

APPENDIX—

Summary of Statistics as the General Register-Office during the years 1921-1922 with the accounts of Fees and 40

CÚNNTAS

DO

RISTEÁRD UA MAOLCHATHA, AIRE UM RIALTAS ÁITIÚIL.

A Chara,

I have the honour to submit my Annual Report on the Marriages, Births and Deaths registered in Saorstát Éireann, during the year 1926.

In this Report, as in the Reports for each year since 1923, the Births and Deaths shown for the various administrative areas are corrected for those occurring in institutions.

GENERAL SUMMARY.

The results for 1926 show reductions in the numbers of marriages, births and deaths registered, and in the net number of emigrants returned, as compared with the preceding year.

The marriages registered during the year under review numbered 13,570, being 250 less than the number in 1925.

There were 61,176 births, showing a reduction of 893 as compared with the preceding year.

The number of deaths was 41,740, being 1,910 under the number for 1925.

Tuberculosis caused 4,362 deaths, this number being the lowest ever recorded for Saorstát Eireann area.

The deaths from cancer, on the other hand, numbering 3,021, show an increase of 118 over the annual number previously the highest ever recorded, viz., 2,903 in 1924.

To heart diseases 4,656 deaths were attributed. This number is 309 below that registered in 1925.

Deaths from bronchitis numbered 2,433 or 221 below those recorded for 1925. Pneumonia caused 2,314 deaths, being 24 below the low number registered in 1925.

The infant mortality in 1926 for the entire area was 74 per 1,000 births, which was 6 per 1,000 above the rate for 1925, viz., 68 per 1,000. The rate for rural areas was 56 per 1,000 and for urban areas 110 per 1,000 births.

TABLE I.—Showing for each of the years 1916-26 the estimated Population* of SAORSTÁT ÉIREANN area; the number of MARRIAGES, BIRTHS and DEATHS registered, with the rates per 1,000 of the estimated Population represented thereby; and the averages for the ten years, 1916-1925; also particulars relating to Northern Ireland for the year 1926.

YEARS.	*Estimated Population in the middle of each year.	Numbers *Registered.*			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1916	3,068,000	15,207	64,814	50,627	4·96	21·13	16·50
1917	3,065,000	14,201	61,421	51,713	4·63	20·04	16·87
1918	3,066,000	14,773	61,092	53,682	4·82	19·93	17·51
1919	3,102,000	17,201	61,829	55,776	5·55	19·93	17·98
1920	3,103,000	17,276	67,015	45,521	5·57	21·60	14·67
1921	3,096,000	15,102	61,010	44,537	4·88	19·71	14·39
1922	3,022,000	15,141	58,849	44,547	5·01	19·47	14·74
1923	3,014,000	15,632	61,690	42,217	5·19	20·47	14·01
1924	3,005,000	14,822	63,402	45,180	4·93	21·10	15·03
1925	2,985,000	13,820	62,069	43,650	4·63	20·79	14·62
Yearly Average, 1916-1925 ...	3,053,000	15,318	62,319	47,745	5·02	20·42	15·63
1926	2,970,000	13,570	61,176	41,740	4·57	20·60	14·05
NORTHERN IRELAND, 1926.							
1926	1,254,000	7,228	28,162	18,827	5·8	22·5	15·0

* See page 68.

EMIGRATION AND IMMIGRATION.

From returns kindly furnished by the Ministry of Industry and Commerce (Department of Statistics) Saorstát Éireann, it would appear that the number of emigrants from Saorstát Éireann to "places out of Europe and not within the Mediterranean Sea" during the year 1926 was 30,359 and that the number of immigrants was 1983, resulting in a net migration of 28,376 persons from Saorstát Eireann in 1926. The 30,359 persons include 26,367 bound for the United States, 1,994 for British North America, 1,268 for Australia, 236 for New Zealand, 166 for British South Africa, 109 for India, and 219 for other countries.

The number of emigrants from Saorstát Eireann in 1925 was 30,302, of whom 26,546 left for the United States.

MARRIAGES.

During the year 1926 the marriages registered in Saorstát Éireann numbered 13,570, being equivalent to a rate of 4·57 per 1,000 of the estimated population; this rate is 0·06 below that for the previous year, and 0·45 below the average for the ten years, 1916-25.

Of the 13,570 marriages, 12,600 were of Roman Catholics, as compared with 12,897 in 1925, the remaining marriages numbering 970, as against 923 in 1925. Included in the 970 marriages are 672 celebrated according to the rites and ceremonies of the Church of Ireland, as against 671 in 1925; 144 as compared with 112 in 1925, were in Presbyterian Meeting-houses; 48 as against 70 in 1925 in "Registered Buildings" belonging to various religious denominations; 87 by civil contract in the Registrars' offices, as against 54 in 1925; one was according to the usages of the Society of Friends; and 18 as compared with 14 in 1925, were according to the Jewish rites.

The rate per 1,000 of the estimated Roman Catholic population represented by the number of marriages of Roman Catholics was 4·74, or 0·39 below the corresponding average rate for the preceding ten years, and the rate for other marriages was equivalent to 3·13 per 1,000 of all persons other than Roman Catholics in the population, this rate being 0·93 below the corresponding average rate for the ten years, 1916-25.

TABLE II.—MARRIAGES registered in Saorstát Éireann area in 1926, and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented thereby.

YEARS.	Marriages registered other than Roman Catholic.							Roman Catholic Marriages.	Total Marriages Registered.	Rate per 1,000 of estimated corresponding Population represented by		
	According to the Rites of the Church of Ireland.	In Registered Presbyterian Meeting-houses.	In Registered Buildings.	In the Registrars' Offices.	Society of Friends	Jews.	Total.			Marriages, other than Roman Catholic.	Roman Catholic Marriages	Total Marriages.
1916 ...	915	174	75	116	2	6	1,288	13,919	15,207	4·03	5·06	4·96
1917 ...	995	199	80	93	3	11	1,381	12,820	14,201	4·32	4·67	4·63
1918 ...	1,064	196	79	119	1	10	1,469	13,304	14,773	4·60	4·84	4·82
1919 ...	1,125	239	99	117	3	9	1,592	15,609	17,201	4·93	5·62	5·55
1920 ...	1,140	205	96	161	—	19	1,621	15,655	17,276	5.01	5·63	5·57
1921 ...	970	180	88	155	—	9	1,402	13,700	15,102	4·35	4·94	4·88
1922 ...	856	154	78	127	—	11	1,226	13,915	15,141	3·89	5·14	5·01
1923 ...	752	154	53	83	5	9	1,056	14,576	15,632	3·36	5·40	5·19
1924 ...	709	143	54	65	1	15	987	13,835	14,822	3·15	5·14	4·93
1925 ...	671	112	70	54	2	14	923	12,897	13,820	2·97	4·82	4·63
Yearly Average 1916-1925	920	176	77	109	2	11	1,295	14,023	15,318	4·06	5·13	5·02
1926 ...	672	144	48	87	1	18	970	12,600	13,570	3·13	4·74	4·57

It will be found from the figures given in the Abstract of Marriages, pages 6-7, that 91·5 per cent. of the total marriages were those of bachelors and spinsters; that 5·3 per cent. were those of widowers and spinsters; that 2·2 per cent. were marriages of bachelors and widows; and that those of widowers and widows formed 1·0 per cent. of the total marriages. Thus, of the men married 6·3 per cent. were widowers, and of the women 3·2 per cent. were widows, or in 85 instances in every 1,000 marriages, one or both of the contracting parties had been in the married state before.

A rough test of the progress of elementary education in Saorstát Éireann is afforded by the signatures of the contracting parties in the marriage registers or certificates. In the year 1926 there were 13,275 or 97·8 per cent. of the husbands, and 13,396, or 98·7 per cent. of the wives, who wrote their names, and the remainder signed by "mark."

Table XIV supplies the rates per 1,000 of the population represented by marriages in the provinces, counties and county boroughs.

BIRTHS.

The number of births registered in Saorstát Éireann during the year 1926 was 61,176 (boys 31,382 and girls 29,794) equivalent to 20·60 per 1,000 of the estimated population, this rate being 0·22 above the average of the ten years, 1916-25.

The rate represented by the births registered in Northern Ireland was 22·5 per 1,000 of the estimated population; in England and Wales, 17·8; and in Scotland, 20·9.

For the combined county boroughs and urban districts in Saorstát Éireann, the rate per 1,000 of the population during the year 1926 was 24·2, and for all rural districts it was 19·1 (Table XV).

In 1926 the proportion of male infants born alive in Saorstát Éireann to every 1,000 females was 1,053; in 1925 it was 1,052; in 1924, 1,066; in 1923, 1,065; in 1922, 1,065; in 1921, 1,056; and in 1920 it was 1,067.

Of the 61,176 births registered during the year 59,460 or 97·2 per cent. were legitimate, and 1,716, or 2·8 per cent. were illegitimate.

For the province of Leinster illegitimacy in 1926 amounted to 3·4 per cent. of the total number of births for that province; Munster 2·9 per cent.; Connaught 1·3 per cent., and Ulster (part of) 2·8 per cent., as compared with 3·2 per cent., 2·7 per cent., 1·1 per cent., and 3·0 per cent. respectively, in 1925.

The male children born in wedlock numbered 30,533 and the female 28,927 or 1,056 of the former to every 1,000 of the latter, and of the illegitimate children 849 were males and 867 females, or 979 boys to every 1,000 girls.

It should be stated that the illegitimate birth-rate for Saorstát Éireann compares favourably with that for most other countries.

The following statement shows the total number of infants, by sexes, whose births were registered in Saorstát Éireann during each quarter of 1926:—

—	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Total.
Males	7,637	8,284	8,066	7,295	31,382
Females	7,187	7,944	7,534	7,129	29,794
Total ...	14,824	16,228	15,600	14,524	61,176

Of the total births 50·8 per cent. were registered in the first six months (181 days) and 49·2 per cent. in the second six months (184 days).

For the province of Leinster the birth-rate was 22·20 per 1,000 of the population (Census 1926); for Munster 19·89; for Connaught 19·14, and for Ulster (part of) 19·25.

Multiple Births.

The number of twin births registered in Saorstát Éireann during the year 1926 was 762 and the number of triplet births 7. The twin births were 1·25 per cent. of the total births, 1·28 per cent. of the single births and 1·26 per cent. of the total mothers, the respective percentages in the preceding year being 1·10, 1·12, and 1·11.

The infants born in wedlock (59,460) as registered in 1926, include 745 twins, a number equivalent to 1·27 per cent. of the 58,701 married mothers, and 7 triplets, while the illegitimate infants (1,716) include 17 twins, equivalent to 1·00 per cent. of the 1,699 unmarried mothers.

Of the 1,545 infants born alive resulting from multiple births, 825 were males and 720 females.

DEATHS.

The deaths registered in Saorstát Éireann during the year 1926 numbered 41,740, affording a rate of 14·05 per 1,000 of the estimated population. The deaths of males amounted to 20,844, or 13·85 per 1,000 of the estimated male population, the deaths of females numbering 20,896, equivalent to 14·26 per 1,000 of the estimated female population.

The mortality from all causes in 1926 is 0·57 per 1,000 below that for 1925, and 1·58 per 1,000 below the average for the ten years 1916-25.

The death rate from all causes for Northern Ireland was 15·0 per 1,000, for England and Wales, 11·6 per 1,000 and for Scotland, 13·0 per 1,000.

Table XIV. gives the rates from all causes for Saorstát Éireann by provinces, counties and county boroughs.

From this it will be seen that the rate for the province of Leinster was 14·64 per 1,000 of the population of the province, for Munster 14·18 per 1,000, for Connaught 12·56 per 1,000 and for Ulster (part of) 14·04 per 1,000.

The rates for counties and county boroughs varied from 11·55 for Mayo county to 19·17 for Limerick county borough.

For urban areas (county boroughs and urban districts) the mortality from all causes in 1926 was 15·52 per 1,000 of the population and for the rural districts 13·44 per 1,000 (Table XV.).

The following statement shows, by sexes, the number of deaths of persons registered during each quarter of the year 1926.

—	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Total.
Males	5,744	5,428	4,381	5,291	20,844
Females ...	5,804	5,470	4,365	5,257	20,896
Total ...	11,548	10,898	8,746	10,548	41,740

Of the total deaths 22,446, or 53·8 per cent., were recorded during the first six months and 19,294, or 46·2 per cent., in the second six months.

The annual rate per 1,000 of the population represented by deaths registered in the first quarter of the year was 15·6; in the second quarter, 14·7; in the

third, 11·8; and in the fourth, 14·2, as compared with 18·8, 16·6, 12·4, and 14·6, respectively, for the first, second, third and fourth quarters of the ten years, 1916-25.

DEATHS IN INSTITUTIONS.

The Abstract commencing on page 28 gives particulars relating to deaths by certain causes in institutions in Saorstát Éireann and for each county and county borough. Of the 41,740 deaths, 3,357 took place in general and special hospitals, 1,112 in mental hospitals, 6,089 in county homes and hospitals or in workhouse hospitals, county infirmaries and district hospitals, and 31,182 occurred elsewhere. Of the total deaths, 25·3 per cent. occurred in the above-named institutions (8·0 per cent. in general and special hospitals, 2·7 per cent. in mental hospitals and 14·6 per cent. in county homes and hospitals, infirmaries and district hospitals), and 74·7 per cent. occurred elsewhere.

CAUSES OF DEATH.

In the table which follows, the numbers of deaths from some of the principal diseases are shown for the years 1925 and 1926, also the averages for the ten years, 1916-1925.

Causes.	Number of Deaths registered			Causes.	Number of Deaths registered		
	Years.		Average 10 years 1916-25		Years.		Average 10 years 1916-25
	1926.	1925.			1926.	1925.	
				Tuberculous Disease ...	4,362	4,673	5,375
Enteric Fever ...	126	105	151	Cancer	3,021	2,801	2,676
Typhus ...	8	9	22	Heart Disease ...	4,656	4,965	4,828
Measles ...	519	198	252	Bronchitis	2,433	2,654	3,514
Scarlet Fever ...	134	70	87	Pneumonia ...	2,314	2,338	2,760
Whooping-cough	258	429	440	Diarrhœa and Enteritis under two years of age	815	640	627
Diphtheria ...	197	158	259	Puerperal Septic Diseases ...	115	105	110
Dysentery ...	6	13	16	Other Accidents and Diseases of Pregnancy and Childbirth ...	184	186	201
Influenza ...	654	1,171	2,299				
Encephalitis Lethargica ...	43	51	19				
Meningococcal Meningitis ...	17	12	27				

The number of deaths from all causes in 1926 shows a decrease of 1,910 as compared with 1925. Deaths from influenza decreased by 517, tuberculosis by 311, heart disease by 309, bronchitis by 221, whooping-cough by 171, pneumonia by 24, encephalitis lethargica by 8, dysentery by 7, other accidents of pregnancy and childbirth by 2, and typhus by one.

On the other hand, deaths from measles in 1926 show an increase of 321, deaths from cancer an increase of 220, deaths from diarrhœa and enteritis of children under 2 years an increase of 175, deaths from scarlet fever an increase of 64, deaths from diphtheria an increase of 39, deaths from enteric fever an increase of 21, deaths from puerperal septic diseases an increase of 10, and deaths from meningococcal meningitis an increase of 5.

According to Table XIV., which gives the information by provinces, counties and county boroughs, deaths from the principal epidemic diseases* in Saorstát Éireann in 1926 are represented by a rate of 0·69 per 1,000 of the population, the rates varying from 0·16 per 1,000 for Kildare county; 0·21 per 1,000 for Mayo county, 0·23 per 1,000 for Leix county, 0·23 per 1,000 for Clare county and 0·23 per 1,000 for Leitrim county to 2·45 per 1,000 for Cork county borough, 2·29 per 1,000 for Waterford county borough, 2·17 per 1,000 for Limerick county borough, 1·53 per 1,000 for Dublin county borough, and 1·05 for Kerry county.

Table XV. shows that the mortality rate from this group of causes for all urban areas (county boroughs and urban districts) was 1·35 per 1,000 of the population, being more than 3 times the rate for rural districts—0·43 per 1,000.

* See note (*) on p. xxxii.

TABLE III.—Showing the number of Deaths from all Causes, from some of the ÉIREANN during each of the eleven years, 1916-1926, with the average of the estimated Population represented by the number of Deaths from also particulars relating to Northern Ireland for the year 1926.

NOTE.—The Classification of Causes of Death adopted for 1921–6 is in accordance with the International as far as possible, in order to afford comparison with those for 1921–6. The numbers in brackets

YEAR.	Total Number of Deaths.	Enteric Fever (1)	Typhus (2)	Small-pox (6)	Measles (7)	Scarlet Fever (8)	Whooping-cough (9)	Diphtheria (10)	Dysentery (16)	Influenza (11)	Encephalitis Lethargica (23)	Meningococcal Meningitis (including Cerebro-spinal Fever), (24)	Tuberculosis of the Respiratory System (31)	Other Tuberculosis (32–7)	Cancer, Malignant Disease (43–9)	Diabetes (57)	Cerebral Hemorrhage (74)
(1). NUMBER																	
SAORSTÁT																	
1916 ...	50,627	209	27	—	218	184	525	200	17	712	—	40	5,160	1,311	2,679	239	1,439
1917 ...	51,713	191	38	—	372	74	375	187	17	1,004	—	44	5,320	1,346	2,633	252	1,500
1918 ...	53,682	190	29	—	437	56	499	152	12	6,788	—	46	5,142	1,350	2,618	209	1,287
1919 ...	55,776	132	24	—	99	64	287	185	29	7,468	4	25	4,532	1,307	2,672	209	1,438
1920 ...	45,521	180	30	—	227	109	795	378	18	696	17	21	3,975	1,147	2,588	235	1,375
1921 ...	44,537	140	17	—	141	110	216	461	27	648	31	23	3,864	960	2,609	215	1,263
1922 ...	44,547	96	18	—	458	73	201	401	9	1,812	19	11	3,694	920	2,523	239	1,303
1923 ...	42,217	142	19	—	171	66	454	285	15	621	16	17	3,524	944	2,730	224	1,365
1924 ...	45,180	123	5	—	198	65	621	186	4	2,073	55	28	3,692	890	2,903	212	1,329
1925 ...	43,650	105	9	—	198	70	429	158	13	1,171	51	12	3,667	1,006	2,801	222	1,312
Average—ten years 1916-25	47,745	151	22	—	252	87	440	259	16	2,299	19	27	4,257	1,118	2,676	226	1,361
1926 ...	41,740	126	8	—	519	134	258	197	6	654	43	17	3,369	993	3,021	226	1,339
NORTHERN																	
1926 ...	18,827	37	1	—	308	41	107	125	2	482	38	7	1,391	450	1,410	128	1,018
(2). RATES PER 100,000 OF																	
SAORSTÁT																	
1916 ...	1,650·1	6·8	0·9	—	7·1	6·0	17·1	6·5	0·6	23·2	—	1·3	168·2	42·7	87·3	7·8	46·9
1917 ...	1,687·2	6·2	1·2	—	12·1	2·4	12·2	6·1	0·6	32·8	—	1·4	173·6	43·9	85·9	8·2	48·9
1918 ...	1,750·9	6·2	1·0	—	14·3	1·8	16·3	5·0	0·4	221·4	—	1·5	167·7	44·0	85·4	6·8	42·0
1919 ...	1,798·1	4·3	0·8	—	3·2	2·1	9·3	6·0	0·9	240·7	0·1	0·8	146·1	42·1	86·1	6·7	46·4
1920 ...	1,467·0	5·8	1·0	—	7·3	3·5	25·6	12·2	0·6	22·4	0·5	0·7	128·1	37·0	83·4	7·6	44·3
1921 ...	1,438·5	4·5	0·5	—	4·6	3·6	7·0	14·9	0·9	20·9	1·0	0·7	124·8	31·0	84·3	6·9	40·8
1922 ...	1,474·1	3·2	0·6	—	15·1	2·4	6·6	13·3	0·3	60·0	0·6	0·4	122·2	30·4	83·5	7·9	43·1
1923 ...	1,400·7	4·7	0·6	—	5·7	2·2	15·1	9·5	0·5	20·6	0·5	0·6	116·9	31·3	90·6	7·4	45·3
1924 ...	1,503·5	4·1	0·2	—	6·6	2·2	20·7	6·2	0·1	69·0	1·8	0·9	122·9	29·6	96·6	7·1	44·2
1925 ...	1,462·3	3·5	0·3	—	6·6	2·3	14·4	5·3	0·4	39·2	1·7	0·4	122·9	33·7	93·9	7·4	44·0
Average—ten years, 1916-25	1,563·2	4·9	0·7	—	8·3	2·9	14·4	8·5	0·5	75·0	0·6	0·9	139·3	33·6	87·7	7·4	44·6
1926 ...	1,405·4	4·2	0·3	—	17·5	4·5	8·7	6·6	0·2	22·0	1·5	0·6	113·4	33·4	101·7	7·6	45·1
NORTHERN																	
1926 ...	1,501·4	3·0	0·1	—	24·6	3·3	8·5	10·0	0·2	38·4	3·0	0·6	110·9	35·9	112·4	10·2	81·2

Principal Causes, and the number of Uncertified Deaths registered in SAORSTÁT Annual Number for the ten years, 1916-1925; (2) the Respective Rates per 100,000 these causes, and the percentage of Uncertified Deaths to Deaths from All Causes;

Nomenclature as revised in 1920. The figures given in the Reports for the years 1916–20 have been adjusted, below, indicate the position of the Causes of Death in the International List.

Heart Disease (87–90)	Arterial Sclerosis (91B)	Bronchitis (99)	Pneumonia (all Forms) (100-101)	Other Diseases of the Respiratory System (97-8, 102-7)	Ulcer of the Stomach or Duodenum (111)	Diarrhœa and Enteritis under 2 years of age (113)	Appendicitis (117)	Cirrhosis of the Liver (122)	Acute and Chronic Nephritis (128-9)	Puerperal Sepsis (146)*	Other Accidents and Diseases of Pregnancy and Parturition (143B-5 147-50 *	Congenital Debility and Malformation, Premature Birth (159-161)	Violent Deaths. Suicide (165-74)	Violent Deaths. Other Deaths from Violence (175-203)	Other Defined Diseases	Causes ill-defined or unknown (204-5)	Uncertified Deaths	YEAR.
OF DEATHS.																		
ÉIREANN.																		
5,373	101	4,164	2,544	808	242	767	111	197	1,213	133	239	2,073	68	1,548	16,831	1,255	13,615	1916
5,255	127	4,544	2,702	837	233	697	150	138	1,203	101	197	2,069	53	1,199	17,515	1,340	14,366	1917
4,603	119	3,761	3,928	726	240	610	133	130	1,111	93	202	1,902	65	926	15,079	1,239	12,319	1918
5,020	149	4,355	3,601	802	222	634	121	113	1,124	96	195	1,953	83	881	16,565	1,387	14,610	1919
4,591	137	3,516	2,626	701	204	571	161	109	1,065	122	204	1,987	61	1,218	15,246	1,211	12,352	1920
4,427	152	3,013	2,303	678	201	883	139	118	1,024	108	194	1,752	79	2,031	14,725	1,985	12,098	1921
4,609	147	3,345	2,792	714	216	443	147	98	996	118	215	1,580	65	1,366	14,320	1,599	11,750	1922
4,643	150	2,866	2,102	681	267	513	164	94	1,043	117	180	1,658	74	1,315	14,117	1,640	11,417	1923
4,792	202	2,926	2,667	763	292	515	159	88	1,062	102	201	1,879	96	833	14,782	1,437	12,208	1924
4,965	197	2,654	2,338	737	270	640	156	90	1,128	105	186	1,783	88	728	14,914	1,447	11,733	1925
4,828	148	3,514	2,760	745	239	627	144	118	1,097	110	201	1,864	73	1,204	15,409	1,454	12,647	Average 1916-1925
4,656	221	2,433	2,314	666	264	815	189	113	1,145	115	184	1,841	97	792	13,745	1,240	10,577	1926
IRELAND.																		
2,678	202	1,212	1,197	316	120	478	91	33	421	49	109	1,064	63	371	4,713	165	1,785	1926
THE ESTIMATED POPULATION.																		
ÉIREANN.																		
175·1	3·3	135·7	82·9	26·3	7·9	25·0	3·6	6·4	39·5	4·4	7·8	67·6	2·2	50·5	548·6	40·9	† 26·9	1916
171·5	4·2	148·3	88·2	27·3	7·6	22·7	4·9	4·5	39·3	3·3	6·4	67·5	1·7	39·1	571·5	43·7	27·8	1917
150·1	3·9	122·7	128·1	23·7	7·8	19·9	4·3	4·3	36·2	3·0	6·6	62·0	2·1	30·2	491·8	40·4	22·9	1918
161·8	4·8	140·4	116·1	25·9	7·2	20·4	3·9	3·6	36·2	3·1	6·3	63·0	2·7	28·4	534·0	44·7	26·2	1919
148·0	4·4	113·3	84·6	22·6	6·6	18·4	5·2	3·5	34·3	3·9	6·6	64·0	2·0	39·3	491·3	39·0	27·1	1920
143·0	4·9	97·3	74·4	21·9	6·5	28·5	4·5	3·8	33·1	3·5	6·3	56·6	2·5	65·6	475·6	64·1	27·2	1921
152·5	4·9	110·7	92·4	23·6	7·1	14·7	4·9	3·2	33·0	3·9	7·1	52·3	2·2	45·2	473·9	52·9	26·4	1922
154·0	5·0	95·1	69·7	22·6	8·9	17·0	5·4	3·1	34·6	3·9	6·0	55·0	2·5	43·6	468·4	54·4	27·0	1923
159·5	6·7	97·4	88·8	25·4	9·7	17·1	5·3	2·9	35·3	3·4	6·7	62·5	3·2	27·7	491·9	47·8	27·0	1924
166·3	6·6	88·9	78·3	24·7	9·0	21·5	5·2	3·0	37·8	3·5	6·3	59·7	3·0	24·4	499·6	48·5	26·9	1925
158·2	4·9	115·0	90·4	24·4	7·8	20·5	4·7	3·8	35·9	3·6	6·6	61·0	2·4	39·4	504·7	47·6	26·5	Average 1916-1925
156·8	7·4	81·9	77·9	22·4	8·9	27·4	6·4	3·8	38·6	3·9	6·2	62·0	3·3	26·7	462·8	41·7	25·3	1926
IRELAND.																		
213·6	16·1	96·7	95·5	25·2	9·6	38·1	7·3	2·6	33·6	3·9	8·7	84·8	5·0	29·6	375·6	13·2	9·5	1926

* Deaths from Phlegmasia Alba Dolens and Puerperal Embolism were formerly included with deaths from Puerperal Sepsis, *i.e.*, in the Annual Reports for the years 1916–1925 They are in the above table included with deaths from other diseases of Parturition.

† Per cent. of total deaths.

Enteric Fever.—There were 126 deaths (of males 76 and of females 50), including 2 from paratyphoid fever, recorded during the year 1926. The 126 deaths are 21 above the number (105) recorded in 1925, and 25 below the average (151) for the ten years 1916-25. Twenty-four appertained to urban areas and 102 to rural (see abstract commencing on page 60).

Typhus.—Eight deaths from typhus were registered, as against 9 in 1925 and an average of 22. Of the 8 deaths in 1926, 6 were those of males and 2 of females.

Small-Pox.—No case of this disease was reported during the year, nor during any of the preceding ten years.

Measles.—The fatal cases of this disease numbered 519 (of males 263 and of females, 256). This number, which is 321 above the number recorded during the preceding year, is 267 above the average for the ten years, 1916-25, viz., 252. Of the 519 deaths, 409 were those of children under 5 years of age, including 274 under 2 years.

Scarlet Fever.—Deaths from this disease amounted to 134 during the year 1926, as compared with 70 in 1925, and an average of 87 for the ten years ending with the latter year. Of the 134 deaths, 60 were those of males and 74 of females.

Whooping-Cough.—Deaths from whooping-cough, which declined from 795 in 1920 to 216 in 1921 and 201 in 1922, and rose to 454 in 1923, and still further to 621 in 1924, fell in 1925 to 429, and in the year 1926 to 258, or 182 under the average (440) for the ten years, 1916-1925.

Of the 258 deaths (of males 122 and of females 136) 237 were those of children under 5 years of age, 111 of the latter being deaths of infants under one year of age.

The deaths recorded for urban areas numbered 117 and for rural areas 141, as compared with 164 and 265 respectively, in 1925.

Diphtheria.—The number of deaths from this disease (197), which is 39 above the number (158) registered during 1925, is 62 below the average (259) for the ten years 1916-25. The deaths in 1926 comprise 88 of males and 109 of females; of the total number, 98 deaths were those of children under 5 years of age and 53 were between 5 and 10 years, so that 151 or 77 per cent. of all the deaths from diphtheria were those of children under ten years of age.

Dysentery.—To this cause 6 deaths were attributed, as compared with an average of 16 for the preceding ten years.

Diarrhœa and Enteritis (Children under 2 years).—The number of deaths of children attributed to this cause during the year 1926 was 815, which number is 175 above that recorded in 1925, and 188 above the average (627) for the decennium, 1916-25.

Of the 815 deaths (462 of males and 353 of females) 308, or 39 per cent. appertained to Dublin county borough.

The mortality among children in 1926 from diarrhœa and enteritis for urban areas based on the births recorded therefor was 26·6 per 1,000 and for rural areas the corresponding rate was 6·4 per 1,000, the respective rates for the preceding year being 22·8 and 3·8. (See Abstract on page 60).

Influenza.—The number of deaths from influenza registered during the year 1926 was 654—deaths of males, 286, and of females, 368—the rate per 1,000 of the population represented by these figures being 0·22, 0·19 and 0·25, respectively. In 1920 the number of deaths from this cause was 696, in 1921 it was 648, in 1922 it rose to 1,812, falling in 1923 to 621, followed by a rise to 2,073 in 1924, and again falling in 1925 to 1,171. The number (654) in 1926, in 1,645 under the average (2,299) for the ten years, 1916-25.

It should be noted, however, that the highest annual mortalities from influenza ever recorded in the Saorstát Éireann area, viz., those for the years 1918 and 1919, during which 6,788 and 7,468 deaths, respectively, occurred, are included in this average, and if the average be taken for the deaths in 1916-25 exclusive of those for the two years referred to it will be found that the annual average for the 8 years is 1,092, which is 438 above the number recorded for the year 1926.

Of the deaths from influenza in 1926, 29 per cent. were registered during the first quarter of the year, 41 in the second, 11 in the third and 19 in the fourth quarter.

Of the 654 deaths from influenza, 163 related to urban and 491 to rural areas.

Among the 654 deaths from influenza in the entire area, 184 were associated with pulmonary complications, and 470 were returned as from influenza without qualification or were from that disease complicated with maladies other than pulmonary.

Erysipelas.—There were 42 deaths (19 of males and 23 of females) from this cause, as compared with 39 in 1925.

Acute Poliomyelitis.—Eleven deaths were ascribed to this disease, being one under the number recorded in the preceding year.

Encephalitis Lethargica.—The fatal cases of this disease, which numbered 4 in 1919, 17 in 1920, 31 in 1921, 19 in 1922, 16 in 1923, 55 in 1924, and 51 in 1925, fell to 43 in 1926. Twenty-one of the latter were those of males and 22 of females.

Meningococcal Meningitis.—This disease caused 17 deaths (11 of males and 6 of females) or 5 above the number for 1925, and 10 under the average for the 10 years 1916-25.

Other Epidemic Diseases.—There were 2 deaths (both of males) from malaria, one death (a female) from mumps, one death (a male) from cholera nostras, 7 deaths (3 males and 4 females) from epidemic rose rash, 3 deaths (2 males and one female) from varicella, one death (a female) from rubella, and one death (a male) from malta fever.

Tetanus.—The number of deaths from this disease was 24, those of males being 18 and of females 6, as against a total of 17 (16 of males and one of a female) in 1925.

TUBERCULOSIS.

Deaths from all forms of tuberculous disease registered in Saorstát Éireann during the year 1926 numbered 4,362, and of these 2,167 were deaths of males and 2,195 of females. The total number is equivalent to a rate of 1·47 per 1,000 of the total population, the number of deaths of males affording a rate of 1·44 per 1,000 of the estimated number of males, and the deaths of females 1·50 per 1,000 of the estimated number of females in the population, as will be seen from the following Table.

The corresponding rates for all deaths from tuberculosis were, in Northern Ireland 1·47 per 1,000 of the estimated population, in England and Wales 0·96 per 1,000 and in Scotland 0·99 per 1,000.

TABLE IV.—Showing by sexes the mortality from tuberculosis during each of the years 1916-26.

Year.	Males.		Females.		Total.		Annual Increase.		Annual Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.	Number.	Per cent.
1916 ...	3,394	2·19	3,077	2·03	6,471	2·11	—	—	254	3·8
1917 ...	3,378	2·18	3,288	2·17	6,666	2·17	195	3·0	—	—
1918 ...	3,244	2·09	3,248	2·15	6,492	2·12	—	—	174	2·6
1919 ...	2,846	1·78	2,993	1·99	5,839	1·88	—	—	653	10·1
1920 ...	2,516	1·57	2,606	1·73	5,122	1·65	—	—	717	12·3
1921 ...	2,337	1·46	2,487	1·66	4,824	1·56	—	—	298	5·8
1922 ...	2,316	1·51	2,298	1·54	4,614	1·53	—	—	210	4·4
1923 ...	2,222	1·46	2,246	1·51	4,468	1·48	—	—	146	3·2
1924 ...	2,264	1·49	2,318	1·56	4,582	1·52	114	2·6	—	—
1925 ...	2,307	1·53	2,366	1·61	4,673	1·57	91	2·0	—	—
Average, 1916-1925,	2,682	1·73	2,693	1·80	5,375	1·76	—	—	*1,798	27·8
1926 ...	2,167	1·44	2,195	1·50	4,362	1·47	—	—	311	6·7

* Decrease in 1925 as compared with 1916.

It will be observed from this table that a continuous reduction in the mortality from tuberculosis took place in the Saorstát Éireann area each year from 1918 to 1923, the rate for the latter year being 1·48 per 1,000. This mortality was followed by an increase in 1924, amounting to 114 deaths (42 of males and 72 of females) and by a further increase of 91 (43 males and 48 females) in 1925; but in 1926 deaths from tuberculosis again show a decrease, amounting to 311, so that the deaths for 1926 are the fewest ever recorded for the Saorstát Eireann area.

Of the 4,362 deaths, 3,369 (of males 1,667, and of females 1,702) were caused by tuberculosis of the respiratory system, 227 (of males 111 and of females 116) by tuberculosis of the meninges, 260 (of males 103 and of females 157) by tuberculosis of the intestines and peritoneum, 76 (of males 44, and of females 32) by tuberculosis of the vertebral column, 39 (of males 22 and of females 17) by tuberculosis of the joints, 96 (of males 52 and of females 44) by tuberculosis of other organs, and 295 (of males 168 and of females 127) were caused by disseminated tuberculosis.

The deaths from tuberculosis of the respiratory system in 1926 show a decrease of 298 (120 males and 178 females) as compared with 1925, and those from other forms of tuberculous disease, numbering 993 (500 deaths of males and 493 of females) a decrease of 13, consisting of a decrease of 20 deaths of males and an increase of 7 in the deaths of females.

Included in the 4,362 deaths from tuberculous diseases are 1,610 deaths of persons belonging to urban areas and 2,752 to rural, as compared with 1,760 urban and 2,913 rural deaths in 1925, showing a decrease of 150 in the urban deaths in 1926, and a decrease of 161 in the deaths appertaining to rural areas.

The abstracts commencing on page 28 give the details regarding deaths from tuberculosis, by provinces, counties, county boroughs, and urban and rural districts, while Tables XIV. and XV. supply the rates per 1,000 of the population for these areas.

It will be seen from Table XIV. that the highest tuberculosis mortality for county or county borough areas related to the following:—Cork county borough (2·24 per 1,000), Waterford county borough (2·10 per 1,000), Dublin county borough (2·01 per 1,000), and Westmeath county (1·81 per 1,000) the counties having the lowest rates in 1926 being Roscommon (0·75), Longford (0·80), Cavan (1·03) and Sligo (1·08).

Syphilis, &c.—Thirty-one deaths (17 of males and 14 of females) were ascribed to syphilis as compared with 25 in 1925. Of the 31 deaths, 17 (8 of males and 9 of females) were those of infants under one year of age.

Four deaths (all males) were ascribed to other venereal affections.

There were 36 deaths (34 of males and 2 of females) from general paralysis of the insane; 6 deaths (of males 5 and of females one) from locomotor ataxy, and 26 deaths (of males 18, and of females 8) from aneurysm.

Purulent Infection, Septicæmia.—Under this heading 111 deaths were returned, (68 being those of males, and 43 of females), as against 88 in the preceding year.

Other Infectious Diseases.—One death (that of a male) from anthrax occurred, and 3 deaths (1 male and 2 females) from mycoses were also registered.

Cancer.—A distinctly upward tendency in the mortality from cancer was one of the notable features of the death statistics of the years 1923 and 1924, as will be seen from Table III., which shows that while the mortality for the years 1916-22 fluctuated but slightly, that for the year 1923 gave an increase of 8 per cent. as compared with 1922, and that for 1924 an increase of 6 per cent. as compared with 1923; but in the year 1925 a decrease, amounting to 102 deaths (3·5 per cent.), as compared with the preceding year, occurred.

In 1926, however, the increase in deaths from cancer again continued, the deaths recorded numbering 3,021, showing an increase of 220, or 8 per cent., as compared with 1925.

During the years 1882 to 1890, the average annual rate per 1,000 of the mean population of those years, represented by the number of deaths from cancer registered in the Saorstát Éireann area was 0·37, followed by a rate of 0·48 per 1,000 for the ten years, 1891-1900, by 0·68 per 1,000 for the decennium, 1901-10, by 0·84 per 1,000 for the decennium, 1911-1920, and by 0·92 per 1,000 for the six years, 1921–26.

It is not possible to say to what extent the increase shown in the mortality from this cause results from faulty description of the cause of death in the records of the earlier years. It is improbable, however, that any appreciable proportion of the increase shown in the average annual mortality from cancer for the six years 1921-6, as compared with that for the decennium 1901-10, can be ascribed in this way to improved diagnosis.

Consequently, the mortality from cancer in the Saorstát Éireann area during the six years, 1921-26, viz., 0·92 per 1,000, shows a real increase of 35 per cent. as compared with the average annual rate (0·68 per 1,000) for the ten years, 1901-10.

Of the 3,021 deaths in 1926, those of males numbered 1,558, and of females 1,463. These figures are represented by rates of 1·02 per 1,000, 1·04 per 1,000, and 1·00 per 1,000, respectively.

As compared with 1925 (0·99 per 1,000) the mortality among males in 1926 shows an increase of 5 per cent., the increase among females being 14 per cent. on the rate (0·88 per 1,000) in 1925.

Deaths from cancer in urban areas numbered 995 or 1·15 per 1,000 of the population, and in rural areas, 2,026, equivalent to 0·96 per 1,000, as compared with 963 urban deaths (rate 1·12 per 1,000) and 1,838 rural (rate 0·87 per 1,000) in 1925.

Of the 3,021 deaths from cancer, 1,488 were returned as from carcinoma, 134 as from sarcoma, and 1,399 as from cancer, malignant disease.

In Northern Ireland the rate for both sexes was 1·12 per 1,000, for males 1·02, and for females 1·22.

For England and Wales the mortality from cancer in 1926 was 1·36 per 1,000 of the population and for Scotland 1·36 per 1,000.

Table V. shows the number of deaths from cancer, by sexes, ages, and parts affected.

TABLE V.—Showing the deaths from CANCER* registered in Saorstát Eireann during the year 1926, by Sexes, Ages, and parts affected.

	Parts Affected.	MALES. Ages at Death. Under 20	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75 and Upwards	Total	FEMALES. Ages at Death. Under 20	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75 and Upwards	Total	Total Males and Females
43	Jaw	1	·	·	3	2	4	6	8	11	6	4	10	6	61	·	·	·	·	·	·	3	7	3	2	1	5	3	24	85
	Lip	·	·	·	·	·	1	2	3	3	8	7	6	10	40	·	·	·	·	·	·	·	·	·	·	·	·	3	3	43
	Mouth ...	·	·	·	1	·	1	3	3	5	7	7	6	6	39	·	·	·	·	·	·	·	1	·	·	1	1	1	4	43
	Tongue ...	·	·	1	1	1	4	6	20	16	16	11	9	6	91	·	·	·	·	·	·	1	1	5	3	·	·	1	11	102
44	Liver, Gall Bladder	·	·	·	·	3	2	8	20	20	18	26	16	15	128	·	·	·	1	4	7	9	16	22	33	25	22	22	161	289
	Oesophagus ...	·	·	1	·	·	3	6	8	16	13	10	3	4	64	·	·	·	·	·	1	5	9	8	1	5	2	3	34	98
	Pharynx ...	1	·	·	·	·	·	4	1	4	4	1	·	2	17	·	·	·	·	·	·	·	1	·	·	·	·	1	2	19
	Stomach ...	·	·	1	1	7	10	26	40	54	55	72	62	32	360	·	·	1	5	9	10	24	43	61	55	56	33	29	326	686
45	Intestine ...	·	·	·	·	1	5	15	13	29	29	38	24	21	175	·	·	2	2	3	12	9	17	19	30	32	17	17	160	335
	Mesentery ...	·	·	1	·	·	·	1	·	·	1	·	·	·	3	·	·	·	·	·	·	·	·	·	·	·	1	·	1	4
	Peritoneum ...	1	·	·	·	·	·	·	·	1	·	·	1	1	4	·	·	·	·	·	·	·	1	·	·	·	·	1	2	6
	Rectum ...	1	·	·	·	3	1	10	11	23	17	20	20	13	119	·	·	·	2	·	3	8	8	1	10	5	6	4	47	166
46	Ovary	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	6	1	2	1	2	1	1	15	15
	Uterus ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	6	7	11	18	28	22	24	13	10	6	146	146
	Vagina ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	1	·	1	·	1	5	5
	Vulva ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	2	·	1	1	1	6	6
47	Breast ...	·	·	·	·	1	·	·	·	·	2	·	·	·	3	1	·	1	5	11	18	29	38	28	35	38	19	29	252	255
48	Ear	·	·	·	·	·	·	·	1	·	1	2	2	4	10	·	·	·	·	·	·	·	·	·	·	1	2	1	4	14
	Face	·	·	·	2	·	·	·	3	3	9	2	11	11	41	1	·	·	·	1	1	2	1	1	1	3	5	11	27	68
	Nose	·	·	·	·	·	·	1	·	·	·	1	2	1	5	·	·	·	·	·	·	·	1	·	·	·	·	1	2	7
	Penis	·	1	·	·	·	·	·	1	·	·	1	1	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4
	Scrotum ...	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
	Other Skin ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	·	·	·	1	1	4	4
49	Arm, Leg ...	2	·	·	1	1	·	·	2	5	5	3	3	4	26	1	1	·	1	2	·	2	5	1	5	4	9	6	37	63
	Axilla	·	1	·	·	·	·	·	·	·	·	·	2	·	3	·	·	·	·	·	·	·	·	1	·	·	·	·	1	4
	Bladder ...	·	·	·	·	·	·	·	1	3	3	7	2	3	19	·	·	·	·	·	1	1	1	2	2	1	·	·	8	27
	Brain	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	2	1	1	·	·	·	·	4	5
	Eye	·	·	1	·	·	·	·	·	·	·	1	·	·	2	1	·	·	·	·	·	1	·	·	1	1	2	2	8	10
	Groin	1	·	·	·	·	·	·	·	·	·	1	·	·	2	·	·	·	·	·	·	1	·	1	1	·	·	1	4	6
	Kidney ...	1	·	·	·	·	·	1	·	1	1	·	1	·	5	·	·	·	·	1	·	·	·	·	2	1	·	1	5	10
	Larynx, Trachea	·	·	·	·	·	·	3	6	6	5	5	2	3	30	·	·	·	·	·	1	2	2	1	2	·	·	1	9	39
	Lung	1	·	·	·	1	2	1	·	1	1	1	1	·	9	·	·	·	2	·	·	·	2	2	2	1	·	1	10	19
	Mediastinum ...	·	·	·	·	1	1	·	·	1	·	1	1	·	5	·	·	·	·	·	·	·	·	·	1	·	·	·	1	6
	Neck	·	·	·	·	·	3	6	11	10	12	8	6	7	63	·	1	·	1	·	·	2	·	2	2	3	4	4	19	82
	Pancreas ...	·	·	·	·	·	·	4	4	2	3	4	4	4	25	·	·	·	·	·	1	1	3	1	4	1	2	2	15	40
	Parotid ...	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	·	·	·	1	1	2	3
	Pelvis	·	·	·	·	·	·	·	·	1	·	1	·	1	3	·	·	·	·	1	2	·	1	4	1	·	·	·	9	12
	Prostate ...	·	·	·	·	·	·	·	3	4	7	10	6	7	37	·	·	·	·	·	·	·	·	·	·	·	·	·	·	37
	Rib, Sternum	·	·	·	·	·	·	·	·	·	1	1	·	·	2	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2
	Shoulder ...	·	·	·	·	·	·	·	1	1	·	·	·	·	2	·	·	·	1	·	·	·	·	1	·	·	1	·	3	5
	Spinal Column	·	·	·	·	·	·	2	·	·	1	·	·	·	3	·	·	·	·	·	1	·	·	·	1	·	·	·	2	5
	Spleen ...	·	·	·	·	·	·	·	·	·	·	1	·	·	1	·	·	·	·	·	·	·	·	1	·	·	·	·	1	2
	Testes	·	·	·	·	·	·	·	1	·	·	·	·	·	1	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1
	Thorax ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	2	1	·	·	·	·	·	3	3
	Throat ...	·	·	1	2	·	2	9	14	11	18	11	9	6	83	·	·	·	·	·	·	1	3	1	1	4	1	1	12	95
	Thyroid ...	·	·	·	·	·	·	·	1	·	·	1	1	·	3	1	·	·	·	·	1	2	·	·	2	4	·	2	12	15
	Abdomen ...	·	·	·	·	·	2	2	·	5	3	2	2	3	19	·	·	·	·	·	1	2	5	4	5	5	1	7	30	49
	Other and Undefined	1	·	1	1	1	8	1	8	6	7	4	4	6	48	2	1	·	·	2	2	2	3	4	4	4	7	1	32	80
	TOTAL ...	10	2	7	12	22	49	117	185	242	253	265	217	177	1,558	7	3	5	27	42	74	136	202	202	231	213	154	167	1,463	3,021

* Including Carcinoma, Sarcoma, and Cancer, Malignant Disease.

Tumours.—Only tumours either definitely stated to have been non-malignant, or as to which, as the result of special enquiries regarding their nature, further information was not obtainable, are included under this heading.

There were 28 deaths from cerebral tumour (of males 11 and of females 17); 15 from tumours of the ovary ; 23 from tumours of the uterus ; and 59 from tumours of other or unstated sites (27 of males and 32 of females).

The latter included 17 returned as from tumour of the abdomen, 5 of bladder, 6 of intestine, 3 of neck, 3 of side, 3 of spine, 2 of lung, 2 of mediastinum, 2 of spleen, 2 of throat, one of each of the following :—breast, ilium, kidney, larynx, liver, pancreas, pylorus, thyroid, and urethra, and 5 were tumours of which the site was unstated.

Rheumatism.—There were 109 deaths (61 of males and 48 of females) from rheumatic fever and 277 deaths (111 of males and 166 of females) from chronic rheumatism, osteo-arthritis and gout.

Diabetes.—To this cause 226 deaths were attributed, 111 being deaths of males and 115 of females. The total deaths are 4 above the number (222) for the year 1925, and the same as the average for the 10 years 1916-25.

Alcoholism.—Nine deaths were ascribed to alcoholism, and of these 8 were those of males. Cirrhosis of the liver caused 113 deaths, 72 being those of males and 41 of females. All except 3 males and one female were aged 30 years and upwards.

Other General Diseases.—Among these were 2 deaths (of males) from scurvy, 32 deaths from rickets, 212 from pernicious anæmia (98 of males and 114 of females), 83 from other anæmias and chlorosis (26 of males and 57 of females), 36 (one male and 35 females) from exophthalmic goitre, 24 from other diseases of the thyroid gland (6 deaths of males and 18 deaths of females), 8 from tetany (3 of males and 5 of females), 2 from diseases of thymus (one male and one female), 11 (6 of males and 5 of females) from diseases of the adrenals, 3 from disease of the spleen, 27 from leukæmia, 22 from lymphadenoma (Hodgkins' disease) and one from chronic poisoning by mineral substances. Among 43 other deaths under this heading 29 (15 males and 14 females) were returned as occurring from purpura ; 4 (3 males and one female) from hæmophilia ; one (a female) from amyloid disease, one (a male) from diabetes insipidus, and one (a female) from pellagra.

Meningitis and Encephalitis.—Deaths from meningitis (not returned as cerebro-spinal or tuberculous) amounted to 351 (deaths of males numbering 182, and of females, 169) as compared with 307, 167, and 140 respectively, in 1925.

The number of deaths from encephalitis (not returned as encephalitis lethargica), was 42 as against 59 in 1925.

Cerebral Hæmorrhage.—The number of deaths returned under this heading was 1,339, comprising 576 deaths of males and 763 of females. These figures include the deaths of 41 males and 62 females from cerebral thrombosis and embolism.

The 1,339 deaths are 27 above the number recorded in 1925, and 22 under the average for the 10 years, 1916-25.

Epilepsy.—There were 149 deaths (of males 97, and of females 52) from epilepsy, as compared with 155 in the preceding year.

Convulsions.—The number of deaths ascribed to convulsions was 645 (of males 361, and of females 284) and of the 645 deaths, 513, or 79·5 per cent. were those of infants under one year of age, constituting 11·3 per cent. of the deaths from all causes of infants under one year of age registered in Saorstát Éireann during the year 1926.

Heart Disease.—To this group, 4,656 deaths (of males 2,248, and of females 2,408) were assigned, equivalent to a rate of 1·57 per 1,000 of the estimated population, and contributing 11·2 per cent. to the mortality from all causes. The number of deaths from heart disease during the year under review is 309 below that for 1925, and 172 below the average (4,828) for the ten years 1916-25.

Of the 4,656 deaths, 26 were ascribed to pericarditis, 117 to acute endocarditis and myocarditis, 73 to angina pectoris, and 4,440 to other diseases of the heart.

Arterio-sclerosis.—Deaths from arterio-sclerosis, of which 145 were those of males, and 76 of females, numbered 221, the number recorded for 1925, being, 197.

Bronchitis.—The deaths from this cause numbered 2,433 (of males, 1,178, and of females, 1,255), being equivalent to a rate of 0·82 per 1,000 of the population, or 5·8 per cent. of the total number of deaths from all causes. The number of deaths (2,433) is 221 below the number for 1925, and 1,081 under the average for the ten years, 1916-25, and is the lowest mortality from bronchitis recorded for the Saorstát Éireann area.

Pneumonia.—Of 2,314 deaths from pneumonia (all forms), affording a rate of 0·78 per 1,000 of the population, 945 were from broncho-pneumonia, 271 from lobar pneumonia, and 1,098 from pneumonia (not otherwise defined).

The 2,314 deaths include 1,281 deaths of males and 1,033 of females, and are 446 under the average for the ten years, 1916-25.

Pleurisy; Empyema.—The number of deaths classed to pleurisy, including deaths from empyema regarding which the originating cause other than pleurisy could not be ascertained, was 104, the males numbering 57, and the females 47.

As the result of inquiries into the causes of 12 deaths returned as having been caused by empyema, sufficient information was obtained to enable 8 of these to be classified to other causes, viz., 5 to tuberculosis, one to heart disease, one to lobar pneumonia, and one to pneumonia (not otherwise defined).

Ulcers of the Stomach and Duodenum.—To this cause 264 deaths were attributed, 171 being those of males and 93 of females. The total number is 25 above the average (239) for the ten years, 1916-25.

Appendicitis.—The deaths so classified numbered 189 (of males 101, and of females 88) being 45 above the average (144) for the ten years preceding.

Cirrhosis of the Liver.—Deaths from this cause, viz., 113 (of males 72, and of females 41) are 5 under the average for the ten years 1916-25.

Acute and Chronic Nephritis.—The number of deaths from acute nephritis was 155 (86 of males and 69 of females) and from chronic nephritis 990 (514 of males and 476 of females). The total number of deaths from the acute and chronic disease was 1,145, which number is 17 above that for 1925, and 48 above the average for the ten years 1916-25.

PREGNANCY AND CHILDBIRTH.

The mortality of women during pregnancy and childbirth is classified under three headings, namely (1) septic conditions (2) intrinsic accidents and diseases of pregnancy and childbirth, and (3) diseases or causes associated with pregnancy and childbirth. To the first group 115 deaths were attributed in the year 1926, to the second, 184, and to the third 30; altogether the deaths in Saorstát Éireann of childbearing women numbered 329. This number, which is 17 above that for the year 1925, represents a rate of 5·38 per 1,000 of the total births registered, as compared with 5·03 in the year 1925, and with 5·59 per 1,000, the average rate for the decade, 1916-25.

Table VII. shows that in the mortality from puerperal septic diseases there was an increase, viz., from 105 in the year 1925 to 115 in 1926, but a slight decrease in the mortality from accidents of pregnancy and childbirth, which fell from 186 in 1925 to 184 in 1926. The deaths of women from causes associated with pregnancy and childbirth, which were 21 in the year 1925, rose to 30 in the year under review.

[Table

Tables XIV. and XV. give the rates per 1,000 births for (1) and (2) by provinces, counties and county boroughs and groups of urban and rural areas.

TABLE VI.—Showing the number of deaths of women in 1926 definitely returned as either caused by or associated with PREGNANCY or CHILDBEARING.*

CAUSES OF DEATH.	ALL AGES.	AGES				
		15—	20—	30—	40—	45 yrs. and up
Total	329	7	102	173	40	7
Scarlet Fever	1	·	·	1	·	·
Tuberculosis of Respiratory System	6	·	3	3	·	·
Anaemia : Chlorosis	2	·	1	1	·	·
Meningitis	1	·	·	1	·	·
Cerebral Hæmorrhage	1	·	1	·	·	·
Endocarditis	2	·	·	2	·	·
Heart Disease (unspecified)	9	·	3	4	2	·
Disease of Larynx	1	·	1	·	·	·
Pneumonia (not otherwise defined)	2	·	1	1	·	·
Pleurisy	1	·	·	·	·	1
Congestion and Infarct of the Lung	1	·	·	1	·	·
Ulcer of the Stomach	1	·	1	·	·	·
Other Diseases of the Stomach	1	·	1	·	·	·
Appendicitis	1	·	·	1	·	·
Abortion	2	·	1	1	·	·
Ectopic Gestation	2	1	1	·	·	·
Other accidents of pregnancy	9	·	1	4	3	1
Puerperal hæmorrhage	62	1	16	35	9	1
Other accidents of childbirth	28	1	4	17	5	1
Puerperal sepsis	115	2	41	60	10	2
Phlegmasia alba dolens ; embolism	21	·	7	9	5	·
Puerperal albuminuria ; convulsions	43	1	14	25	2	1
Childbirth not assignable elsewhere	17	1	5	7	4	·

*These deaths are included in the general tables of Causes of Deaths.

TABLE VII.—Showing the number of deaths of women directly attributable to or associated with PREGNANCY or CHILDBIRTH, during each of the years, 1916-26, and also the rate per 1,000 births registered during each of those years, with the average rate for the ten years 1916-25.

YEARS.	Deaths from Puerperal Septic Diseases.*		Deaths from Accidents of Pregnancy or Childbirth.*		Total Deaths from Puerperal Septic Diseases and Accidents of Pregnancy or Childbirth.		Deaths from causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by or associated with Pregnancy or Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1916 ...	133	2·05	239	3·69	372	5·74	39	0·60	411	6·34
1917 ...	101	1·64	197	3·21	298	4·85	30	0·49	328	5·34
1918 ...	93	1·52	202	3·31	295	4·83	42	0·69	337	5·52
1919 ...	96	1·55	195	3·16	291	4·71	73	1·18	364	5·89
1920 ...	122	1·82	204	3·05	326	4·87	41	0·61	367	5·48
1921 ...	108	1·77	194	3·18	302	4·95	34	0·56	336	5·51
1922 ...	118	2·01	215	3·65	333	5·66	37	0·63	370	6·29
1923 ...	117	1·90	180	2·92	297	4·82	31	0·50	328	5·32
1924 ...	102	1·61	201	3·17	303	4·78	27	0·43	330	5·21
1925 ...	105	1·69	186	3·00	291	4·69	21	0·34	312	5·03
Average, 1916-25	110	1·76	201	3·23	311	4·99	37	0·60	348	5·59
1926 ...	115	1·88	184	3·01	299	4·89	30	0·49	329	5·38

* See note (*) at foot of Table III.

VIOLENCE.

Deaths caused by violence, as registered in Saorstát Éireann during the year 1926, amounted to 889, a number equivalent to 0·30 per 1,000 of the estimated population, and 73 more than that recorded for 1925, and 388 below the average (1,277) for the ten years 1916-25.

Of the 889 deaths, 97 were classed to suicide, 44 to homicide, and one to execution, leaving 747 to other deaths by violence, the majority of which were definitely stated to have been accidental.

The suicidal cases comprise the deaths of 78 males and 19 females.

Of the 44 homicidal cases, 27 were deaths of males (including 11 infants under one year old) and 17 of females (including 9 infants one year old).

The deaths other than those classed to homicide, suicide or execution, include 12 (6 of males and 6 of females) caused by poisons or poisonous gases, and 185 (67 of males and 118 of females) by burns or scalds. Of the 185 deaths caused by burns or scalds, 72 were those of children under 5 years of age. The number also includes 46 deaths which resulted from a conflagration.

There were 131 deaths (of males 112, and of females 19) from accidental drowning, 12 deaths caused by injuries due to firearms, of which 11 were those of males and one of a female, and there were 131 deaths caused by crushing and other injuries by vehicles, etc., (105 of males and 26 of females), including 70 (males 52, and females 18), as compared with 53 in 1925, by motor driven vehicles, and 15 by railway trains.

Of the 12 accidental deaths attributed to poisons or poisonous gases, 3 were caused by carbon-monoxide; one by strychnine; one by copper sulphate; one by carbolic acid; one by prussic acid; one by potassium chloride; one by sea grass; one by sheep dip; one by coal gas; and one by a gas of which the name was not stated.

The suicidal deaths include 12 by poisoning; 3 were stated to have been caused by phosphorus (rat poison), 2 by strychnine, 2 by carbolic acid, one by lysol, one by paraldehyde and carbolic acid; one by morphia; one by corrosive poison; and one by "poisonous gas."

Uncertified Causes.

Among the 41,740 deaths registered, 10,577 were not certified by medical practitioners, nor were inquests into their causes held. They constitute 25·3 per cent. of the total mortality in 1926, as against an average of 26·5 for the ten years, 1916-25. The number of uncertified deaths in urban areas in 1926 was 4·5 per cent. of the total number of deaths registered therein, the corresponding percentage for rural areas being 35·2.

Inquests.

According to returns furnished by the registrars the number of inquests during the year 1926 was 755, or one inquest for every 55 deaths registered.

AGES AT DEATH.

Of the 41,740 deaths at all ages, 6,781 or 16·2 per cent. were deaths of children under 5 years of age, including 3,676 deaths of males, or 17·6 per cent. of the male mortality at all ages, and 3,105 deaths of females, or 14·9 per cent. of the total number of deaths of females.

The deaths of 18,051 persons aged 65 years or upwards were registered during the year 1926, constituting 43·2 per cent. of the total number of deaths at all ages, and include 8,803 of males, or 42·2 per cent. of the total deaths of males, and 9,248 of females, or 44·3 per cent. of the deaths of females at all ages.

Among the deaths of persons at these ages 14,543, or 34·8 per cent. of the total deaths, were 70 years of age or over.

Deaths of persons aged 95 years or upwards numbered 287 (of males 125, and of females 162) and they include 49 (males 20 and females 29) whose ages at death were returned as 100 years or upwards.

The ages in detail of the persons whose deaths were registered in the year 1926 are given in the Abstracts commencing with page 8.

INFANT MORTALITY.

The number of deaths of infants under one year of age registered in Saorstát Éireann during the year 1926 was 4,552, equivalent to a rate of 74 per 1,000 births, as compared with 68 per 1,000 in 1925 and an average of 76 for the ten years 1916-25.

The deaths of male infants numbered 2,538, being equal to 81 per 1,000 births of males, and the deaths of female infants, 2,014, or 68 per 1,000 births of females, the corresponding rates for 1925 being 75 and 61 respectively.

For Northern Ireland the infant mortality in 1926 was 85 per 1,000 births; for England and Wales, the rate was 70; and for Scotland 83 per 1,000 births.

From Table IX., which gives the infant mortality rates for Saorstát Éireann, by sexes, ages and causes, it will be seen that atrophy, debility, marasmus (19·35 per 1,000), diarrhœa and enteritis (11·97), convulsions (8·39), premature birth (8·04), pneumonia (6·11), and bronchitis (4·22) in the aggregate, are equivalent to 58·08 per 1,000 births, or 78 per cent. of the total infant mortality.

Of the deaths of infants, 35·9 per cent. were under one month old, 11·2 per cent. between one and two months; 8·8 per cent. between 2 and 3 months; 19·5 per cent. were aged 3 and under 6 months, and 24·6 in every 100 were 6 and under 12 months old.

Urban and Rural Mortality.

There were 2,306 deaths of infants recorded for urban areas, equivalent to 110 per 1,000 births, and the number of such deaths in rural areas was 2,246, or 56 per 1,000 births.

A reference to Table X. shows that, although the mortality in rural districts is low, the rate for urban areas of 10,000 inhabitants and upwards is high, viz., 120 per 1,000 births. The urban areas which contribute to this result are:—Limerick county borough, with a rate of 146, Kilkenny (128), Dublin Registration Area (including Dublin county borough, 127) (122), Cork county borough (122), Waterford county borough (114), Tralee (109), Galway (102), Wexford (92), Drogheda (86), Sligo (74), and Dundalk (64).

Deaths of infants in 1926, in urban districts of less than 10,000 inhabitants were equivalent to a rate of 77 per 1,000 births.

The following statement gives the infant mortality for each sex for urban and rural areas:—

Statement showing the INFANT MORTALITY per 1,000 Births, by sexes, and at different periods of life in 1926, in relation to urban and rural areas.

Ages.	Saorstát Éireann											
	Urban Areas. 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas.			All Rural Districts.		
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.
Under one Month	37·76	43·40	31·82	25·10	23·91	26·30	35·04	39·27	30·61	22·37	26·07	18·45
1–2 Months ...	12·87	15·81	9·77	9·78	10·63	8·92	12·20	14·72	9·59	6·33	6·86	5·77
2–3 „ ...	10·98	10·70	11·28	7·11	10·19	4·01	10·15	10·59	9·68	4·74	4·97	4·50
3–6 „ ...	26·29	28·06	24·43	16·44	16·39	16·50	24·17	25·59	22·69	9·48	10·19	8·74
6–12 „ ...	31·66	30·67	32·70	18·44	17·71	19·17	28·81	27·93	29·73	12·84	13·61	12·01
Under one year	119·56	128·64	110·00	76·87	78·83	74·90	110·37	118·10	102·30	55·76	61·70	49·47

The rate for deaths of infants under one year old for Belfast in 1926 was 112 per 1,000 births; for Londonderry, 118; for London, 64; for Liverpool, 103; for Edinburgh, 80; and for Glasgow, 104.

In connection with the ages at death, as disclosed by Table XI., the marked difference in the mortality in urban and in rural areas at each age period, and especially at one month old and upwards, is shown.

DEATHS OF ILLEGITIMATE INFANTS.

The number of deaths of illegitimate infants under one year of age registered in Saorstát Éireann during the year 1926, was 553, consisting of 292 deaths of males and 261 of females. Based on the number of illegitimate births registered, the resulting mortality rate is 322 per 1,000 births for both sexes, 344 per 1,000 for males and 301 per 1,000 births for females, as compared with 287, 289, and 284, respectively, in 1925.

It may be stated that the illegitimate infant mortality, as derived from the records for 1926, is nearly 5 times the mortality among legitimate infants, which was 67 per 1,000 births for both sexes, 74 per 1,000 for males, and 61 per 1,000 births for females.

In other words, ten out of every 31 illegitimate infants born alive in 1926, died before the completion of their first year of life.

In Northern Ireland in 1926, the illegitimate infant death-rate was 238 per 1,000 births; and in England and Wales, the illegitimate infant death-rate was 130 per 1,000 births, or about one death to every 8 illegitimate infants born alive. This rate is about twice that for legitimate infants.

Table XII. shows for the whole of Saorstát Éireann the number of deaths by causes and at different periods of life under one year of age. On account of the smallness of the numbers it was not considered desirable to calculate rates for each age by causes. Rates are, however, given for all causes at each age period. It would appear from this table that at every period of life, the mortality among illegitimate infants is much in excess of that for all infants, as shown in Table IX.

It will be seen from Table XIII. that 231, or nearly 42 per cent. of the total number of deaths of illegitimate infants occurred in Dublin county and city. Of the 107 deaths in the county, 88 took place in institutions, and 19 elsewhere, and of the 124 city deaths, the corresponding numbers were 100 and 24. Thus, 43 of the 231 deaths in Dublin county and city did not occur in institutions. Of the latter, 11 were described in the registers of deaths as "nurse children," 6 of these occurring in the city, and 5 in the county.

TABLE VIII.—Showing for Saorstát Éireann, by certain causes, the MORTALITY AMONG INFANTS UNDER 12 MONTHS old, per 1,000 Births, registered in the eleven years 1916-26.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1916.	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.
ALL CAUSES	81·33	84·07	80·24	84·42	77·51	72·61	68·89	66·43	71·65	67·92	74·41
Measles (7)	0·60	1·09	1·37	0·32	0·63	0·48	1·44	0·50	0·75	0·63	1·59
Scarlet Fever (8)	0·11	0·03	0·05	0·03	0·09	0·05	0·10	0·03	0·08	0·03	0·03
Whooping Cough (9) ...	4·06	2·57	3·00	1·97	5·40	1·57	1·22	3·52	4·12	3·27	1·81
Diphtheria (10)	0·08	0·13	0·15	0·23	0·42	0·35	0·44	0·19	0·18	0·13	0·25
Influenza (11)	0·31	0·59	2·85	5·11	0·57	0·53	1·48	0·65	1·86	0·89	0·54
Tuberculosis of Nervous System (32).	0·56	0·59	0·54	0·41	0·40	0·35	0·37	0·37	0·21	0·48	0·31
Tuberculosis of Intestines and Peritoneum (33).	0·35	0·62	0·31	0·36	0·33	0·36	0·46	0·39	0·24	0·37	0·47
Other Tuberculous Diseases (31, 34-7).	0·91	0·99	0·87	0·83	0·64	0·75	0·82	0·46	0·61	0·50	0·70
Syphilis (38)	0·37	0·33	0·38	0·37	0·63	0·52	0·36	0·28	0·15	0·27	0·28
Meningitis (71)	1·14	0·88	1·01	1·05	0·81	0·93	0·92	0·89	0·70	0·89	1·34
Convulsions (80)	11·35	11·05	10·66	11·03	10·61	8·88	8·75	8·18	8·02	8·12	8·39
Bronchitis (99)	7·03	8·91	6·76	7·50	6·88	4·67	5·30	5·12	4·74	3·75	4·22
Pneumonia (100-101) ...	5·18	5·08	5·97	7·00	6·85	4·93	7·14	5·15	7·26	5·69	6·11
Inflammation of Stomach (112)	2·21	2·02	1·80	2·20	1·69	2·15	2·21	1·86	1·50	1·34	1·60
Diarrhoea and Enteritis (113)	9·66	9·54	8·41	8·75	7·33	12·52	6·49	7·17	7·03	8·89	11·97
Congenital Malformations (159)	2·27	1·90	1·59	1·52	2·09	1·38	1·80	1·85	2·41	2·24	2·16
Atrophy, Debility, Marasmus (160b).	22·96	25·07	22·77	22·53	19·52	20·90	18·15	18·75	20·27	19·48	19·35
Premature Birth (161) ...	6·49	6·28	6·22	7·10	7·46	6·38	6·49	5·92	6·59	6·52	8·04
Suffocation (Overlying) (180) ...	0·25	0·16	0·18	0·27	0·07	0·11	0·07	0·13	0·14	0·10	0·15
Other Causes	5·44	6·24	5·35	5·84	5·09	4·80	4·88	5·02	4·79	4·33	5·10

TABLE IX.—Showing for Saorstát Éireann the MORTALITY, by certain causes, by age-periods and by sexes, AMONG INFANTS UNDER 12 MONTHS OLD, per 1,000 Births registered in the year 1926.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.											
MALES AND FEMALES.											
CAUSES OF DEATH.	Under 24 Hours.	1–7 Days	7–14 Days.	14–21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1–2 Mths.	2–3 Mths.	3–6 Mths.	6–12 Mths.	Total under 1 year.
ALL CAUSES	7·90	7·91	3·92	2·71	4·25	26·69	8·34	6·59	14·50	18·29	74·41
Measles (7)	·	·	0·02	0·02	·	0·04	0·07	0·11	0·18	1·19	1·59
Scarlet Fever (8)	·	·	·	·	·	·	·	·	0·01	0·02	0·03
Whooping Cough (9) ...	·	·	·	·	0·08	0·08	0·13	0·23	0·44	0·93	1·81
Diphtheria (10)	·	·	·	·	·	·	0·02	·	·	0·23	0·25
Influenza (11)	·	·	0·02	·	·	0·02	0·05	0·03	0·15	0·29	0·54
Tuberculosis of the Nervous System (32)	·	·	·	·	0·02	0·02	·	0·02	0·08	0·19	0·31
Tuberculosis of Intestines and Peritoneum (33)	·	·	·	·	0·02	0·02	0·05	0·06	0·13	0·21	0·47
Other Tuberculous Diseases (31, 34–7)	·	·	0·02	·	·	0·02	0·03	0·03	0·26	0·36	0·70
Syphilis (38)	·	0·01	0·02	·	0·02	0·05	0·06	0·07	0·07	0·03	0·28
Meningitis (71)	·	·	·	·	·	·	0·11	0·10	0·41	0·72	1·34
Convulsions (80)	0·35	1·24	0·75	0·42	0·65	3·41	1·10	0·74	1·58	1·56	8·39
Bronchitis (99)	·	0·08	0·08	0·13	0·18	0·47	0·54	0·53	1·06	1·62	4·22
Pneumonia (100, 101) ...	0·02	·	0·13	0·06	0·15	0·36	0·39	0·52	1·13	3·71	6·11
Inflammation of Stomach (112)	·	0·02	0·03	0·03	0·03	0·11	0·31	0·26	0·54	0·38	1·60
Diarrhoea and Enteritis (113) ...	·	0·08	0·23	0·28	0·75	1·34	1·68	1·80	4·09	3·06	11·97
Congenital Malformations (159)	0·26	0·41	0·34	0·13	0·15	1·29	0·20	0·16	0·21	0·30	2·16
Atrophy, Debility, Marasmus (160b)	3·35	3·01	1·40	1·05	1·29	10·10	2·81	1·52	3·11	1·81	19·35
Premature Birth (161) ...	3·12	2·78	0·54	0·41	0·47	7·32	0·28	0·18	0·20	0·06	8·04
Suffocation (overlying) (180) ...	·	·	0·01	·	0·05	0·06	0·02	·	0·05	0·02	0·15
Other Causes	0·80	0·28	0·33	0·18	0·39	1·98	0·49	0·23	0·80	1·60	5·10
MALES.											
ALL CAUSES	8·95	8·99	4·27	3·47	4·88	30·56	9·53	6·88	15·42	18·48	80·87
Measles (7)	·	·	0·03	0·03	·	0·06	0·07	0·16	0·19	1·21	1·69
Scarlet Fever (8)	·	·	·	·	·	·	·	·	0·03	0·03	0·06
Whooping Cough (9) ...	·	·	·	·	0·10	0·10	0·06	0·13	0·45	0·86	1·60
Diphtheria (10)	·	·	·	·	·	·	·	·	·	0·22	0·22
Influenza (11)	·	·	0·03	·	·	0·03	0·09	0·03	0·13	0·26	0·54
Tuberculosis of the Nervous System (32)	·	·	·	·	·	·	·	·	0·06	0·19	0·25
Tuberculosis of Intestines and Peritoneum (33) ...	·	·	·	·	0·03	0·03	0·10	0·06	0·16	0·16	0·51
Other Tuberculous Diseases (31, 34–7)	·	·	·	·	·	·	·	0·06	0·23	0·35	0·64
Syphilis (38)	·	0·03	·	·	·	0·03	0·13	0·03	0·03	0·03	0·25
Meningitis (71)	·	·	·	·	·	·	0·16	0·10	0·51	0·60	1·37
Convulsions (80)	0·51	1·56	0·83	0·45	0·76	4·11	1·27	0·92	1·50	1·66	9·46
Bronchitis (99)	·	0·13	0·09	0·19	0·26	0·67	0·54	0·45	1·27	1·75	4·68
Pneumonia (100, 101) ...	0·03	·	0·13	0·10	0·19	0·45	0·51	0·67	1·40	3·89	6·92
Inflammation of Stomach (112)	·	0·03	·	0·07	0·03	0·13	0·35	0·16	0·60	0·32	1·56
Diarrhœa and Enteritis (113) ...	·	0·03	0·26	0·38	0·80	1·47	2·26	2·07	4·59	2·87	13·26
Congenital Malformations (159)	0·19	0·48	0·35	0·19	0·19	1·40	0·10	0·16	0·22	0·29	2·17
Atrophy, Debility, Marasmus, (160b)	4·02	3·47	1·63	1·27	1·50	11·89	2·93	1·53	2·96	1·85	21·16
Premature Birth (161) ...	3·44	3·00	0·51	0·54	0·57	8·06	0·32	0·13	0·16	0·06	8·73
Suffocation (overlying) (180) ...	·	·	0·03	·	·	0·03	·	·	·	0·03	0·06
Other Causes	0·76	0·26	0·38	0·25	0·45	2·10	0·64	0·22	0·93	1·85	5·74
FEMALES.											
ALL CAUSES	6·78	6·78	3·56	1·91	3·59	22·62	7·08	6·28	13·53	18·09	67·60
Measles (7)	·	·	·	·	·	·	0·07	0·07	0·17	1·17	1·48
Scarlet Fever (8)	·	·	·	·	·	·	·	·	·	·	·
Whooping Cough (9) ...	·	·	·	·	0·07	0·07	0·20	0·33	0·44	1·01	2·05
Diphtheria (10)	·	·	·	·	·	·	0·03	·	·	0·24	0·27
Influenza (11)	·	·	·	·	·	·	·	0·04	0·17	0·33	0·54
Tuberculosis of the Nervous System (32)	·	·	·	·	0·03	0·03	·	0·04	0·10	0·20	0·37
Tuberculosis of Intestines and Peritoneum (33) ...	·	·	·	·	·	·	·	0·06	0·10	0·27	0·43
Other Tuberculous Diseases, (31, 34–7).	·	·	0·03	·	·	0·03	0·07	·	0·30	0·37	0·77
Syphilis (38)	·	·	0·03	·	0·03	0·06	·	0·10	0·10	0·04	0·30
Meningitis (71)	·	·	·	·	·	·	0·07	0·10	0·30	0·84	1·31
Convulsions (80)	0·17	0·91	0·67	0·40	0·54	2·69	0·90	0·54	1·68	1·44	7·25
Bronchitis (99)	·	0·03	0·07	0·07	0·10	0·27	0·54	0·60	0·84	1·47	3·72
Pneumonia (100, 101) ...	·	·	0·14	0·03	0·10	0·27	0·27	0·37	0·84	3·52	5·27
Inflammation of Stomach (112)	·	·	0·07	·	0·03	0·10	0·27	0·37	0·47	0·44	1·65
Diarrhœa and Enteritis (113) ...	·	0·13	0·20	0·17	0·71	1·21	1·07	1·51	3·56	3·26	10·61
Congenital Malformations (159)	0·33	0·34	0·34	0·06	0·10	1·17	0·30	0·17	0·20	0·30	2·14
Atrophy, Debility, Marasmus (160b)	2·65	2·52	1·17	0·81	1·07	8·22	2·68	1·51	3·26	1·78	17·45
Premature Birth (161) ...	2·79	2·55	0·57	0·27	0·37	6·55	0·24	0·24	0·23	0·07	7·33
Suffocation (overlying) (180) ...	·	·	·	·	0·10	0·10	0·03	·	0·10	·	0·23
Other Causes	0·84	0·30	0·27	0·10	0·34	1·85	0·34	0·23	0·67	1·34	4·43

TABLE X.—Showing for the year 1926, the INFANT MORTALITY—DEATHS OF INFANTS UNDER ONE YEAR of age per 1,000 Births registered—for each of the undermentioned areas or groups of areas in Saorstát Éireann. (Corrected for Births and Deaths in Institutions).

CAUSES OF DEATH.	Dublin Registration Area.						County Boroughs.			All Urban Areas.				Rural Districts in Provinces.			
	Total.	Dublin Co. Borough.	Blackrock Urban District.	Dún Laoghaire Urban District.	Pembroke Urban District.	Rathmines and Rathgar U. D.	Cork.	Limerick.	Waterford.	10,000 population and upwards.	Under 10,000 population.	Total Urban Areas.	Total Rural Areas.	Leinster.	Munster.	Connaught.	Ulster (part of).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
ALL CAUSES	122·22	127·47	97·14	120·10	105·50	85·47	121·68	145·95	113·86	119·56	76·87	110·37	55·76	65·60	57·67	43·80	51·05
Measles (7)	1·29	1·48	·	2·61	·	·	6·64	6·59	9·90	2·99	1·56	2·68	1·02	0·77	1·40	1·03	0·56
Scarlet Fever (8) ...	·	·	·	·	·	·	·	·	·	·	·	·	0·05	·	0·15	·	·
Whooping Cough (9) ...	1·75	1·82	·	·	4·59	·	5·53	5·65	3·30	2·38	1·56	2·20	1·61	1·63	2·13	1·24	0·94
Diphtheria (10)	0·92	1·02	·	·	1·53	·	·	·	·	0·67	0·22	0·57	0·07	0·09	0·15	·	·
Influenza (11)	0·46	0·57	·	·	·	·	0·55	·	·	0·43	0·44	0·43	0·60	0·43	0·22	0·41	2·25
Tuberculosis of the Nervous System (32) ...	0·37	0·34	·	·	·	1·22	0·55	·	·	0·37	0·22	0·33	0·30	0·69	0·22	0·10	·
Tuberculosis of Intestines and Peritoneum (33) ...	1·02	1·14	·	·	·	1·22	1·11	0·94	·	0·98	0·44	0·86	0·27	0·51	·	0·31	0·38
Other Tuberculous Diseases (31, 34-7)	0·65	0·68	·	·	·	1·22	3·32	·	1·65	0·91	1·33	1·01	0·55	0·77	0·44	0·41	0·56
Syphilis (38)	1·02	1·14	·	·	1·53	·	·	·	·	0·67	·	0·53	0·15	0·34	·	0·10	0·19
Meningitis (71)	2·86	2·50	11·43	5·22	3·06	3·66	3·32	·	3·30	2·38	1·33	2·15	0·92	0·77	1·25	0·83	0·56
Convulsions (80) ...	9·42	10·00	5·71	2·61	3·06	12·21	13·27	40·49	6·60	12·75	11·11	12·40	6·30	6·69	6·32	6·41	5·26
Bronchitis (99)	6·46	7·27	5·71	7·83	3·06	·	6·08	15·07	9·90	6·77	6·00	6·60	2·98	3·09	2·57	3·10	3·57
Pneumonia (100-101) ...	11·35	11·93	11·43	18·28	10·70	2·44	20·46	3·77	11·55	11·10	6·67	10·15	4·02	3·52	4·77	3·20	4·69
Inflammation of Stomach (112)	2·49	2·50	·	·	6·11	1·22	0·55	17·89	·	2·99	2·00	2·78	0·99	1·46	1·25	0·41	0·38
Diarrhœa and Enteritis (113)	29·26	31·01	17·14	31·33	32·11	9·77	24·90	22·60	33·00	26·90	12·22	23·74	5·86	6·77	8·01	2·38	4·69
Congenital Malformations (159)	5·08	5·00	5·71	7·83	4·59	4·88	1·66	0·94	1·65	4·09	2·00	3·64	1·39	1·97	1·54	0·93	0·56
Atrophy, Debility, Marasmus (160b)	20·22	20·79	5·72	26·11	13·76	19·54	22·12	22·60	16·50	20·43	18·00	19·91	19·07	23·58	19·47	13·95	17·4[illegible]
Premature Birth (161) ..	19·57	19·88	22·86	18·28	16·82	18·32	8·30	7·53	9·90	15·98	7·11	14·07	4·92	7·80	3·38	3·62	4·8[illegible]
Suffocation (overlying) (180)	0·09	0·11	·	·	·	·	·	·	1·65	0·12	0·44	0·19	0·12	0·26	0·07	0·10	·
Other Causes	7·94	8·29	11·43	·	4·58	9·77	3·32	1·88	4·96	6·65	4·22	6·13	4·57	4·46	4·33	5·27	4·1[illegible]

TABLE XI.—Showing for the undermentioned Urban and Rural areas of Saorstát Éireann the number of DEATHS OF INFANTS UNDER ONE YEAR of age, sub-divided into ten groups of ages, with the mortality per 1,000 Births in 1926.

(Corrected for Births and Deaths in Institutions).

AREAS.	Number of Deaths of Infants at Ages:—										
	Under 24 Hours.	1–7 Days.	7–14 Days.	14–21 Days.	21 Days and under 1 Month	Total Under 1 Month	1–2 Mths.	2–3 Mths.	3–6 Mths.	6–12 Mths.	Total Under 1 Year.
DUBLIN REGISTRATION AREA	126	114	63	52	81	436	155	125	279	329	1,324
Dublin Co. Borough ...	104	93	54	44	65	360	136	101	238	287	1,122
Blackrock Urban District	·	1	2	1	3	7	2	3	2	3	17
Dún Laoghaire ,, ,, ...	6	3	1	1	6	17	2	8	10	9	46
Pembroke ,, ,, ...	4	4	5	3	5	21	5	3	21	19	69
Rathmines and Rathgar ...	12	13	1	3	2	31	10	10	8	11	70
Cork County Borough ...	15	12	7	7	8	49	15	19	60	77	220
Limerick ,, ,, ...	17	10	4	4	3	38	13	13	46	45	155
Waterford ,, ,, ...	4	3	·	3	5	15	6	7	13	28	69
Urban Areas 10,000 population and upwards	188	162	85	77	107	619	211	180	431	519	1,960
Urban Areas under 10,000 ...	24	39	18	13	19	113	44	32	74	83	346
TOTAL URBAN AREAS ...	212	201	103	90	126	732	255	212	505	602	2,306
TOTAL RURAL DISTRICTS ...	271	283	137	76	134	901	255	191	382	517	2,246
Province of Leinster (Rural)	111	120	45	25	47	348	77	52	121	167	765
,, Munster ,, ...	84	82	49	27	35	277	97	68	146	197	785
,, Connaught ,, ...	44	50	26	19	33	172	43	47	68	94	424
,, Ulster ,, ... (Part of)	32	31	17	5	19	104	38	24	47	59	272
SAORSTÁT ÉIREANN (Urban and Rural).	483	484	240	166	260	1,633	510	403	887	1,119	4,552
	Infant Mortality per 1,000 Births.										
DUBLIN REGISTRATION AREA	11·63	10·52	5·82	4·80	7·48	40·25	14·31	11·54	25·75	30·37	122·22
Dublin County Borough ...	11·82	10·57	6·13	5·00	7·38	40·90	15·45	11·47	27·04	32·61	127·47
Blackrock Urban District											97·14
Dún Laoghaire ,, ,,											120·10
Pembroke ,, ,,	10·83	10·34	4·43	3·94	7·88	37·42	9·35	11·82	20·19	20·68	105·50
Rathmines and Rathgar Urban District											85·47
Cork County Borough ...	8·30	6·64	3·87	3·87	4·42	27·10	8·30	10·51	33·18	42·59	121·68
Limerick ,, ,, ...	16·01	9·41	3·77	3·77	2·82	35·78	12·24	12·24	43·32	42·37	145·95
Waterford,, ,, ...	6·60	4·95	·	4·95	8·25	24·75	9·90	11·55	21·45	46·21	113·86
Urban Areas 10,000 population and upwards	11·47	9·88	5·18	4·70	6·53	37·76	12·87	10·98	26·29	31·66	119·56
Urban Areas under 10,000 ...	5·33	8·66	4·00	2·89	4·22	25·10	9·78	7·11	16·44	18·44	76·87
TOTAL URBAN AREAS ...	10·15	9·62	4·93	4·31	6·03	35·04	12·20	10·15	24·17	28·81	110·37
TOTAL RURAL DISTRICTS ...	6·73	7·02	3·40	1·89	3·33	22·37	6·33	4·74	9·48	12·84	55·76
Province of Leinster (Rural)	9·52	10·29	3·86	2·14	4·03	29·84	6·60	4·46	10·38	14·32	65·60
,, Munster ,, ...	6·17	6·02	3·60	1·99	2·57	20·35	7·12	5·00	10·73	14·47	57·67
,, Connaught ,, ...	4·55	5·16	2·69	1·96	3·41	17·77	4·44	4·86	7·02	9·71	43·80
,, Ulster ,, ... (Part of)	6·00	5·82	3·19	0·94	3·57	19·52	7·13	4·51	8·82	11·07	51·05
SAORSTÁT ÉIREANN (Urban and Rural).	7·90	7·91	3·92	2·71	4·25	26·69	8·34	6·59	14·50	18·29	74·41

TABLE XII.—Saorstát Éireann—Showing the MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE, in the year 1926.

CAUSES OF DEATH.	Number of Deaths of Illegitimate Infants at Ages										
	Under 24 Hours.	1–7 Days.	7–14 Days.	14–21 Days.	21 Days and under 1 Month	Total under 1 Month	1–2 Mths.	2–3 Mths.	3–6 Mths.	6–12 Mths.	Total under 1 Year.
Measles (7)	.	.	.	.	.	.	1	1	1	8	11
Scarlet Fever (8)	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough (9) ...	.	.	.	.	.	.	.	1	2	2	5
Diphtheria (10)	.	.	.	.	.	.	.	.	.	2	2
Influenza (11)	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Nervous System (32)	.	.	.	.	.	.	.	.	2	2	4
Tuberculosis of Intestines and Peritoneum (33) ...	.	.	.	.	.	.	2	2	2	4	10
Other Tuberculous Diseases (31, 34–7)	.	1	.	.	.	1	1	.	3	6	11
Syphilis (38)	.	.	.	.	.	.	3	.	1	1	5
Meningitis (71)	.	.	.	.	.	.	1	.	6	3	10
Convulsions (80)	2	8	2	3	4	19	7	4	4	5	39
Bronchitis (99)	.	.	1	.	2	3	3	3	2	6	17
Pneumonia (100–101) ...	.	.	.	.	2	2	.	4	3	8	17
Inflammation of Stomach (112)	.	.	.	.	1	1	3	3	4	.	11
Diarrhœa and Enteritis (113)	.	1	1	4	8	14	12	16	21	11	74
Congenital Malformations (159)	.	1	2	2	1	6	.	.	1	1	8
Atrophy, Debility, Marasmus, (160b)	11	19	9	9	16	64	36	27	56	14	197
Premature Birth (161) ...	9	12	2	2	4	29	2	2	5	.	38
Suffocation (overlying) (180) ...	.	.	.	.	2	2	.	.	.	.	2
Other Causes	46	12	3	3	3	67	6	5	4	10	92
All Causes	68	54	20	23	43	208	77	68	117	83	553
Rate per 1,000 Illegitimate Births registered.											
All Causes ...	39·63	31·47	11·65	13·40	25·06	121·21	44·87	39·63	68·18	48·37	322·26

TABLE XIII.—Showing by age-periods, the number of DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR of age registered in each county and county borough of Saorstát Éireann during the year 1926, distinguishing deaths in Institutions (public and private).

Counties and County Boroughs by Provinces.	Under 24 Hours	1–7 Days.	7–14 Days.	14–21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.	Total under 1 year	Place of Occurrence.	
												Institutions.	Elsewhere.
SAORSTÁT ÉIREANN	68	54	20	23	43	208	77	68	117	83	553	388	165
Carlow	1	1	.	1	.	3	.	.	.	.	3	2	1
Dublin	8	2	.	4	12	26	21	14	31	15	107	88	19
Dublin Co. Borough ...	11	9	9	4	12	45	19	19	28	13	124	100	24
Kildare	1	.	.	.	.	1	1	1	1	1	5	3	2
Kilkenny	4	5	2	2	2	15	3	2	10	3	33	16	17
Leix	.	.	1	.	.	1	.	.	.	.	1	.	1
Longford	1	1	.	.	.	2	.	.	.	.	2	.	2
Louth	2	1	.	.	.	3	1	.	1	1	6	4	2
Meath	1	1	.	.	.	2	1	.	1	.	4	.	4
Offaly	.	1	1	.	1	3	1	.	.	1	5	2	3
Westmeath	4	3	.	.	1	8	.	1	1	4	14	10	4
Wexford	2	2	.	1	1	6	1	2	4	1	14	6	8
Wicklow	.	.	.	.	.	.	.	.	2	.	2	1	1
PROVINCE OF LEINSTER ...	35	26	13	12	29	115	48	39	79	39	320	232	88
Clare	2	3	1	3	3	12	5	2	8	3	30	27	3
Cork	6	5	1	3	.	15	7	7	12	10	51	37	14
Cork Co. Borough ...	.	.	.	1	.	1	.	.	.	1	2	.	2
Kerry	.	3	1	1	.	5	3	7	2	3	20	17	3
Limerick	1	4	.	.	1	6	2	1	3	6	18	14	4
Limerick Co. Borough	.	1	.	.	.	1	.	.	1	.	2	.	2
Tipperary, North Riding	5	1	.	.	1	7	.	.	.	2	9	3	6
Tipperary, South Riding	2	.	1	.	1	4	3	4	2	3	16	12	4
Waterford	1	1	.	.	.	2	2	1	1	2	8	5	3
Waterford Co. Borough	1	.	.	.	1	2	.	.	1	2	5	1	4
PROVINCE OF MUNSTER	18	18	4	8	7	55	22	22	30	32	161	116	45
Galway	4	2	.	1	1	8	2	3	3	9	25	17	8
Leitrim	1	2	.	.	.	3	.	.	.	.	3	2	1
Mayo	1	.	.	.	1	2	.	.	.	.	2	.	2
Roscommon ...	2	1	1	1	2	7	.	3	1	.	11	8	3
Sligo	.	1	.	.	.	1	.	.	.	.	1	1	.
PROVINCE OF CONNAUGHT	8	6	1	2	4	21	2	6	4	9	42	28	14
Cavan	3	2	.	.	1	6	1	.	.	1	8	3	5
Donegal	4	2	2	1	2	11	4	1	3	2	21	8	13
Monaghan	.	.	.	.	.	.	.	.	1	.	1	1	.
PROVINCE OF ULSTER ... (Part of).	7	4	2	1	3	17	5	1	4	3	30	12	18

TABLE XIV.—Showing by Provinces, Counties, and County Boroughs, the Rates for 1926 per 1,000 of the population represented by MARRIAGES, BIRTHS, DEATHS from ALL CAUSES; Deaths from the PRINCIPAL EPIDEMIC DISEASES, and from TUBERCULOSIS; also the Mortality arising out of the PUERPERAL STATE, and INFANT MORTALITY, per 1,000 Births. (Corrected for Births and Deaths in Institutions).

COUNTIES AND COUNTY BOROUGHS BY PROVINCES.	Population, 1926 (unrevised).	Number of Marriages per 1,000 of Population.	BIRTHS. Total (including Illegitimate) per 1,000 of Population.	BIRTHS. Illegitimate per cent. of Total Births.	Rate per 1,000 of Population Represented by Deaths from All Causes.	Rate per 1,000 of Population Represented by Deaths from Principal Epidemic Diseases*	Rate per 1,000 of Population Represented by Deaths from Tuberculosis.	RATE PER 1,000 BIRTHS. Deaths From Puerperal Sepsis	RATE PER 1,000 BIRTHS. Deaths from other Accidents and Diseases of Pregnancy and Parturition.	RATE PER 1,000 BIRTHS. Deaths of Infants under One Year of age.
†SAORSTÁT EIREANN ...	2,972,802	4·57	20·60	2·81	14·05	0·69	1·47	1·88	3·01	74
Carlow	34,504	3·94	18·29	4·75	14·49	0·72	1·65	1·58	·	70
Dublin	189,248	5·59	19·82	2·59	13·17	0·82	1·37	1·60	2·13	102
Dublin Co. Borough ...	316,471	7·68	27·81	2·79	16·38	1·53	2·01	1·70	1·82	127
Kildare	58,035	4·07	20·71	5·32	13·25	0·16	1·46	3·33	3·33	62
Kilkenny	70,965	4·07	20·90	4·38	14·85	0·44	1·27	· ·	2·02	92
Leix	51,549	2·85	19·61	3·36	14·28	0·23	1·53	·	5·94	59
Longford	39,831	3·87	19·38	2·07	12·63	0·25	0·80	2·59	2·59	48
Louth	62,687	4·21	22·30	2·36	14·74	0·78	1·52	·	1·43	62
Meath	62,909	4·05	18·71	4·08	13·77	0·37	1·46	0·85	5·95	62
Offaly	52,521	4·36	19·95	3·05	13·35	0·46	1·73	1·91	0·95	54
Westmeath	56,796	4·00	21·45	2·38	13·21	0·28	1·81	1·64	4·10	52
Wexford	95,812	4·30	19·93	6·54	15·76	0·40	1·77	1·57	3·14	66
Wicklow	57,583	3·56	19·17	3·44	14·36	0·36	1·53	·	5·43	55
PROVINCE OF LEINSTER ...	1,148,911	5·26	22·20	3·36	14·64	0·78	1·63	1·41	2·59	91
Clare	95,028	3·85	17·90	3·76	12·53	0·23	1·38	3·53	2·35	54
Cork	287,254	3·39	17·65	3·00	13·80	0·52	1·43	2·37	4·14	61
Cork Co. Borough ...	78,468	8·04	23·04	1·88	17·60	2·45	2·24	1·66	4·42	122
Kerry	150,865	3·92	20·20	2·26	12·02	1·05	1·48	2·62	3·61	55
Limerick	100,244	3·35	21·53	3·15	14·87	0·84	1·15	4·17	4·63	77
Limerick Co. Borough ...	39,690	9·50	26·76	0·85	19·17	2·17	1·76	0·94	3·77	146
Tipperary, North Riding...	59,616	4·21	20·45	3·20	14·12	0·52	1·14	0·82	2·46	54
Tipperary, South Riding ...	81,330	3·98	20·31	4·30	14·37	0·58	1·32	1·21	3·63	76
Waterford	51,892	4·12	19·12	4·74	13·91	0·40	1·56	2·02	2·02	57
Waterford Co. Borough ...	26,646	4·47	22·74	1·32	16·18	2·29	2·10	· ·	·	114
PROVINCE OF MUNSTER ...	971,033	4·31	19·89	2·90	14·18	0·88	1·48	2·28	3·57	74
Galway	169,311	3·71	20·64	1·49	12·70	0·60	1·24	2·29	2·00	55
Leitrim	55,888	4·54	17·16	1·04	13·69	0·23	1·31	2·09	3·13	49
Mayo	172,661	3·80	18·94	0·79	11·55	0·21	1·26	3·36	1·53	41
Roscommon	83,504	4·20	19·59	2·08	13·04	0·34	0·75	1·83	1·83	39
Sligo	71,393	4·24	17·07	1·31	13·24	0·34	1·08	0·82	4·92	48
PROVINCE OF CONNAUGHT ...	552,757	3·97	19·14	1·30	12·56	0·37	1·16	2·36	2·27	47
Cavan	82,447	3·98	19·31	2·76	13·32	0·24	1·03	3·77	3·77	43
Donegal	152,511	3·62	19·34	2·88	14·10	0·42	1·52	0·68	3·05	56
Monaghan	65,143	4·21	18·96	2·51	14·80	0·45	1·35	1·62	8·10	55
PROVINCE OF ULSTER (part of)	300,101	3·85	19·25	2·77	14·04	0·38	1·35	1·73	4·33	52

* Enteric Fever, Typhus, Small-pox, Measles, Scarlet Fever, Whooping-Cough, Diphtheria, Dysentery, and Diarrhœal Diseases.
† The rates for Saorstát Éireann are calculated on the estimated population in the middle of 1926.

TABLE XV.—Showing BIRTH, DEATH, and INFANT MORTALITY RATES for Urban and Rural areas, 1926.

(Corrected for Births and Deaths in Institutions).

Urban and Rural Areas.	Population, 1926 (unrevised).	Rate per 1,000 of Population Represented by Total Births (including Illegitimate).	Rate per 1,000 of Population Represented by Deaths from			Rate per 1,000 Births.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Deaths from Puerperal Sepsis.	Deaths from other Accidents and Diseases of Pregnancy and Parturition.	Deaths of Infants Under one year of Age.
TOTAL, SAORSTÁT ÉIREANN	2,972,802	20·60	14·05	0·69	1·47	1·88	3·01	74
Total Urban Districts ...	862,008	24·24	15·52	1·35	1·87	1·82	2·49	110
Total Rural Districts ...	2,110,794	19·08	13·44	0·43	1·30	1·91	3·28	56
URBAN DISTRICTS:								
Dublin Registration Area	419,156	25·84	15·80	1·35	1·85	1·57	2·12	122
Dublin Co. Borough ...	316,471	27·81	16·38	1·53	2·01	1·70	1·82	127
Blackrock Urban District	9,931	17·62	14·10	0·30	2·01	·	5·71	97
Dun Laoghaire Urban District	18,992	20·17	16·53	1·05	1·74	·	·	120
Pembroke Urban District	33,395	19·58	13·51	1·20	1·26	3·06	4·59	106
Rathmines and Rathgar Urban District ...	40,367	20·29	13·18	0·45	1·07	·	3·66	85
Urban Areas, 10,000 Population and upwards ...	648,779	25·27	16·05	1·56	1·92	1·58	2·44	120
Urban Areas, under 10,000 Population	213,229	21·11	13·91	0·73	1·72	2·67	2·67	77
RURAL DISTRICTS IN PROVINCES:								
Leinster	602,090	19·37	13·95	0·41	1·49	1·20	3·34	66
Munster	721,772	18·86	13·24	0·52	1·28	2·35	3·53	58
Connaught	509,234	19·01	12·70	0·35	1·11	2·27	2·27	44
Ulster (part of) ...	277,698	19·19	14·19	0·37	1·31	1·69	4·32	51

* See Note (*) on page xxxii.

METEOROLOGY.

The following observations taken at 40 Fitzwilliam Square, Dublin, have been kindly furnished by Sir John W. Moore, M.A., M.D., D.P.H., Dublin ; D.Sc., Oxon., F.R.C.P.I., F.R.Met.Soc.

1926. Month.	Abs. Max.	Date.	Abs. Min.	Date.	Mean Daily Max.	Mean Daily Min.	Mean Temp.	Rainfall in inches.	Days of Rain.	Mean Height of Barometer	Highest Pressure.	Date.	Lowest. Pressure.	Date.	Prevalent Winds.
	deg.		deg.		deg.	deg.	deg.	ins.		ins.	ins.		ins.		
January ...	56·4	10th & 24th	30·9	18th	48·4	39·4	43·9	4·299	24	29·695	30·380	13th	28·940	29th	S., S.W., W.S.W.
February	58·0	25th & 27th	34·0	11th	50·4	41·7	46·1	1·740	19	29·729	30·626	28th	29·105	1st	W., S.W.
March ...	59·2	8th	33·0	4th	50·5	40·0	45·3	0·869	16	30·050	30·603	10th	29·394	28th	W., E.
April ...	63·0	5th	35·9	21st	55·5	43·4	49·5	1·703	19	29·859	30·227	24th	29·260	20th	W., E.
May ...	66·0	26th	33·9	16th	54·1	44·3	49·2	2·277	19	29·885	30·188	6th	29·276	30th	W., E.
June ...	77·4	20th	41·8	2nd	64·0	50·1	57·1	2·344	16	29·906	30·434	28th	29·094	10th	W., S.W.
July ...	79·0	14th	50·9	27th	68·9	56·8	62·9	2·302	15	30·027	30·403	31st	29·447	24th	E., W., W.S.W.
August ...	75·1	23rd	50·1	27th	68·0	55·4	61·7	2·290	21	30·015	30·418	27th	29·460	20th	W., W.S.W., S.W.
September	74·1	19th	41·0	27th	63·7	51·5	57·6	1·505	13	30·078	30·449	22nd	29·605	11th	S.W., N.W., W.
October ...	69·3	3rd	28·2	31st	53·1	42·5	47·8	2·889	20	29·968	30·581	4th	29·217	25th	W.
November	59·0	5th	29·0	1st	48·7	38·9	43·8	3·642	23	29·484	30·167	16th	28·468	19th	W., W.S.W.
December	53·0	5th & 6th	28·1	15th	46·8	39·0	42·9	0·841	10	30·360	30·898	25th	29·880	17th	W., W.S.W.
Extremes, & Means	Highest 79·0	July 14th	Lowest. 28·1	Dec. 15th	56·0	45·2	50·6	26·701	215 days.	29·916	30·898	Dec. 25th	28·468	Nov. 18th	W., W.S.W., S.W.

" The striking features of the weather in the year 1926, month by month, were as follows :—January, for the fourth year in succession, was an open month of S.W. winds, and of low and unsteady atmospheric pressure—the mean was 29·695 inches, or 0·187 inch below the average. February was characterised by clouded skies, dampness, and a mean temperature of 3·8 degrees above average. ' March many weathers ' might aptly and briefly describe the March of 1926. April opened with a spell of beautiful weather, but after the 7th resembled a typical April of showers by day, clear skies and low temperatures by night. May was cold, and a showery rather than a wet month. June for the greater part was changeable and cold, although isolated warm and fine days gave a promise of summer.

"July was a month of varying weather moods—warm, and for the most part dry at the beginning and close, with a broken spell in between, from the 18th to the 25th, but not so settled as June. August, in fitting character with the August of 1925, was favourable and warm though showery. September may be described as a favourable month, a fitting sequel to a generally fine summer. October, as in 1925, presented two absolutely different types of weather—the earlier period was fine, very warm, quiet. The latter half was characterised by a spell of very wintry weather, with almost nightly ground frost after the 15th. These conditions persisted during the first days of November, which was a cheerless, cold and unsettled month—a remarkably low atmospheric pressure being an outstanding feature in its meteorology. The leading features of the weather in December were a remarkably persistent and steady high atmospheric pressure, culminating on the morning of Christmas Day in the unusual reading of 30·898 inches (1046·3 millibars), a very small rainfall on only ten rain-days, clouded skies, infrequent frosts of very short duration, and, so far as Dublin is concerned, an absence of snow.

"The rainfall was 26·701 inches, or 0·669 inch below the average annual measurement of the thirty-five years 1881-1915 inclusive, viz., 27·370 inches.

"In 1926 there were 215 ' rain-days,' or days upon which not less than ·005 inch of rain (five thousandths of an inch) was measured. This was 17 days more than the average number of rain-days in the thirty-five years, 1881-1915, inclusive (198). In 1868 and 1887—the warm, dry years of recent times—the rain-days were only 160, and in 1870 they were only 145. A millimetre of rain—roughly, ·04 inch—fell on 132 days in 1926.

"The rainfall in the first six months of 1926 was 13·232 inches on 113 days. In the second six months it was 13·469 inches on 102 days."

Particulars, kindly furnished by the Director, Meteorological Office, London, regarding meteorological observations taken at the Ordnance Survey Office, Phoenix Park, and at Roche's Point, Co. Cork, are published in my Quarterly Returns of Marriages, Births and Deaths.

Mise, le meas,

E. P. McCARRON,

Ard-Chláruidhe.

Oifig um Chláru Ghenearálta,
Tigh Charlemont,
Baile Atha Cliath.
14adh lá de mhi Deireadh Foghmhair, 1927.

SAORSTÁT ÉIREANN.—MARRIAGES, BIRTHS AND DEATHS registered during the year 1926, in each Province, County, and County Borough, with the results arising from correction for Births and Deaths in Institutions.

PROVINCES, ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS.	Area* in Statute Acres (unrevised).	Population. Census, 1926 (unrevised)	Total Number of Marriages Registered.	Births (Including) Illegitimate).				Illegitimate Births.				Deaths.				Excess of Births over Deaths.
				Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	
SAORSTAT EIREANN ...	17,019,155	2,972,802	13,570	61,176	·	·	61,176	1,716	·	·	1,716	41,740	·	·	41,740	19,436
PROVINCES.																
No. I. **LEINSTER** ...	4,847,731	1,148,911	6,041	25,681	257	82	25,506	906	60	11	857	17,033	264	47	16,816	8,690
II. **MUNSTER** ...	5,963,557	971,033	4,183	19,263	67	119	19,315	543	9	27	561	13,688	43	121	13,766	5,549
III. **CONNAUGHT** ...	4,228,211	552,757	2,192	10,501	27	105	10,579	123	4	19	138	6,837	8	116	6,945	3,634
IV. **ULSTER** (part of) ...	1,979,656	300,101	1,154	5,731	11	56	5,776	144	·	16	160	4,182	7	38	4,213	1,563
I.—PROVINCE OF LEINSTER :—MARRIAGES, BIRTHS, AND DEATHS, 1926.—COUNTIES.																
1. CARLOW ...	221,485	34,504	136	616	9	24	631	22	1	9	30	499	31	32	500	131
2. DUBLIN	218,873	189,248	1,058	2,956	124	918	3,750	31	5	71	97	2,512	530	510	2,492	1,258
3. DUBLIN CO. BORO'	7,911	316,471	2,429	10,164	1,461	99	8,802	449	205	2	246	5,736	939	387	5,184	3,618
4. KILDARE ...	418,645	58,035	236	1,141	17	78	1,202	53	4	15	64	707	12	74	769	433
5. KILKENNY ...	509,458	70,965	289	1,460	10	33	1,483	60	1	6	65	1,036	11	29	1,054	429
6. LEIX ...	424,838	51,549	147	977	4	38	1,011	25	1	10	34	740	24	20	736	275
7. LONGFORD ...	257,770	39,831	154	747	1	26	772	10	·	6	16	474	1	30	503	269
8. LOUTH	202,181	62,687	264	1,380	21	39	1,398	26	2	9	33	867	14	71	924	474
9. MEATH	577,735	62,909	255	1,108	12	81	1,177	38	3	13	48	820	5	51	866	311
10. OFFALY ...	493,263	52,521	229	1,030	12	30	1,048	25	·	7	32	659	4	46	701	347
11. WESTMEATH ...	434,665	56,796	227	1,188	20	50	1,218	24	1	6	29	767	45	28	750	468
12. WEXFORD ...	580,950	95,812	412	1,883	10	37	1,910	110	·	15	125	1,484	5	31	1,510	400
13. WICKLOW ...	499,957	57,583	205	1,031	13	86	1,104	33	1	6	38	732	7	102	827	277
II.—PROVINCE OF MUNSTER :—MARRIAGES, BIRTHS AND DEATHS, 1926.—COUNTIES.																
14. CLARE	788,337	95,028	366	1,661	8	48	1,701	57	1	8	64	1,170	8	29	1,191	510
15. CORK	1,841,035	287,254	973	4,926	64	207	5,069	168	29	13	152	4,151	339	152	3,964	1,105
16. CORK CO. BORO'	2,681	78,468	631	1,959	209	58	1,808	15	7	26	34	1,208	145	318	1,381	427
17. KERRY	1,161,752	150,965	592	3,032	20	36	3,048	65	·	4	69	1,791	3	26	1,814	1,234
18. LIMERICK ...	661,573	100,244	336	2,064	28	122	2,158	73	11	6	68	1,575	177	93	1,491	667
19. LIMERICK CO. BOROUGH.	2,386	39,690	377	1,173	135	24	1,062	7	5	7	9	669	88	180	761	301
20. TIPPERARY, N.R.	493,266	59,616	251	1,186	10	43	1,219	31	2	10	39	795	7	54	842	377
21. TIPPERARY, S.R.	558,038	81,330	324	1,650	40	42	1,652	64	3	10	71	1,169	27	27	1,169	483
22. WATERFORD ...	453,051	51,892	214	973	26	45	992	38	7	16	47	670	18	70	722	270
23. WATERFORD CO. BOROUGH.	1,438	26,646	119	639	46	13	606	25	19	2	8	490	79	20	431	175
III.—PROVINCE OF CONNAUGHT :—MARRIAGES, BIRTHS AND DEATHS, 1926.—COUNTIES.																
24. GALWAY ...	1,467,850	169,311	628	3,496	26	24	3,494	49	2	5	52	2,159	37	29	2,151	1,343
25. LEITRIM ...	376,510	55,888	254	948	10	21	959	9	2	3	10	716	4	53	765	194
26. MAYO	1,333,356	172,661	656	3,233	8	46	3,271	13	·	13	26	1,960	5	40	1,995	1,276
27. ROSCOMMON ...	608,290	83,504	351	1,611	8	33	1,636	35	2	1	34	1,039	12	62	1,089	547
28. SLIGO	442,205	71,393	303	1,213	11	17	1,219	17	2	1	16	963	31	13	945	274
IV.—PROVINCE OF ULSTER (Part of)—**MARRIAGES, BIRTHS AND DEATHS, 1926.—COUNTIES.**																
29. CAVAN	467,025	82,447	328	1,569	5	28	1,592	33	·	11	44	1,060	3	41	1,098	494
30. DONEGAL ...	1,193,641	152,511	552	2,935	4	18	2,949	81	·	4	85	2,145	2	8	2,151	798
31. MONAGHAN ...	318,990	65,143	274	1,227	6	14	1,235	30	2	3	31	977	29	16	964	271

* Exclusive of the larger rivers, lakes and tideways.

I.—PROVINCE OF LEINSTER.—MARRIAGES, BIRTHS AND DEATHS, 1926.

Superintendent Registrars' Districts, by Counties.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, **less than the deaths** to the extent stated.]

No.	Superintendent Registrars' Districts.	Area* in Statute Acres (unrevised).	Population. Census, 1911.	Total Number of Marriages Registered.	Births (Including Illegitimate).				Illegitimate Births.				Deaths.				Excess of Births over Deaths
					Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	
	1. Carlow Co.																
1.	CARLOW ...	221,485	36,252	136	616	9	24	631	22	1	9	30	499	31	32	500	131
	2. Dublin Co.																
2.	BALROTHERY ...	84,072	19,232	62	297	1	68	364	2	·	8	10	258	57	66	267	97
3.	DUBLIN, part of ...	107,806	106,569	674	1,891	135	655	2,411	17	5	43	55	1,561	454	394	1,501	910
4.	RATHDOWN ...	26,995	46,593	322	768	11	218	975	12	·	20	32	693	77	108	724	251
	3. Dublin Co. Borough.																
5.	DUBLIN, part of ...	7,911	304,802	2,429	10,164	1,461	99	8,802	449	205	2	246	5,736	939	387	5,184	3,618
	4. Kildare Co.																
6.	ATHY	130,461	17,566	68	362	39	12	335	39	19	1	21	220	29	29	220	115
7.	CELBRIDGE ...	53,701	8,988	24	114	3	27	138	2	·	9	11	84	·	36	120	18
8.	NAAS	234,483	40,073	144	665	5	69	729	12	·	20	32	403	32	58	429	300
	5. Kilkenny Co.																
9.	CALLAN	62,167	7,826	26	139	·	11	150	2	·	5	7	74	·	29	103	47
10.	CASTLECOMER ...	57,866	9,377	48	184	·	18	202	3	·	9	12	128	·	7	135	67
11.	KILKENNY ...	110,989	23,001	89	473	22	23	474	8	·	10	18	385	75	19	329	145
12.	THOMASTOWN ...	225,435	29,112	105	574	26	17	565	46	21	1	26	394	30	52	416	149
13.	URLINGFORD ...	53,001	5,646	21	90	1	3	92	1	·	1	2	55	1	17	71	21
	6. Leix.																
14.	ABBEYLEIX ...	200,641	23,862	64	435	14	18	439	6	·	9	15	292	12	25	305	134
15.	MOUNTMELLICK	224,197	30,767	83	542	7	37	572	19	5	5	19	448	41	24	431	141
	7. Longford Co.																
16.	BALLYMAHON ...	69,733	8,684	27	161	1	10	170	2	·	6	8	92	·	23	115	55
17.	GRANARD ...	77,964	14,012	55	228	·	9	237	1	·	1	2	134	·	25	159	78
18.	LONGFORD ...	110,073	21,124	72	358	3	10	365	7	2	1	6	248	36	17	229	136
	8. Louth Co.																
19.	ARDEE	65,909	10,924	32	210	7	12	215	3	1	4	6	165	5	30	190	25
20.	DROGHEDA ...	41,858	18,812	97	448	21	16	443	10	4	2	8	304	21	20	303	140
21,	DUNDALK ...	94,414	33,929	135	722	6	24	740	13	1	7	19	398	8	41	431	309
	9. Meath Co.																
22.	DUNSHAUGHLIN	106,822	8,085	50	102	·	33	135	·	·	4	4	75	1	35	109	26
23	KELLS	103,426	13,271	42	256	1	26	281	2	·	11	13	143	·	26	169	112
24.	NAVAN	181,931	23,354	101	364	2	28	390	4	·	9	13	351	69	36	318	72
25.	OLDCASTLE ...	44,122	5,174	9	89	2	2	89	·	·	2	2	69	·	17	86	3
26.	TRIM	141,434	15,207	53	297	35	20	282	32	21	5	16	182	26	28	184	98
	10. Offaly.																
27.	BIRR	248,809	26,901	112	441	1	23	463	4	·	6	10	265	6	54	313	150
28.	EDENDERRY ...	81,061	7,341	15	121	7	17	131	3	·	8	11	79	1	13	91	40
29.	TULLAMORE ...	163,393	22,590	102	468	24	10	454	18	9	2	11	315	39	21	297	157
	11. Westmeath Co.																
30.	ATHLONE ...	98,723	19,891	96	382	7	25	400	1	·	7	8	214	9	27	232	168
31.	DELVIN	110,791	11,255	43	193	·	16	209	·	·	5	5	117	·	25	142	67
32.	MULLINGAR ...	225,151	28,840	88	613	36	32	609	23	10	3	16	436	73	13	376	233
	12. Wexford Co.																
33.	ENNISCORTHY ...	193,396	31,304	126	557	47	18	528	73	43	3	33	562	105	18	475	53
34.	GOREY	130,109	16,095	43	247	1	12	258	6	·	8	14	187	·	36	223	35
35.	NEW ROSS ...	124,398	22,183	95	382	5	30	407	11	·	23	34	286	1	61	346	61
36.	WEXFORD ...	133,047	32,691	148	697	11	31	717	20	·	24	44	449	27	44	466	251
	13. Wicklow Co																
37.	BALTINGLASS ...	154,893	12,040	31	174	2	19	191	6	·	3	9	140	·	28	168	23
38.	RATHDRUM ...	261,990	40,053	136	751	17	64	798	23	5	3	21	488	23	76	541	257
39.	SHILLELAGH ...	83,074	8,618	38	106	3	12	115	4	·	4	8	104	·	14	118	—3

* See note (*) on page 1.

II.—PROVINCE OF MUNSTER.—MARRIAGES, BIRTHS AND DEATHS, 1926.

SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres (unrevised).	Population. Census, 1911.	Total Number of Marriages Registered.	Births (Including) Illegitimate).				Illegitimate Births.				Deaths.				Excess of Births over Deaths
				Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	
14. Clare Co.																
No. 40. BALLYVAGHAN ...	71,658	3,651	13	62	1	1	62	·	·	·	·	32	·	2	34	28
41. COROFIN ...	61,382	4,483	16	53	1	2	54	·	·	2	2	45	·	11	56	—2
42. ENNIS	113,839	19,523	97	337	5	17	349	1	·	8	9	339	103	18	254	95
43. ENNISTYMON ...	99,619	16,882	69	242	1	14	255	2	·	8	10	157	3	17	171	84
44. KILLADYSERT ...	62,618	8,216	23	136	·	2	138	·	·	1	1	73	·	19	92	46
45. KILRUSH ...	137,501	25,647	81	510	29	5	486	53	23	1	31	274	27	27	274	212
46. SCARRIFF ...	241,720	25,830	67	321	2	38	357	1	·	10	11	250	3	63	310	47
15. Cork Co.																
47. BANDON ...	101,483	16,888	70	275	22	12	265	2	·	2	4	190	7	34	217	48
48. BANTRY	107,285	12,733	42	209	·	8	217	5	·	1	6	112	1	11	122	95
49. CASTLETOWN ...	74,320	10,393	29	163	·	5	168	·	·	3	3	93	·	15	108	60
50. CLONAKILTY ...	81,015	17,628	52	295	11	15	299	12	8	5	9	243	29	21	235	64
51. CORK, part of ...	167,840	57,785	168	901	81	99	919	85	51	2	36	1,191	506	68	753	166
52. DUNMANWAY ...	103,921	12,273	27	188	1	8	195	·	·	·	·	135	·	12	147	48
53. FERMOY ...	196,734	31,385	100	455	8	16	463	14	2	4	16	383	23	39	399	64
54. KANTURK ...	185,657	22,299	95	388	1	17	404	3	·	2	5	234	·	46	280	124
55. KINSALE ...	80,160	15,661	42	193	2	19	210	1	·	1	2	157	·	44	201	9
56. MACROOM ...	179,154	21,418	68	320	3	17	334	4	·	4	8	211	·	46	257	77
57. MALLOW ...	169,103	25,206	82	473	10	30	493	24	5	8	27	404	53	47	398	95
58. MIDDLETON ...	109,383	19,622	63	291	7	18	302	10	3	6	13	259	6	30	283	19
59. MILLSTREET ...	74,939	10,180	11	187	·	6	193	1	·	3	4	99	·	12	111	82
60. SKIBBEREEN ...	115,389	23,476	73	341	·	12	353	2	·	6	8	215	3	21	233	120
61. SKULL	57,692	8,643	20	99	·	·	99	2	·	·	2	98	·	13	111	—12
62. YOUGHAL ...	36,960	9,841	31	148	1	8	155	3	·	6	9	127	32	14	109	46
16. Cork Co. Borough.																
63. CORK, part of ...	2,681	76,673	631	1,959	209	58	1,808	15	7	26	34	1,208	145	318	1,381	427
17. Kerry Co.																
64. CAHERCIVEEN ...	198,130	20,785	57	309	1	5	313	5	·	2	7	173	·	18	191	122
65. DINGLE	126,459	17,804	35	263	·	6	269	2	·	1	3	123	·	23	146	123
66. KENMARE ...	198,416	13,212	49	224	·	6	230	·	·	2	2	109	·	20	129	101
67. KILLARNEY ...	251,430	35,986	119	665	19	16	662	27	10	2	19	540	109	8	439	223
68. LISTOWEL ...	165,504	30,221	137	712	5	13	720	13	·	8	21	387	·	36	423	297
69. TRALEE	221,813	41,683	195	859	24	19	854	18	5	4	17	459	21	48	486	368
18. Limerick Co.																
70. CROOM	83,369	10,372	35	296	90	6	212	54	48	1	7	172	58	23	137	75
71. KILMALLOCK ...	164,341	25,851	71	470	3	53	520	10	·	20	30	273	·	90	363	157
72. LIMERICK, part of	142,822	26,855	86	448	9	74	513	3	·	9	12	503	192	55	366	147
73. NEWCASTLE ...	143,843	23,594	94	501	2	40	539	5	·	10	15	418	92	33	359	180
74. RATHKEALE ...	127,198	17,879	50	349	·	25	374	1	·	3	4	209	·	57	266	108
19. Limerick Co. Borough.																
75. LIMERICK, part of	2,386	38,518	377	1,173	135	24	1,062	7	5	7	9	669	88	180	761	301
20. Tipperary N.R.																
76. BORRISOKANE ...	109,667	9,736	24	152	1	13	164	·	·	6	6	97	·	18	115	49
77. NENAGH ...	183,399	23,038	91	373	2	16	387	5	·	5	10	264	3	28	289	98
78. ROSCREA ...	57,541	7,652	30	178	5	7	180	1	·	2	3	113	15	16	114	66
79. THURLES ...	142,659	22,455	106	483	21	26	488	25	11	6	20	321	19	22	324	164
21. Tipperary S.R.																
80. CARRICK-ON-SUIR	26,121	7,655	28	154	4	17	167	4	·	6	10	103	·	17	120	47
81. CASHEL	222,781	27,480	88	541	46	13	508	51	25	3	29	409	76	25	358	150
82. CLOGHEEN ...	117,415	14,737	32	203	1	20	222	2	·	1	3	140	·	36	176	46
83. CLONMEL ...	47,305	15,012	77	288	19	17	286	2	·	8	10	221	49	26	198	88
84. TIPPERARY ...	144,416	24,668	99	464	22	27	469	5	1	15	19	296	9	30	317	152
22. Waterford Co.																
85. DUNGARVAN ...	144,323	19,768	62	355	37	6	324	25	18	1	8	275	38	7	244	80
86. KILMACTHOMAS ...	64,592	6,830	20	133	1	21	153	5	·	7	12	84	·	13	97	56
87. LISMORE ...	97,179	12,000	68	206	2	11	215	3	·	7	10	119	·	19	138	77
88. WATERFORD, part of	146,957	17,904	64	279	7	28	300	5	·	12	17	192	2	53	243	57
23. Waterford Co. Borough.																
89. WATERFORD, part of	1,438	27,464	119	639	46	13	606	25	19	2	8	490	79	20	431	175

* See note (*) on page 1.

III.—PROVINCE OF CONNAUGHT.—MARRIAGES, BIRTHS AND DEATHS, 1926.

SUPERINTENDENT REGISTRARS' DISTRICTS, BY COUNTIES.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres (unrevised).	Population. Census, 1911.	Total Number of Marriages Registered.	Births (Including Illegitimate).				Illegitimate Births.				Deaths.				Excess of Births over Deaths
				Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	
24. Galway Co.																
No. 90. BALLINASLOE ...	125,570	15,275	54	243	·	28	271	1	·	6	7	180	71	38	147	124
91. CLIFDEN ...	193,782	17,325	44	229	1	13	241	2	·	3	5	162	·	27	189	52
92. GALWAY ...	198,536	35,083	166	917	123	6	800	39	31	·	8	608	171	39	476	324
93. GLENNAMADDY ...	100,271	15,263	49	235	1	6	240	1	·	1	2	137	·	14	151	89
94. GORT	106,326	11,382	24	188	·	8	196	·	·	3	3	82	·	33	115	81
95. LOUGHREA ...	198,927	19,149	79	383	4	33	412	3	2	13	14	266	66	60	260	152
96. MOUNT BELLEW	102,404	14,203	29	215	·	5	220	·	·	2	2	94	·	14	108	112
97. OUGHTERARD ...	173,506	16,736	42	325	3	10	332	1	·	5	6	194	·	26	220	112
98. PORTUMNA ...	77,264	8,681	40	163	3	3	163	·	·	1	1	85	·	16	101	62
99. TUAM	191,264	29,127	101	598	3	24	619	2	·	2	4	351	34	67	384	235
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,484	11,786	51	193	4	6	195	1	·	2	3	133	9	22	146	49
101. MANORHAMILTON,	177,282	25,173	93	379	7	5	377	8	2	·	6	314	16	21	319	58
102. MOHILL	135,744	26,623	110	376	1	12	387	·	·	1	1	269	·	31	300	87
26. Mayo Co.																
103. BALLINA ...	255,588	31,387	88	603	2	8	609	1	·	2	3	336	·	34	370	239
104. BALLINROBE ...	147,144	19,928	101	362	3	9	368	·	·	·	·	217	·	26	243	125
105. BELMULLET ...	179,246	14,346	56	317	·	3	320	·	·	·	·	127	·	9	136	184
106. CASTLEBAR ...	141,193	25,805	101	435	6	8	437	6	4	5	7	398	140	·	258	179
107. CLAREMORRIS ...	110,790	24,280	104	371	3	6	374	1	·	3	4	191	·	27	218	156
108. SWINEFORD ...	151,560	42,751	115	557	5	10	562	1	·	1	2	367	·	40	407	155
109. WESTPORT ...	347,835	33,680	91	588	·	13	601	4	·	6	10	324	·	39	363	238
27. Roscommon Co.																
110. BOYLE	122,173	21,568	83	317	·	14	331	1	·	6	7	221	·	22	243	88
111. CASTLEREAGH ...	163,663	31,554	119	496	2	19	513	1	·	1	2	305	1	40	344	169
112. ROSCOMMON ...	322,454	40,834	149	798	24	18	792	33	9	1	25	513	47	36	502	290
28. Sligo Co.																
113. DROMORE WEST	97,063	12,103	33	188	3	3	188	1	·	2	3	138	·	15	153	35
114. SLIGO	219,333	48,940	192	779	10	14	783	15	4	·	11	676	73	13	616	167
115. TOBERCURRY ...	125,809	18,002	78	246	1	3	248	1	·	1	2	149	·	27	176	72

IV.—PROVINCE OF ULSTER (Part of).—MARRIAGES, BIRTHS AND DEATHS, 1926.

SUPERINTENDENT REGISTRARS' DISTRICTS BY COUNTIES.

29. Cavan Co.																
116. BAILIEBOROUGH	113,873	23,837	92	397	2	18	413	8	·	8	16	242	1	47	288	125
117. BAWNBOY ...	102,415	13,857	49	219	1	5	223	2	·	2	4	127	·	23	150	73
118. CAVAN	270,737	53,479	187	953	15	18	956	23	6	7	24	691	56	25	660	296
30. Donegal Co.																
119. BALLYSHANNON	41,627	9,888	51	153	1	8	160	1	·	4	5	123	·	11	134	26
120. DONEGAL ...	160,445	19,616	43	284	3	2	283	3	·	1	4	288	25	15	278	5
121. DUNFANAGHY ...	126,165	15,471	50	307	4	6	309	5	·	3	8	181	·	12	193	116
122. GLENTIES ...	258,498	32,800	79	534	7	6	533	7	·	2	9	346	1	32	377	156
123. INISHOWEN ...	160,049	27,576	94	544	3	2	543	13	·	2	15	289	1	14	302	241
124. LETTERKENNY ...	160,380	20,290	105	376	5	11	382	12	1	2	13	341	72	15	284	98
125. MILLFORD ...	112,088	19,393	67	314	·	6	320	10	·	3	13	250	·	23	273	47
126. STRANORLAR ...	174,389	23,503	63	423	17	13	419	30	14	2	18	327	40	23	310	109
31. Monaghan Co.																
127. CARRICKMACROSS	65,687	15,108	56	258	1	7	264	3	·	2	5	188	1	16	203	61
128. CASTLEBLAYNEY	63,835	15,668	73	290	2	7	295	6	·	4	10	185	6	32	211	84
129. CLONES	64,288	13,953	38	215	·	3	218	4	·	1	5	153	·	23	176	42
130. MONAGHAN ...	125,180	26,726	107	464	11	5	458	17	8	2	11	451	85	8	374	84

* See note (*) on page 1.

ABSTRACT OF MARRIAGES.

ABSTRACT OF MARRIAGES.—Marriages **registered** in Saorstát Éireann

Provinces and Counties.	Total Marriages.	Total Marriages other than Roman Catholic.	Total Roman Catholic Marriages.	Details of Marriages other than Roman Catholic.						Total Marriages Registered in the Quarter ending the last day of			
				According to the Rites of the Church of Ireland.	In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	March.	June.	September.	December.
SAORSTÁT ÉIREANN ...	13,570	970	12,600	672	144	48	87	1	18	3,766	3,290	3,497	3,017
PROVINCES.													
LEINSTER	6,041	567	5,474	439	32	25	52	1	18	1,326	1,520	1,734	1,461
MUNSTER	4,183	145	4,038	93	7	15	30	·	·	1,436	999	929	819
CONNAUGHT	2,192	49	2,143	40	5	3	1	·	·	653	524	540	475
ULSTER (part of) ...	1,154	209	945	100	100	5	4	·	·	351	247	294	262
I.—PROVINCE OF LEINSTER—													
CARLOW	136	20	116	20	·	·	·	·	·	41	38	30	27
DUBLIN	1,058	175	883	155	6	4	9	·	1	212	243	355	248
DUBLIN CO. BOROUGH ...	2,429	275	2,154	180	18	18	41	1	17	477	638	769	545
KILDARE	236	4	232	3	·	·	1	·	·	61	72	52	51
KILKENNY	289	8	281	6	1	·	1	·	·	93	61	70	65
LEIX	147	12	135	10	2	·	·	·	·	29	39	41	38
LONGFORD	154	5	149	5	·	·	·	·	·	42	22	34	56
LOUTH	264	4	260	2	2	·	·	·	·	71	61	59	73
MEATH	255	5	250	4	1	·	·	·	·	40	86	69	60
OFFALY ...	229	8	221	8	·	·	·	·	·	58	56	48	67
WESTMEATH	227	3	224	3	·	·	·	·	·	58	41	61	67
WEXFORD	412	22	390	19	1	2	·	·	·	99	115	86	112
WICKLOW	205	26	179	24	1	1	·	·	·	45	48	60	52
II.—PROVINCE OF MUNSTER.—													
CLARE	366	2	364	2	·	·	·	·	·	155	86	64	61
CORK	973	41	932	36	·	3	2	·	·	327	230	217	199
CORK CO. BOROUGH ...	631	22	609	13	2	4	3	·	·	162	169	171	129
KERRY	592	11	581	11	·	·	·	·	·	277	105	123	87
LIMERICK	336	20	316	4	·	3	13	·	·	119	90	59	68
LIMERICK CO. BOROUGH	377	25	352	6	5	3	11	·	·	96	101	94	86
TIPPERARY, N.R. ...	251	12	239	10	·	1	1	·	·	96	55	49	51
TIPPERARY, S.R. ...	324	7	317	7	·	·	·	·	·	109	74	71	70
WATERFORD ...	214	3	211	3	·	·	·	·	·	61	70	47	36
WATERFORD CO. BOROUGH	119	2	117	1	·	1	·	·	·	34	19	34	32
III.—PROVINCE OF CONNAUGHT.—													
GALWAY	628	7	621	6	1	·	·	·	·	201	141	132	154
LEITRIM	254	15	239	13	1	1	·	·	·	100	50	60	44
MAYO	656	5	651	5	·	·	·	·	·	191	197	141	127
ROSCOMMON	351	4	347	3	1	·	·	·	·	89	62	129	71
SLIGO	303	18	285	13	2	2	1	·	·	72	74	78	79
IV.—PROVINCE OF ULSTER (part of).—													
CAVAN	328	53	275	36	11	4	2	·	·	95	66	84	83
DONEGAL	552	106	446	52	52	1	1	·	·	179	117	145	111
MONAGHAN	274	50	224	12	37	·	1	·	·	77	64	65	68

in the year ending 31st December, 1926.

Marriages.								Signed the Marriage Register with Marks.				Provinces and Counties.
Contracted between				Of		Of Persons not of full Age.						
										Cases in which		
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both signed.	One signed.	
12,417	294	718	141	859	435	203	886	295	174	51	367	**SAORSTÁT ÉIREANN.**
												PROVINCES.
5,489	159	322	71	393	230	129	507	98	73	15	141	**LEINSTER.**
3,867	84	191	41	232	125	51	199	54	38	6	80	**MUNSTER.**
2,021	32	121	18	139	50	15	104	85	43	23	82	**CONNAUGHT.**
1,040	19	84	11	95	30	8	76	58	20	7	64	**ULSTER** (part of).

MARRIAGES in the Year 1926—in Counties.

123	3	10	·	10	3	5	14	2	·	·	2	CARLOW.
985	14	49	10	59	24	20	73	6	4	1	8	DUBLIN.
2,203	67	121	38	159	105	63	204	28	35	1	61	DUBLIN CO. BOROUGH.
212	11	12	1	13	12	1	19	5	3	1	6	KILDARE.
263	10	14	2	16	12	5	15	2	3	1	3	KILKENNY.
124	4	16	3	19	7	1	10	3	2	·	5	LEIX.
134	5	13	2	15	7	·	7	5	·	·	5	LONGFORD.
245	5	10	4	14	9	3	16	4	3	1	5	LOUTH.
233	7	13	2	15	9	3	23	3	1	·	4	MEATH.
211	3	13	2	15	5	6	23	6	1	·	7	OFFALY.
212	5	8	2	10	7	6	19	8	4	1	10	WESTMEATH.
371	13	26	2	28	15	14	63	18	13	9	13	WEXFORD.
173	12	17	3	20	15	2	21	8	4	·	12	WICKLOW.

MARRIAGES in the Year 1926—in Counties.

338	8	20	·	20	8	5	18	5	5	1	8	CLARE.
894	27	45	7	52	34	4	31	11	2	·	13	CORK.
572	14	30	15	45	29	10	27	6	4	1	8	CORK CO. BOROUGH.
547	12	30	3	33	15	6	11	8	7	·	15	KERRY.
313	3	19	1	20	4	5	21	5	2	2	3	LIMERICK.
347	6	16	8	24	14	11	23	6	10	1	14	LIMERICK CO. BOROUGH.
238	4	4	5	9	9	2	12	6	1	1	5	TIPPERARY, N.R.
304	5	15	·	15	5	5	23	3	2	·	5	TIPPERARY, S.R.
204	3	6	1	7	4	·	17	4	3	·	7	WATERFORD
110	2	6	1	7	3	3	16	·	2	·	2	WATERFORD CO. BOROUGH.

MARRIAGES in the Year 1926—in Counties.

581	11	33	3	36	14	4	37	36	17	11	31	GALWAY.
232	2	19	1	20	3	1	11	6	3	·	9	LEITRIM.
607	10	29	10	39	20	4	33	25	19	10	24	MAYO.
320	6	23	2	25	8	2	13	9	3	2	8	ROSCOMMON.
281	3	17	2	19	5	4	10	9	1	·	10	SLIGO.

MARRIAGES in the Year 1926—in Counties.

295	4	27	2	29	6	2	10	9	2	·	11	CAVAN.
503	9	32	8	40	17	4	47	40	15	7	41	DONEGAL.
242	6	25	1	26	7	2	19	9	3	·	12	MONAGHAN.

SAORSTÁT ÉIREANN.—BIRTHS, and DEATHS at different AGES in the year 1926—by PROVINCES and COUNTIES.

Provinces and Counties.		Total Births	Ages at Death. Total Deaths	Under 1 Year.	1—	2—	3—	4—	Under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards
SAORSTÁT ÉIREANN	Persons	61,176	41,740	4,552	1,114	546	332	237	6,781	784	570	963	1,077	1,098	1,030	1,135	1,322	1,567	2,115	2,260	2,987	3,508	4,779	6,961	2,516	287
	Males	31,382	20,844	2,538	556	277	181	124	3,676	363	239	452	534	520	473	518	659	804	1,079	1,189	1,535	1,795	2,321	3,365	1,197	125
	Females	29,794	20,896	2,014	558	269	151	113	3,105	421	331	511	543	578	557	617	663	763	1,036	1,071	1,452	1,713	2,458	3,596	1,319	162
LEINSTER	Persons	25,506	16,816	2,326	515	209	139	98	3,287	301	223	382	429	437	439	470	599	673	911	972	1,299	1,315	1,792	2,445	764	78
	Males	13,098	8,492	1,280	268	110	77	52	1,787	128	87	175	219	205	211	219	305	355	478	533	681	685	888	1,162	349	25
	Females	12,408	8,324	1,046	247	99	62	46	1,500	173	136	207	210	232	228	251	294	318	433	439	618	630	904	1,283	415	53
MUNSTER	Persons	19,315	13,766	1,430	434	208	130	89	2,291	259	192	340	342	374	339	375	441	523	702	745	944	1,167	1,480	2,310	858	84
	Males	9,914	6,848	794	212	104	69	47	1,226	127	80	164	158	179	160	174	232	263	359	392	492	593	699	1,127	386	37
	Females	9,401	6,918	636	222	104	61	42	1,065	132	112	176	184	195	179	201	209	260	343	353	452	574	781	1,183	472	47
CONNAUGHT	Persons	10,579	6,945	496	102	81	34	31	744	148	98	152	205	175	158	180	154	223	307	313	426	617	899	1,425	620	101
	Males	5,371	3,444	287	40	44	19	15	405	68	48	68	110	80	67	86	70	110	154	154	203	311	443	696	320	51
	Females	5,208	3,501	209	62	37	15	16	339	80	50	84	95	95	91	94	84	113	153	159	223	306	456	729	300	50
ULSTER (part of)	Persons	5,776	4,213	300	63	48	29	19	459	76	57	89	101	112	94	110	128	148	195	230	318	409	608	781	274	24
	Males	2,999	2,060	177	36	19	16	10	258	40	24	45	47	56	35	39	52	76	88	110	159	206	291	380	142	12
	Females	2,777	2,153	123	27	29	13	9	201	36	33	44	54	56	59	71	76	72	107	120	159	203	317	401	132	12
I.—LEINSTER.																										
CARLOW	Persons	631	500	44	8	5	5	1	63	7	7	12	17	18	11	11	15	16	25	20	30	40	72	94	39	3
	Males	331	267	25	7	4	1	1	38	3	2	4	8	8	8	8	8	11	14	12	16	22	33	54	18	.
	Females	300	233	19	1	1	4	.	25	4	5	8	9	10	3	3	7	5	11	8	14	18	39	40	21	3
DUBLIN	Persons	3,750	2,492	384	71	28	24	8	515	37	41	44	73	64	59	72	100	113	154	143	194	170	243	354	105	11
	Males	1,955	1,162	192	32	11	16	3	254	17	15	18	33	30	32	38	43	53	78	72	101	88	109	146	31	4
	Females	1,795	1,330	192	39	17	8	5	261	20	26	26	40	34	27	34	57	60	76	71	93	82	134	208	74	7
DUBLIN CO. BOROUGH	Persons	8,802	5,184	1,122	265	94	57	50	1,588	118	60	123	139	121	156	166	211	230	285	336	395	362	378	412	97	7
	Males	4,495	2,624	626	133	49	31	26	865	54	30	59	72	50	79	82	120	125	152	189	210	188	167	150	31	1
	Females	4,307	2,560	496	132	45	26	24	723	64	30	64	67	71	77	84	91	105	133	147	185	174	211	262	66	6
KILDARE	Persons	1,202	769	75	13	7	2	4	101	9	8	24	19	21	27	23	21	29	31	52	79	77	88	106	51	3
	Males	614	433	40	6	3	1	4	54	5	5	5	9	13	12	9	15	18	23	34	46	48	51	55	30	1
	Females	588	336	35	7	4	1	.	47	4	3	19	10	8	15	14	6	11	8	18	33	29	37	51	21	2
KILKENNY	Persons	1,483	1,054	137	23	8	4	1	173	16	9	20	22	20	20	21	33	41	41	40	70	96	154	206	67	5
	Males	787	524	85	10	5	2	.	102	6	3	11	13	11	8	7	17	22	22	12	32	46	80	100	29	3
	Females	696	530	52	13	3	2	1	71	10	6	9	9	9	12	14	16	19	19	28	38	50	74	106	38	2
LEIX	Persons	1,011	736	60	12	7	7	2	88	11	3	10	20	23	16	16	28	20	36	40	75	59	100	141	43	7
	Males	539	396	39	10	6	5	2	62	5	3	4	8	8	7	9	9	6	22	25	46	31	52	74	21	4
	Females	472	340	21	2	1	2	.	26	6	.	6	12	15	9	7	19	14	14	15	29	28	48	67	22	3
LONGFORD	Persons	772	503	37	4	2	2	2	47	4	6	5	11	14	8	17	14	21	19	20	39	50	71	104	49	4
	Males	378	277	21	3	2	1	1	28	3	2	1	7	7	3	4	6	10	12	9	22	26	43	59	33	2
	Females	394	226	16	1	.	1	1	19	1	4	4	4	7	5	13	8	11	7	11	17	24	28	45	16	2

LOUTH	Persons	1,398	924	86	33	17	10	5	151	20	13	18	21	19	25	31	35	33	50	55	67	75	120	141	44	6
	Males	704	439	40	20	9	4	1	74	7	2	10	14	9	6	16	18	18	19	26	26	39	58	72	24	1
	Females	694	485	46	13	8	6	4	77	13	11	8	7	10	19	15	17	15	31	29	41	36	62	69	20	5
MEATH	Persons	1,177	866	73	8	5	5	5	96	17	8	19	22	20	26	18	24	33	52	57	65	76	109	174	45	5
	Males	615	453	42	6	4	3	3	58	5	3	5	13	12	13	7	7	16	31	33	28	36	62	98	25	1
	Females	562	413	31	2	1	2	2	38	12	5	14	9	8	13	11	17	17	21	24	37	40	47	76	20	4
OFFALY	Persons	1,048	701	57	15	5	5	4	86	16	5	16	14	23	12	13	21	33	39	31	51	70	89	128	47	7
	Males	549	363	37	10	3	2	3	55	9	1	12	9	8	6	3	12	18	21	13	32	33	45	64	18	4
	Females	499	338	20	5	2	3	1	31	7	4	4	5	15	6	10	9	15	18	18	19	37	44	64	29	3
WESTMEATH	Persons	1,218	750	63	12	4	3	10	92	10	11	23	24	26	14	24	29	24	40	37	56	69	76	146	44	5
	Males	624	396	29	8	2	2	5	46	4	3	13	16	13	8	8	19	10	17	20	31	42	44	76	25	1
	Females	594	354	34	4	2	1	5	46	6	8	10	8	13	6	16	10	14	23	17	25	27	32	70	19	4
WEXFORD	Persons	1,910	1,510	127	35	16	11	3	192	27	31	48	30	44	46	37	43	49	82	92	101	106	182	299	90	11
	Males	966	750	70	12	7	5	1	95	9	10	27	9	21	20	17	19	29	38	55	56	56	91	148	48	2
	Females	944	760	57	23	9	6	2	97	18	21	21	21	23	26	20	24	20	44	37	45	50	91	151	42	9
WICKLOW	Persons	1,104	827	61	16	11	4	3	95	9	21	20	17	24	19	21	25	31	57	49	77	65	110	140	43	4
	Males	541	408	34	11	5	4	2	56	1	8	6	8	15	9	11	12	19	29	33	35	30	53	66	16	1
	Females	563	419	27	5	6	·	1	39	8	13	14	9	9	10	10	13	12	28	16	42	35	57	74	27	3
II. MUNSTER.																										
CLARE	Persons	1,701	1,191	92	13	7	9	5	126	21	12	31	35	50	21	22	37	35	57	64	64	90	136	255	122	13
	Males	890	603	54	7	4	5	2	72	5	7	13	17	23	11	10	21	23	31	38	32	49	62	140	45	4
	Females	811	588	38	6	3	4	3	54	16	5	18	18	27	10	12	16	12	26	26	32	41	74	115	77	9
CORK CO.	Persons	5,069	3,964	310	67	33	22	15	447	72	50	91	95	99	115	110	151	152	193	250	290	372	453	708	294	22
	Males	2,558	1,950	164	40	19	14	8	245	38	21	41	49	44	49	55	79	69	95	117	146	182	232	347	133	8
	Females	2,511	2,014	146	27	14	8	7	202	34	29	50	46	55	66	55	72	83	98	133	144	190	221	361	161	14
CORK CO. BOROUGH	Persons	1,808	1,381	220	126	46	26	23	441	38	19	31	34	36	34	42	35	66	68	79	84	113	104	133	23	1
	Males	947	657	118	56	26	10	13	223	19	6	18	14	17	14	23	21	37	34	37	45	46	45	48	10	·
	Females	861	724	102	70	20	16	10	218	19	13	13	20	19	20	19	14	29	34	42	39	67	59	85	13	1
KERRY	Persons	3,048	1,814	169	52	38	21	14	294	43	25	61	60	59	48	55	61	70	78	62	97	141	185	343	118	14
	Males	1,576	943	103	27	20	9	7	166	23	10	30	25	31	27	21	27	42	47	34	54	80	87	173	58	8
	Females	1,472	871	66	25	18	12	7	128	20	15	31	35	28	21	34	34	28	31	28	43	61	98	170	60	6
LIMERICK CO	Persons	2,158	1,491	167	30	18	12	12	239	18	24	38	31	38	35	37	37	46	83	68	103	135	180	255	109	15
	Males	1,119	743	98	17	10	8	5	138	13	8	19	13	18	17	16	19	24	35	37	57	64	80	131	48	6
	Females	1,039	748	69	13	8	4	7	101	5	16	19	18	20	18	21	18	22	48	31	46	71	100	124	61	9
LIMERICK CO. BOROUGH	Persons	1,062	761	155	64	29	19	6	273	19	10	17	19	22	22	23	28	29	49	38	53	34	62	47	16	·
	Males	541	376	85	26	14	13	3	141	12	4	6	12	12	10	11	13	11	28	22	25	17	23	21	8	·
	Females	521	385	70	38	15	6	3	132	7	6	11	7	10	12	12	15	18	21	16	28	17	39	26	8	·
TIPPERARY, N.R.	Persons	1,219	842	66	16	7	4	4	97	8	9	19	23	19	20	26	19	28	40	37	65	78	105	186	58	5
	Males	620	433	34	11	1	3	2	51	3	4	11	9	14	8	14	12	11	22	29	33	46	49	87	28	2
	Females	599	409	32	5	6	1	2	46	5	5	8	14	5	12	12	7	17	18	8	32	32	56	99	30	3
TIPPERARY, S.R.	Persons	1,652	1,169	125	26	8	4	3	166	17	21	27	25	27	27	30	37	51	68	64	88	101	121	220	72	7
	Males	825	570	66	10	2	3	3	84	5	10	15	11	8	12	11	21	28	38	34	46	50	64	100	30	3
	Females	827	599	59	16	6	1	·	82	12	11	12	14	19	15	19	16	23	30	30	42	51	57	120	42	4

SAORSTÁT ÉIREANN.—BIRTHS, and DEATHS at different AGES in the year 1926—by PROVINCES and COUNTIES—*continued*.

Provinces and Counties.		Total Births	Total Deaths	Under 1 Year.	1—	2—	3—	4—	Under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards
			AGES AT DEATH.																							
WATERFORD CO.	Persons	992	722	57	13	11	3	5	89	12	14	16	11	15	10	18	23	28	37	51	62	71	100	119	39	7
	Males	519	383	34	9	5	.	3	51	6	5	6	3	7	7	10	14	10	20	29	35	42	46	62	24	6
	Females	473	339	23	4	6	3	2	38	6	9	10	8	8	3	8	9	18	17	22	27	29	54	57	15	1
WATERFORD CO. BOROUGH	Persons	606	431	69	27	11	10	2	119	11	8	9	9	9	7	12	13	18	29	32	38	32	34	44	7	.
	Males	319	190	38	9	3	4	1	55	3	5	5	5	5	5	3	5	8	9	15	19	17	11	18	2	.
	Females	287	241	31	18	8	6	1	64	8	3	4	4	4	2	9	8	10	20	17	19	15	23	26	5	.
III.—CONNAUGHT.																										
GALWAY ...	Persons	3,494	2,151	193	43	32	13	8	289	42	32	49	75	62	55	55	51	67	72	87	123	179	239	446	201	27
	Males	1,814	1,074	114	18	18	6	5	161	17	19	22	38	24	29	27	27	34	38	38	62	86	107	225	107	13
	Females	1,680	1,077	79	25	14	7	3	128	25	13	27	37	38	26	28	24	33	34	49	61	93	132	221	94	14
LEITRIM ...	Persons	959	765	47	9	6	2	4	68	10	4	17	23	11	20	28	20	35	44	46	55	69	112	141	50	12
	Males	487	386	25	3	5	2	1	36	6	2	8	16	8	5	16	7	18	22	24	24	33	58	68	30	5
	Females	472	379	22	6	1	.	3	32	4	2	9	7	3	15	12	13	17	22	22	31	36	54	73	20	7
MAYO ...	Persons	3,271	1,995	133	27	23	12	11	206	64	35	48	55	47	46	50	36	60	96	87	98	159	240	436	203	29
	Males	1,649	979	79	13	12	8	5	117	30	17	22	33	22	21	23	13	28	47	41	44	78	115	210	102	16
	Females	1,622	1,016	54	14	11	4	6	89	34	18	26	22	25	25	27	23	32	49	46	54	81	125	226	101	13
ROSCOMMON	Persons	1,636	1,089	64	8	12	2	4	90	17	15	19	31	28	20	26	22	27	52	62	70	102	171	227	91	19
	Males	815	543	37	1	4	1	3	46	9	7	8	15	12	7	11	15	11	21	33	34	62	87	112	44	9
	Females	821	546	27	7	8	1	1	44	8	8	11	16	16	13	15	7	16	31	29	36	40	84	115	47	10
SLIGO ...	Persons	1,219	945	59	15	8	5	4	91	15	12	19	21	27	17	21	25	34	43	31	80	108	137	175	75	14
	Males	6[illegible]6	462	32	5	5	2	1	45	6	3	8	8	14	5	9	8	19	26	18	39	52	76	81	37	8
	Females	613	483	27	10	3	3	3	46	9	9	11	13	13	12	12	17	15	17	13	41	56	61	94	38	6
IV.—ULSTER (part of).																										
CAVAN ...	Persons	1,592	1,098	68	17	12	3	4	104	16	10	25	12	23	24	25	39	31	58	63	95	107	142	235	78	11
	Males	832	588	40	9	8	1	3	61	11	3	11	6	13	12	7	20	16	32	37	52	59	69	129	43	7
	Females	760	510	28	8	4	2	1	43	5	7	14	6	10	12	18	19	15	26	26	43	48	73	106	35	4
DONEGAL ...	Persons	2,949	2,151	164	31	27	18	12	252	47	38	51	64	62	49	54	63	69	80	97	134	201	326	406	147	11
	Males	1,545	1,007	97	16	10	10	5	138	25	16	29	27	29	17	23	22	33	30	42	67	93	159	179	74	4
	Females	1,404	1,144	67	15	17	8	7	114	22	22	22	37	33	32	31	41	36	50	55	67	108	167	227	73	7
MONAGHAN ...	Persons	1,235	964	68	15	9	8	3	103	13	9	13	25	27	21	31	26	48	57	70	89	101	140	140	49	2
	Males	622	465	40	11	1	5	2	59	4	5	5	14	14	6	9	10	27	26	31	40	54	63	72	25	1
	Females	613	499	28	4	8	3	1	44	9	4	8	11	13	15	22	16	21	31	39	49	47	77	68	24	1

CAUSES OF DEATH.

SAORSTÁT ÉIREANN.—CAUSES of DEATH at different

NOTE.—In the cases in which International List numbers, representing Causes of Death, are omitted from this Abstract

International List Nos.	Causes of Death.		AGES AT											
			All Ages.	Under Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	TOTAL DEATHS (All Causes) ...	M.	20,844	959	299	216	484	580	2,538	556	277	181	124	3,676
		F.	20,896	674	211	187	403	539	2,014	558	269	151	113	3,105
	I. EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES	M.	3,247	18	15	16	43	108	200	203	110	80	43	636
		F.	3,320	8	12	19	42	114	195	187	108	69	43	602
1a	Enteric Fever	M.	74	.	.	.	.	.	.	.	2	.	.	2
		F.	50	.	.	.	.	.	.	1	.	.	.	1
1b	Paratyphoid Fever	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	M.	6	.	.	.	.	.	.	.	.	.	1	1
		F.	2	.	.	.	.	.	.	.	.	.	.	.
5	Malaria	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	M.	263	2	2	5	6	38	53	98	33	23	9	216
		F.	256	.	2	2	5	35	44	79	47	15	8	193
8	Scarlet Fever	M.	60	.	.	.	1	1	2	1	11	13	4	31
		F.	74	.	.	.	.	.	.	9	4	12	4	29
9	Whooping Cough	M.	122	3	2	4	14	27	50	35	17	8	4	114
		F.	136	2	6	10	13	30	61	30	19	7	6	123
10	Diphtheria	M.	88	.	.	.	.	7	7	18	8	10	5	48
		F.	109	.	1	.	.	7	8	14	8	13	7	50
11	Influenza—													
	a. With Pulmonary Complications specified	M.	76	1	.	1	1	4	7	1	.	3	1	12
		F.	108	.	.	.	1	4	5	3	1	.	.	9
	b. Without Pulmonary Complications specified	M.	210	.	3	.	3	4	10	2	2	5	1	20
		F.	260	.	.	1	4	6	11	5	2	.	2	20
13	Mumps	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	1	.	.	1
15	Cholera nostras	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
16	Dysentery	M.	4	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
21	Erysipelas	M.	19	.	.	.	.	.	.	.	.	1	.	1
		F.	23	1	.	.	.	1	2	.	.	.	.	2
22	Acute Poliomyelitis	M.	6	.	.	.	.	1	1	1	1	.	1	4
		F.	5	.	.	.	.	.	.	1	.	2	.	3
23	Encephalitis Lethargica	M.	21	.	.	.	.	.	.	1	.	.	.	1
		F.	22	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis ...	M.	11	.	.	.	2	.	2	.	.	.	.	2
		F.	6	.	.	.	.	.	.	.	.	.	.	.
25	Other Endemic and Epidemic Diseases	M.	6	.	.	.	.	2	2	1	.	.	1	4
		F.	6	.	.	.	.	1	1	4	.	.	.	5
27	Anthrax	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
29	Tetanus	M.	18	1	.	.	.	.	1	.	.	.	.	1
		F.	6	1	.	.	.	.	1	.	.	.	.	1
30	Mycoses	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	M.	1,667	.	.	2	1	3	6	9	6	1	2	24
		F.	1,702	1	.	.	4	2	7	7	3	8	4	29
32–7	*Tuberculosis other than Respiratory*	*M.*	500	1	3	2	13	19	38	32	28	16	13	127
		F.	493	1	2	3	11	23	40	32	22	11	12	117
32	Tuberculosis of the Meninges and Central Nervous System generally	M.	111	.	.	.	2	6	8	11	11	5	7	42
		F.	116	1	.	1	3	6	11	12	5	5	6	39
33	Tuberculosis of the Intestines and Peritoneum	M.	103	1	3	2	5	5	16	13	6	5	2	42
		F.	157	.	.	2	3	8	13	14	12	4	4	47
34	Tuberculosis of the Vertebral Column	M.	44	.	.	.	.	.	.	.	.	2	.	2
		F.	32	.	.	.	.	.	.	1	1	.	.	2

riods of Life in the Year 1926.

will be understood that no deaths from such causes have been registered during the year.

ATH.																	International List Nos.
—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
363	239	452	534	520	473	518	659	804	1,079	1,189	1,535	1,795	2,321	3,365	1,197	125	
421	331	511	543	578	557	617	663	763	1,036	1,071	1,452	1,713	2,458	3,596	1,319	162	
174	111	254	315	303	259	202	192	201	162	136	112	83	60	41	5	1	
211	166	334	362	306	240	212	183	140	132	115	95	80	79	56	4	3	
4	4	11	7	12	12	1	2	5	6	6	2	.	.	.	.	.	1a
2	4	11	11	3	8	2	1	1	5	1	.	.	.	.	.	.	
.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1b
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	1	1	.	.	1	.	1	.	.	.	.	2
.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	5
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
26	8	4	3	2	3	.	.	.	1	.	.	.	.	.	.	.	7
37	10	4	4	2	2	2	1	.	1	.	.	.	.	.	.	.	
18	1	5	2	1	.	1	.	.	1	.	.	.	.	.	.	.	8
20	5	5	7	2	1	1	1	1	1	1	.	.	.	.	.	.	
6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
11	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
19	9	3	1	1	.	2	1	2	.	.	.	1	1	.	.	.	10
34	11	4	1	2	1	1	.	1	1	.	2	1	.	.	.	.	
1	.	1	1	4	3	2	4	8	5	4	5	9	7	9	1	.	11a
2	.	1	2	3	3	6	8	2	6	18	10	9	13	14	2	.	
10	3	1	4	4	8	6	10	12	13	8	25	27	36	19	3	1	11b
8	6	5	11	5	6	6	8	16	9	16	29	35	45	31	2	2	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	13
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	15
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	1	1	.	.	1	.	.	.	.	16
.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	2	1	.	.	1	.	3	2	3	3	.	.	3	.	.	21
2	.	3	1	.	1	2	1	2	1	2	1	2	3	.	.	.	
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	22
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	2	1	1	1	2	2	3	2	.	1	1	.	.	1	.	.	23
4	4	1	2	.	1	2	4	1	.	1	1	1	.	.	.	.	
2	4	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	24
4	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	
1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	25
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	27
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	5	1	1	.	1	.	2	2	1	1	1	.	.	.	.	.	29
.	.	.	.	.	1	.	3	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	30
.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	
21	28	165	244	243	206	150	148	136	104	95	56	30	11	6	.	.	31
23	77	243	274	246	196	163	131	94	97	54	37	22	8	8	.	.	
53	43	56	44	31	21	32	19	25	19	11	9	7	2	1	.	.	*32–7*
57	45	54	48	40	19	23	21	20	8	15	10	5	8	3	.	.	
21	13	12	13	4	2	2	1	1	.	.	.	.	.	.	.	.	32
23	19	17	11	2	.	2	2	.	.	1	.	.	.	.	.	.	
11	7	11	8	8	2	3	1	2	3	2	1	.	1	1	.	.	33
17	8	13	15	15	8	5	9	9	2	1	4	3	1	.	.	.	
.	4	5	1	2	6	6	5	2	1	5	3	2	.	.	.	.	34
2	1	3	6	4	2	2	2	2	2	1	2	.	1	.	.	.	

SAORSTAT ÉIREANN.—CAUSES of DEATHS at different

International List Nos.	Causes of Death.		AGES AT All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
	I. Epidemic, &c., Diseases—*cont.*													
35	Tuberculosis of the Joints ...	M.	22	.	.	.	.	.	.	.	1	.	.	1
		F.	17	.	.	.	.	.	.	.	.	.	.	.
36	Tuberculosis of other Organs—													
	a. Tuberculosis of the Skin and Subcutaneous Cellular Tissue	M.	15	.	.	.	.	.	.	1	2	.	.	3
		F.	11	.	.	.	.	1	1	.	.	.	.	1
	b. Tuberculosis of the Bones (Vertebral Column excepted)	M.	17	.	.	.	.	.	.	.	.	.	.	.
		F.	10	.	.	.	.	.	.	.	.	.	.	.
	c. Tuberculosis of the Lymphatic System (Mesenteric & Retro-peritoneal Glands excepted)	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.	10	.	1	.	.	2	3	1	.	.	1	5
	d. Tuberculosis of the Genito-Urinary System	M.	12	.	.	.	.	.	.	.	.	.	.	.
		F.	10	.	.	.	.	.	.	.	.	.	.	.
	e. Tuberculosis of Organs other than above	M.	5	.	.	.	1	.	1	.	.	.	.	1
		F.	3	.	.	.	.	.	.	.	.	.	.	.
37	Disseminated Tuberculosis ...	M.	168	.	.	.	5	8	13	7	8	4	4	36
		F.	127	.	1	.	5	6	12	4	4	2	1	23
38	Syphilis	M.	17	1	4	1	1	1	8	3	.	.	.	11
		F.	14	2	.	3	3	1	9	.	.	.	.	9
40a	Gonococcal Infection (Ophthalmia excepted)	M.	3	.	.	.	1	.	1	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.	.	.	.	1
40b	Gonorrhœal or Purulent Ophthalmia	M.	1	1	.	.	.	.	1	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.	.	.	.	.
41	Purulent Infection, Septicæmia ...	M.	68	8	1	1	.	1	11	1	2	.	1	15
		F.	43	.	1	.	1	4	6	2	1	1	.	10
	II. General Diseases not included above	M.	2,079	3	1	2	4	8	18	4	9	4	4	39
		F.	2,128	2	.	1	2	6	11	9	11	4	1	36
43 to 49	Carcinoma	M.	764	.	.	.	.	.	.	.	.	.	.	.
		F.	724	.	.	.	1	.	1	.	.	.	.	1
	Sarcoma	M.	83	.	.	.	.	.	.	.	1	1	.	2
		F.	51	.	.	.	.	1	1	1	.	.	.	2
	Cancer, Malignant Disease (not otherwise defined)	M.	711	.	.	.	.	.	.	.	.	.	.	.
		F.	688	.	.	.	.	.	.	.	.	.	.	.
50	Tumours, non-malignant (not Cerebral, Ovarian, or Uterine)	M.	27	.	.	.	.	.	.	.	.	.	.	.
		F.	32	.	.	.	.	.	.	.	.	.	.	.
51	Rheumatic Fever	M.	61	.	.	.	.	.	.	.	.	1	2	3
		F.	48	.	.	.	.	.	.	.	.	.	.	.
52a	Chronic Rheumatism, Osteo-Arthritis	M.	110	.	.	.	.	.	.	.	.	.	.	.
		F.	159	.	.	.	.	.	.	.	.	.	.	.
52b	Gout	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	7	.	.	.	.	.	.	.	.	.	.	.
53	Scurvy	M.	2	.	.	.	.	.	.	.	.	1	.	1
		F.	.	.	.	.	.	.	.	.	.	.	.	.
54	Pellagra	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
56	Rickets	M.	10	.	.	1	1	4	6	2	2	.	.	10
		F.	22	.	.	.	.	4	4	5	4	4	.	17
57	Diabetes	M.	111	.	.	.	.	.	.	.	.	.	.	.
		F.	115	.	.	.	.	.	.	1	1	.	.	2
58a	Pernicious Anæmia	M.	98	.	.	.	.	.	.	.	.	.	.	.
		F.	114	.	.	.	.	.	.	.	.	.	.	.
58b	Other Anæmias and Chlorosis ...	M.	26	.	.	.	1	.	1	.	5	.	.	6
		F.	57	.	.	.	.	.	.	.	2	.	1	3
60a	Exophthalmic Goitre	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	35	.	.	.	.	.	.	.	.	.	.	.
60b	Other Diseases of the Thyroid Gland	M.	6	1	.	.	.	.	1	.	.	.	.	1
		F.	18	.	.	.	.	.	.	.	2	.	.	2
61a	Tetany	M.	3	.	.	.	.	2	2	.	.	.	.	2
		F.	5	.	.	.	1	.	1	1	.	.	.	2
62	Diseases of Thymus	M.	1	.	.	1	.	.	1	.	.	.	.	1
		F.	1	.	.	1	.	.	1	.	.	.	.	1

Periods of Life in the Year 1926.—(*continued*).

DEATH.																	
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	International List Nos.
1	4	2	2	2	.	5	2	1	2	.	.	.	.	.	.	.	35
1	2	3	1	3	2	1	.	.	.	.	.	1	2	1	.	.	
.	.	3	2	.	2	1	.	2	.	.	1	1	.	.	.	.	36a
.	.	.	.	.	.	1	.	1	1	3	2	.	1	1	.	.	
2	.	3	1	2	.	2	.	2	3	.	1	1	.	.	.	.	36b
1	1	.	1	.	2	1	1	1	.	1	.	.	1	.	.	.	
3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	36c
.	1	.	.	.	.	.	3	.	.	1	.	.	.	.	.	.	
.	1	.	.	.	2	3	.	3	2	1	.	.	.	.	.	.	36d
.	.	.	2	3	.	2	1	1	.	.	.	.	1	.	.	.	
.	.	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	36e
.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	
15	14	20	15	13	7	10	10	11	7	3	3	3	1	.	.	.	37
13	12	18	12	12	4	9	3	6	3	7	2	1	1	1	.	.	
1	.	.	.	1	.	1	1	1	1	.	.	.	.	.	.	.	38
.	.	1	.	.	.	1	.	1	.	1	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	40a
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	40b
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	2	2	4	3	2	.	.	3	7	5	8	6	3	2	1	.	41
4	2	2	1	2	1	2	3	.	2	5	2	5	1	.	.	1	
9	11	28	25	28	28	39	78	148	232	287	308	325	264	206	21	3	
19	18	25	20	30	48	68	123	187	267	263	295	284	221	200	24	.	
.	.	1	.	4	2	11	23	63	88	113	124	130	111	87	7	.	43
.	.	.	.	2	12	20	38	67	95	111	115	98	86	72	7	.	
.	3	4	2	2	4	4	10	9	7	11	13	5	5	2	.	.	to
2	.	2	3	1	4	3	.	4	5	3	6	3	10	3	.	.	
.	.	.	.	1	6	7	16	45	90	118	116	130	101	77	3	1	49
.	.	.	.	2	11	19	36	65	102	88	110	112	58	74	11	.	
.	.	.	.	1	1	.	1	.	4	7	5	2	3	1	1	1	50
.	.	.	.	.	.	1	1	4	2	5	8	2	4	5	.	.	
5	4	14	11	6	4	3	1	3	3	1	1	1	1	.	.	.	51
3	7	9	7	4	3	2	5	2	2	1	2	1	.	.	.	.	
.	.	.	.	.	1	2	.	4	9	14	14	21	17	19	8	1	52a
.	.	1	.	1	2	1	6	7	13	14	17	30	30	34	3	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	52b
.	.	.	.	.	.	.	.	.	.	1	.	1	2	2	1	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	53
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	54
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56
4	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
.	1	3	4	8	4	1	8	6	11	8	15	14	15	11	2	.	57
2	2	5	1	5	2	5	9	7	10	10	13	20	14	6	2	.	
.	1	1	2	.	2	5	13	10	14	8	15	13	8	6	.	.	58a
2	1	2	3	3	2	5	16	20	21	18	9	5	5	2	.	.	
.	.	2	1	.	2	1	2	2	2	4	2	1	1	.	.	.	58b
1	2	1	4	4	4	2	3	2	5	2	8	8	6	2	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	60a
1	.	4	.	3	3	5	4	3	5	4	.	1	2	.	.	.	
1	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	60b
1	1	.	.	2	.	2	2	1	1	1	4	1	.	.	.	.	
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61a
.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

SAORSTAT ÉIREANN.—CAUSES of DEATHS at different

International List Nos.	Causes of Death.		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
			AGES AT											
	II. General Diseases not included above—*continued.*													
63	Diseases of the Adrenals ...	M.	6	.	.	.	.	.	.	.	.	.	.	.
		F.	5	.	.	.	.	.	.	.	.	.	.	.
64	Diseases of the Spleen	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	1	1	.	1	.	.	2
65a	Leukæmia	M.	12	.	.	.	.	.	.	.	.	.	.	.
		F.	15	.	.	.	.	.	.	.	.	.	.	.
65b	Lymphadenoma (Hodgkin's Disease)	M.	12	.	.	.	.	.	.	.	.	.	.	.
		F.	10	.	.	.	.	.	.	.	.	.	.	.
66	Alcoholism (acute or chronic) ...	M.	8	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
67	Chronic Poisoning by Mineral Substances	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
69	Other General Diseases	M.	24	2	1	.	2	2	7	2	1	1	2	13
		F.	18	2	.	.	.	.	2	1	1	.	.	4
	III. Diseases of the Nervous System and Sense Organs	M.	1,843	130	46	32	63	75	346	67	25	14	18	470
		F.	1,962	80	30	19	60	71	260	60	24	15	12	371
70	Encephalitis	M.	18	1	1	.	.	1	3	2	.	1	.	6
		F.	24	.	.	.	.	.	.	1	1	1	.	3
71	Meningitis	M.	182	.	5	3	16	19	43	22	10	9	12	96
		F.	169	.	2	3	9	25	39	23	7	6	7	82
72	Tabes Dorsalis (Locomotor Ataxy)	M.	5	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
73	Other Diseases of Spinal Cord ...	M.	66	.	.	.	.	.	.	.	.	.	.	.
		F.	67	.	.	.	.	.	.	.	.	.	.	.
74a	Cerebral Hæmorrhage, Apoplexy	M.	535	.	.	.	.	.	.	.	.	.	.	.
		F.	701	.	.	.	1	.	1	.	.	.	.	1
74b	Cerebral Thrombosis and Embolism	M.	41	.	.	.	.	.	.	1	1	.	.	2
		F.	62	.	.	.	.	.	.	.	.	.	.	.
75a	Hemiplegia	M.	169	.	.	.	.	.	.	.	.	.	.	.
		F.	180	.	.	.	.	.	.	.	.	.	.	.
75b	Other forms of Paralysis ...	M.	126	.	.	.	.	.	.	.	1	.	.	1
		F.	186	.	.	.	.	.	.	.	.	.	.	.
76	General Paralysis of the Insane ...	M.	34	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
77	Other forms of Mental Alienation ...	M.	68	.	.	.	.	.	.	.	.	.	.	.
		F.	91	.	.	.	.	.	.	.	.	.	.	.
78	Epilepsy	M.	97	.	.	.	.	1	1	2	2	.	1	6
		F.	52	.	.	.	.	1	1	.	.	.	.	1
79–80	Convulsions (non-Puerperal) ...	M.	361	129	40	29	47	52	297	37	11	4	5	354
		F.	284	80	27	16	50	43	216	35	15	7	4	277
81	Chorea	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.	7	.	.	.	.	.	.	.	.	.	1	1
82	Hysteria and Neuritis	M.	13	.	.	.	.	.	.	.	.	.	.	.
		F.	16	.	.	.	.	.	.	.	.	.	.	.
83	Cerebral Softening	M.	13	.	.	.	.	.	.	.	.	.	.	.
		F.	14	.	.	.	.	.	.	.	.	.	.	.
84	Other Diseases of the Nervous System	M.	83	.	.	.	.	.	.	1	.	.	.	1
		F.	85	.	.	.	.	.	.	.	.	1	.	1
85	Disease of Eye	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
86	Disease of the Ear and of the Mastoid Sinus	M.	28	.	.	.	.	2	2	2	.	.	.	4
		F.	19	.	1	.	.	2	3	1	1	.	.	5

Periods of Life in the Year 1926.—(*continued*).

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
.	.	.	.	1	.	1	1	1	.	.	.	2	.	.	.	.	63
.	.	.	.	.	1	.	1	1	1	.	.	1	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	64
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	2	1	2	1	.	1	1	.	2	1	.	.	.	65a
1	2	1	.	.	1	1	.	2	3	1	1	.	2	.	.	.	
1	.	.	1	1	.	1	.	2	1	.	2	1	.	2	.	.	65b
.	2	.	1	.	1	1	.	1	1	2	1	.	.	.	.	.	
.	.	.	1	.	.	.	2	1	1	.	.	2	.	1	.	.	66
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	67
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	1	2	1	2	.	.	.	1	.	1	1	1	.	.	.	.	69
2	1	.	1	2	.	1	1	1	.	2	.	1	2	.	.	.	
38	27	29	30	37	31	45	60	62	99	124	176	187	218	177	32	1	
46	33	28	20	29	37	43	57	89	137	142	210	199	252	226	42	1	
1	.	1	1	.	1	1	1	.	1	2	1	1	1	.	.	.	70
1	.	5	3	.	4	1	1	.	2	2	1	1	.	.	.	.	
23	12	11	8	9	3	2	5	7	.	3	.	.	2	1	.	.	71
23	19	13	3	9	6	4	2	2	1	1	1	1	1	1	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	72
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
1	1	1	2	3	2	3	3	5	12	9	8	9	6	1	.	.	73
2	1	.	3	2	4	7	4	7	6	4	11	7	6	2	1	.	
.	2	.	1	2	5	5	10	15	40	44	83	87	108	111	21	1	74a
1	4	1	2	3	8	8	13	33	62	65	103	104	136	127	30	.	
.	.	1	1	.	.	1	1	2	2	7	5	4	8	6	1	.	74b
.	1	1	.	.	1	2	1	1	6	6	6	10	13	10	4	.	
.	1	.	1	.	.	.	.	4	12	22	30	27	38	30	4	.	75a
.	1	.	.	1	1	1	3	7	14	16	28	33	39	34	2	.	
.	2	3	1	1	1	1	6	3	9	6	19	23	29	17	4	.	75b
2	.	.	.	1	3	3	4	12	16	18	21	20	39	41	5	1	
.	.	.	.	1	1	6	10	6	5	3	1	1	.	.	.	.	76
.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
.	1	.	3	5	4	8	3	6	5	11	12	2	6	2	.	.	77
.	1	.	2	1	2	3	11	12	11	11	18	8	7	4	.	.	
1	2	7	8	12	7	7	12	3	6	6	3	9	5	2	1	.	78
1	1	2	5	5	4	6	4	4	6	4	6	2	1	.	.	.	
3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	79–80
6	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	81
1	1	.	1	.	.	1	1	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	1	.	.	2	.	4	4	1	.	.	82
.	.	.	.	.	1	2	.	2	3	3	3	.	1	1	.	.	
.	.	.	.	1	.	.	.	.	.	1	3	3	2	2	1	.	83
.	.	.	.	.	.	.	.	.	.	.	4	4	3	3	.	.	
3	2	1	3	2	4	9	7	8	6	7	7	11	8	4	.	.	84
7	4	6	.	4	3	3	10	7	6	10	8	8	6	2	.	.	
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	85
.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	
5	1	2	1	1	1	2	1	3	.	1	3	3	.	.	.	.	86
2	.	.	1	2	.	2	2	1	2	1	.	.	.	1	.	.	

SAORSTAT ÉIREANN.—CAUSES of DEATH at different

International List Nos.	Causes of Death.		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total Under 5 years.
			AGES AT											
	IV. Diseases of the Circulatory System	M.	2,473	.	2	.	2	2	6	.	.	1	1	8
		F.	2,540	1	.	.	1	2	4	5	1	1	.	11
87	Pericarditis	M.	19	.	.	.	.	1	1	.	.	.	.	1
		F.	7	.	.	.	1	.	1	1	.	.	.	2
88	Acute Endocarditis and Myocarditis	M.	54	.	.	.	.	1	1	.	.	1	1	3
		F.	63	.	.	.	.	1	1	1	1	1	.	4
89	Angina Pectoris	M.	47	.	.	.	.	.	.	.	.	.	.	.
		F.	26	.	.	.	.	.	.	.	.	.	.	.
90	Other Diseases of the Heart ...	M.	2,128	.	.	.	.	.	.	.	.	.	.	.
		F.	2,312	.	.	.	.	.	.	2	.	.	.	2
91a	Aneurysm	M.	18	.	.	.	.	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	.	.	.	.	.
91b	Arterio-sclerosis	M.	145	.	.	.	.	.	.	.	.	.	.	.
		F.	76	.	.	.	.	.	.	.	.	.	.	.
91c	Other Diseases of the Arteries ...	M.	15	.	.	.	.	.	.	.	.	.	.	.
		F.	6	.	.	.	.	.	.	.	.	.	.	.
92	Embolism and Thrombosis (not Cerebral)	M.	18	.	.	.	.	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	.	.	.	.	.
93	Diseases of the Veins (Varices, Hæmorrhoids, Phlebitis, etc.)	M.	13	.	1	.	.	.	1	.	.	.	.	1
		F.	21	.	.	.	.	.	.	.	.	.	.	.
94	Diseases of Lymphatic System (Lymphangitis, etc.) ...	M.	7	.	.	.	2	.	2	.	.	.	.	2
		F.	7	1	.	.	.	1	2	1	.	.	.	3
95	Hæmorrhage (without stated cause)	M.	5	.	1	.	.	.	1	.	.	.	.	1
		F.	3	.	.	.	.	.	.	.	.	.	.	.
96	Other Diseases of the Circulatory System	M.	4	.	.	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.	.	.	.	.
	V. Diseases of the Respiratory System	M.	2,832	39	36	36	87	187	385	174	67	42	30	698
		F.	2,581	17	26	30	53	154	280	184	64	34	25	587
97	Diseases of the Nasal Fossae ...	M.	4	.	.	.	.	.	.	.	1	.	.	1
		F.	1	.	.	.	.	.	.	.	.	.	.	.
98	Diseases of the Larynx	M.	35	2	1	1	1	6	11	5	5	2	2	25
		F.	28	.	1	1	3	4	9	4	3	2	1	19
99a	Bronchitis, Acute	M.	150	4	1	.	8	13	26	15	2	.	1	44
		F.	178	1	3	4	1	9	18	6	5	2	1	32
99b	Bronchitis, Chronic	M.	247	.	.	.	.	1	1	1	1	.	.	3
		F.	233	.	.	.	.	1	1	3	1	.	1	6
99c.d.	Bronchitis (not otherwise defined)...	M.	781	17	16	14	32	41	120	37	15	11	4	187
		F.	844	7	13	14	24	34	92	38	14	8	3	155
100	Broncho-Pneumonia	M.	495	9	11	13	31	89	153	83	30	17	11	294
		F.	450	6	6	8	20	70	110	88	20	12	10	240
101a	Lobar Pneumonia	M.	160	.	.	1	2	3	6	8	3	2	1	20
		F.	111	.	.	1	1	6	8	9	3	.	3	23
101b	Pneumonia (not otherwise defined)...	M.	626	5	5	7	11	30	58	24	8	8	10	108
		F.	472	2	2	2	4	29	39	31	14	10	5	99
102	Pleurisy	M.	57	.	.	.	.	.	.	1	1	1	.	3
		F.	47	.	.	.	.	.	.	1	1	.	1	3
103	Congestion and Hæmorrhagic Infarct of the Lung	M.	88	2	1	.	1	4	8	.	1	.	.	9
		F.	91	1	1	.	.	1	3	3	2	.	.	8
104	Gangrene of the Lung	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.	.	.	.	.
105	Asthma	M.	131	.	.	.	.	.	.	.	.	.	.	.
		F.	93	.	.	.	.	.	.	1	.	.	.	1
106	Pulmonary Emphysema	M.	23	.	.	.	.	.	.	.	.	.	.	.
		F.	9	.	.	.	.	.	.	.	.	.	.	.
107	Other Diseases of the Respiratory System (Tuberculosis excepted)	M.	32	.	1	.	1	.	2	.	.	1	1	4
		F.	20	.	.	.	.	.	.	.	1	.	.	1

Periods of Life in the Year 1926.—(*continued*).

DEATH.																	
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	International List Nos.
10	11	30	22	24	30	51	81	112	192	226	328	404	445	423	70	6	
9	27	26	23	35	33	66	80	136	194	205	335	404	446	422	85	3	
2	1	2	1	.	2	1	3	.	2	.	3	.	.	1	.	.	87
.	.	.	1	.	.	1	.	1	1	.	.	.	1	.	.	.	
5	1	9	3	4	5	8	5	3	1	4	.	1	1	1	.	.	88
2	4	3	5	1	4	8	10	8	7	7	.	.	.	.	.	.	
.	.	.	.	.	.	1	.	5	5	8	5	7	6	10	.	.	89
.	.	.	.	.	.	2	.	3	1	3	4	5	2	5	1	.	
3	9	19	16	20	22	35	63	98	167	193	280	354	401	379	64	5	90
7	23	22	17	30	27	52	67	114	179	186	311	378	422	394	80	1	
.	.	.	1	.	.	1	1	2	4	4	3	.	1	1	.	.	91a
.	.	.	.	.	.	.	1	.	1	1	3	1	.	1	.	.	
.	.	.	.	.	.	.	3	3	8	11	24	38	29	23	5	1	91b
.	.	.	.	.	.	1	1	3	4	5	6	12	17	21	4	2	
.	.	.	.	.	.	.	.	.	1	1	3	.	4	6	.	.	91c
.	.	.	.	.	.	.	.	1	.	.	2	1	2	.	.	.	
.	.	.	.	.	1	2	2	1	3	3	3	2	.	.	1	.	92
.	.	.	.	2	1	.	.	3	.	.	1	1	.	.	.	.	
.	.	.	.	.	.	1	2	.	1	.	5	2	1	.	.	.	93
.	.	.	.	1	1	1	.	2	1	3	4	6	2	.	.	.	
.	.	.	1	.	.	1	.	.	.	.	2	.	.	1	.	.	94
.	.	1	.	1	.	.	.	1	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	1	1	.	.	1	.	.	.	1	.	.	95
.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	1	.	.	1	.	.	2	.	.	.	96
.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	
46	18	33	40	34	47	71	107	104	150	166	275	298	332	331	77	5	
54	28	23	36	37	42	55	55	72	112	137	210	281	383	373	91	5	
.	.	1	.	.	1	.	1	.	.	.	.	.	.	.	.	.	97
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
9	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	98
3	1	.	.	1	.	.	.	.	1	1	.	1	1	.	.	.	
3	1	.	1	1	3	1	3	5	6	6	12	16	21	21	5	1	99a
3	.	3	.	4	3	2	3	4	6	10	14	23	35	26	10	.	
1	.	3	1	.	.	1	8	4	15	19	29	51	49	49	13	1	99b
1	.	.	.	2	1	.	2	3	11	12	27	37	57	63	11	.	
6	2	3	4	.	3	12	14	16	31	42	88	90	118	128	34	3	99c.d.
7	6	4	3	3	2	9	10	22	26	47	71	109	162	159	46	3	
11	4	5	5	1	4	6	12	9	12	9	19	35	32	32	5	.	100
15	7	2	8	5	5	8	6	6	12	16	16	18	38	41	6	1	
4	1	3	5	4	3	9	13	9	12	19	19	15	10	12	2	.	101a
6	1	.	4	1	6	4	4	4	14	8	6	8	9	10	3	.	
9	8	12	16	19	23	29	41	38	53	42	61	55	60	42	10	.	101b
15	10	12	14	19	14	25	18	20	22	21	45	52	40	36	9	1	
3	.	4	2	3	1	4	4	1	2	4	8	9	6	3	.	.	102
2	2	1	3	.	5	2	1	4	2	2	3	5	7	4	1	.	
.	2	1	2	.	2	2	3	8	3	11	11	6	10	16	2	.	103
1	.	1	2	1	2	2	5	1	7	10	12	6	12	16	5	.	
.	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	104
.	1	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	
.	.	1	.	2	3	3	7	11	11	6	22	15	23	23	4	.	105
.	.	.	2	.	2	2	5	7	8	10	13	17	13	13	.	.	
.	.	.	.	1	1	3	1	1	2	3	2	4	1	2	2	.	106
.	.	.	.	.	.	1	.	1	.	.	.	1	4	2	.	.	
.	.	.	3	3	3	1	.	1	2	4	4	2	2	3	.	.	107
1	.	.	.	1	2	.	1	.	3	.	2	3	4	2	.	.	

SAORSTAT EIREANN.—CAUSES of DEATH at different

International List Nos.	Causes of Death.		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
			AGES AT											
	VI. Diseases of the Digestive System.	M.	1,436	52	85	71	175	115	498	60	25	9	11	603
		F.	1,236	40	42	59	123	119	383	58	18	13	10	482
108a	Diseases of Teeth and Gums	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
108b	Diseases of the Buccal Cavity and its Annexa	M.	8	1	.	.	1	2	4	.	.	1	.	5
		F.	8	1	1	1	.	1	4	3	.	.	.	7
109	Diseases of Pharynx and Tonsils (including Adenoid Vegetations)	M.	32	.	.	.	.	2	2	2	.	2	1	7
		F.	26	.	.	.	1	1	2	2	1	2	2	9
110	Diseases of the Oesophagus ...	M.	7	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
111a	Ulcer of the Stomach	M.	123	.	.	.	.	.	.	1	.	.	.	1
		F.	82	.	.	.	.	.	.	.	.	.	.	.
111b	Ulcer of the Duodenum ...	M.	48	.	.	.	.	.	.	.	.	.	.	.
		F.	11	.	.	.	.	.	.	.	.	.	.	.
112	Other Diseases of the Stomach (Cancer excepted) ...	M.	188	4	11	5	19	10	49	3	1	1	.	54
		F.	219	3	8	11	14	13	49	11	2	1	2	65
113–114	Diarrhœa and Enteritis	M.	570	46	71	65	144	90	416	46	18	4	5	489
		F.	469	36	32	45	106	97	316	37	11	6	4	374
116	Diseases due to Intestinal Parasites	M.	2	.	.	.	.	.	.	.	1	.	.	1
		F.	4	.	1	.	.	.	1	.	2	.	.	3
117	Appendicitis	M.	101	.	.	.	.	.	.	2	1	.	2	5
		F.	88	.	.	.	.	.	.	.	1	1	1	3
118a	Hernia	M.	35	.	.	.	1	2	3	1	.	.	.	4
		F.	35	.	.	1	1	.	2	.	.	.	.	2
118b	Intestinal Obstruction	M.	131	.	3	.	8	9	20	3	3	1	.	27
		F.	116	.	.	1	.	6	7	3	1	.	.	11
119	Other Diseases of the Intestine ...	M.	30	1	.	.	.	.	1	1	.	.	.	2
		F.	23	.	.	.	.	.	.	1	.	.	.	1
120	Acute Yellow Atrophy of the Liver	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
121	Hydatid Tumour of Liver ...	M.	1	.	.	.	.	.	.	.	1	.	.	1
		F.	1	.	.	.	.	.	.	.	.	.	.	.
122	Cirrhosis of the Liver	M.	72	.	.	.	.	.	.	.	.	.	.	.
		F.	41	.	.	.	.	1	1	.	.	.	.	1
123	Biliary Calculi	M.	8	.	.	.	.	.	.	.	.	.	.	.
		F.	24	.	.	.	.	.	.	.	.	.	.	.
124	Other Diseases of the Liver ...	M.	47	.	.	.	2	.	2	.	.	.	2	4
		F.	52	.	.	.	1	.	1	.	.	2	.	3
125	Diseases of the Pancreas ...	M.	8	.	.	.	.	.	.	1	.	.	.	1
		F.	7	.	.	.	.	.	.	.	.	.	.	.
126	Peritonitis of Unstated Origin ...	M.	22	.	.	1	.	.	1	.	.	.	1	2
		F.	23	.	.	.	.	.	.	1	.	1	1	3
127	Other Diseases of the Digestive System	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
	VII. Non-Venereal Diseases of the Genito-Urinary System and its Annexa.	M.	900	2	1	.	1	1	5	2	3	6	2	18
		F.	656	.	.	.	1	3	4	2	2	1	4	13
128	Acute Nephritis (including unspecified under 10 years of age)	M.	86	1	1	.	.	.	2	1	3	5	2	13
		F.	69	.	.	.	1	3	4	2	2	1	3	12
129	Chronic Nephritis (including unspecified over 10 years of age)	M.	514	.	.	.	.	.	.	.	.	1	.	1
		F.	476	.	.	.	.	.	.	.	.	.	.	.
131	Other Diseases of the Kidneys and their Annexa (Diseases of the Kidneys in Pregnancy excluded).	M.	36	.	.	.	.	1	1	1	.	.	.	2
		F.	28	.	.	.	.	.	.	.	.	.	1	1
132	Calculi of the Urinary Passages ...	M.	4	.	.	.	.	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.	.	.	.	.
133	Diseases of the Bladder ...	M.	107	.	.	.	1	.	1	.	.	.	.	1
		F.	12	.	.	.	.	.	.	.	.	.	.	.

Periods of Life in the Year 1926.—(*continued*).

DEATH.																	
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	International List Nos.
29	19	30	29	31	22	35	48	59	80	75	94	96	99	73	14	.	
43	28	28	23	27	29	31	34	40	65	55	89	85	100	64	12	1	
.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	108a
.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	1	.	.	.	.	1	1	.	.	.	.	.	108b
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
4	2	2	2	2	.	2	3	3	2	.	1	1	.	1	.	.	109
6	2	1	2	.	.	3	1	1	.	.	1	.	.	.	.	.	
1	.	.	.	.	.	.	.	1	1	2	.	2	.	.	.	.	110
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	2	8	8	8	4	6	11	19	16	15	15	6	4	.	.	111a
.	.	7	2	6	7	3	5	12	6	4	7	8	11	4	.	.	
.	.	2	1	1	2	6	3	5	9	5	6	5	3	.	.	.	111b
.	.	.	.	2	1	.	1	2	1	.	2	2	.	.	.	.	
3	1	.	2	3	3	2	9	5	11	10	23	14	25	16	7	.	112
5	2	6	4	1	.	5	4	5	12	12	26	18	28	20	6	.	
7	1	2	1	3	3	5	2	3	7	7	8	11	8	8	5	.	113–114
6	1	4	.	5	4	4	5	6	7	2	10	10	15	12	3	1	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	116
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
8	11	18	12	4	2	9	5	7	5	4	1	7	1	2	.	.	117
18	14	5	9	6	6	4	3	3	5	2	6	2	2	.	.	.	
.	.	.	.	3	.	.	1	1	1	5	3	6	6	4	1	.	118a
.	.	.	.	.	.	.	1	.	5	7	1	7	8	3	1	.	
4	2	2	.	2	2	3	5	3	7	8	17	11	21	16	1	.	118b
2	1	4	1	2	2	6	4	.	6	14	15	14	20	13	1	.	
.	.	.	1	1	.	.	1	3	4	.	4	4	5	5	.	.	119
.	1	1	.	.	1	1	2	1	4	2	2	2	1	4	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	120
.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	121
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	2	1	1	5	10	10	8	9	11	10	5	.	.	122
.	.	.	.	.	.	2	3	6	8	3	3	8	4	2	1	.	
.	.	.	.	1	.	1	1	1	1	.	1	1	1	.	.	.	123
.	.	.	.	.	.	1	2	2	1	3	3	2	6	4	.	.	
.	.	1	2	1	.	2	1	4	1	6	2	4	10	9	.	.	124
2	1	.	.	1	4	.	.	2	8	3	11	11	5	1	.	.	
.	.	.	.	.	.	.	2	.	1	.	.	.	2	2	.	.	125
.	.	.	1	1	.	.	2	.	.	.	2	1	.	.	.	.	
2	1	1	.	.	.	.	4	2	1	2	2	3	1	1	.	.	126
3	5	.	1	3	3	1	1	.	.	2	.	.	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	127
.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	6	12	15	9	15	22	30	44	70	77	106	149	176	125	25	.	
9	8	11	15	24	37	35	51	49	60	63	59	79	86	48	9	.	
1	1	7	3	1	2	1	5	6	8	13	6	6	10	2	1	.	128
7	.	4	2	2	6	5	4	3	7	7	1	4	4	1	.	.	
.	5	5	9	7	11	17	23	37	53	50	66	84	81	55	10	.	129
1	7	6	12	12	22	20	34	27	48	50	50	63	72	45	7	.	
.	.	.	1	1	.	2	.	.	2	3	5	13	3	3	1	.	131
1	1	.	.	2	3	1	2	4	.	.	5	4	1	1	2	.	
.	.	.	.	.	1	.	.	.	.	.	.	2	1	.	.	.	132
.	.	.	.	1	.	.	1	1	1	.	.	.	.	.	.	.	
.	.	.	2	.	1	1	.	.	4	7	14	18	24	30	5	.	133
.	.	.	.	.	.	1	.	3	1	.	2	4	1	.	.	.	

SAORSTÁT ÉIREANN.—CAUSES of DEATH at different

International List Nos.	Causes of Death.		AGES AT											
			All Ages.	Under 1 Month.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	VII. Non-Venereal Diseases of the Genito-Urinary System and its Annexa—*continued.*													
134a	Stricture of the Urethra ...	M.	5	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
134b	Other Diseases of the Urethra ...	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
135	Diseases of the Prostate ...	M.	144	.	.	.	.	.	.	.	.	.	.	.
136	Non-Venereal Diseases of the Male Genital Organs	M.	3	1	.	.	.	.	1	.	.	.	.	1
137	Cysts and other non-malignant Tumours of the Ovary ...	F.	15	.	.	.	.	.	.	.	.	.	.	.
138	Pelvic Abscess and Salpingitis ...	F.	6	.	.	.	.	.	.	.	.	.	.	.
139	Non-malignant Tumours of the Uterus	F.	23	.	.	.	.	.	.	.	.	.	.	.
140	Non-Puerperal Uterine Hæmorrhage	F.	5	.	.	.	.	.	.	.	.	.	.	.
141a	Metritis	F.	1	.	.	.	.	.	.	.	.	.	.	.
141b	Non-Puerperal Diseases of the Female Genital Organs ...	F.	14	.	.	.	.	.	.	.	.	.	.	.
142	Non-Puerperal Diseases of the Breast	F.	3	.	.	.	.	.	.	.	.	.	.	.
	VIII. The Puerperal State	F.	299	.	.	.	.	.	.	.	.	.	.	.
143b	Accidents of Pregnancy— A. Abortion	F.	2	.	.	.	.	.	.	.	.	.	.	.
	B. Ectopic Gestation	F.	2	.	.	.	.	.	.	.	.	.	.	.
	C. Other Accidents	F.	9	.	.	.	.	.	.	.	.	.	.	.
144	Puerperal Hæmorrhage	F.	62	.	.	.	.	.	.	.	.	.	.	.
145	Other Accidents of Childbirth ...	F.	28	.	.	.	.	.	.	.	.	.	.	.
146	Puerperal Sepsis	F.	115	.	.	.	.	.	.	.	.	.	.	.
147	Phlegmasia Alba Dolens ; Puerperal Embolism, and Sudden Death in the Puerperium ...	F.	21	.	.	.	.	.	.	.	.	.	.	.
148	Puerperal Albuminuria and Convulsions	F.	43	.	.	.	.	.	.	.	.	.	.	.
149	Childbirth (not assignable elsewhere)	F.	17	.	.	.	.	.	.	.	.	.	.	.
	IX. Diseases of the Skin and Cellular Tissue	M.	131	6	1	.	.	4	11	2	1	1	.	15
		F.	98	6	2	1	2	5	16	2	.	.	.	18
151	Gangrene	M.	64	.	.	.	.	.	.	.	.	.	.	.
		F.	53	1	.	1	.	.	2	.	.	.	.	2
152	Furuncle	M.	6	.	.	.	.	1	1	.	.	.	.	1
		F.	1	.	.	.	.	.	.	.	.	.	.	.
153	Cellulitis, Acute Abscess ...	M.	39	2	1	.	.	1	4	2	.	1	.	7
		F.	15	2	.	.	2	1	5	1	.	.	.	6
154	Other Diseases of the Skin and its Annexa	M.	22	4	.	.	.	2	6	.	1	.	.	7
		F.	29	3	2	.	.	4	9	1	.	.	.	10
	X. Diseases of the Bones and Organs of Locomotion	M.	49	.	.	.	.	.	.	1	2	.	.	3
		F.	31	.	.	.	.	.	.	.	.	3	.	3
155	Diseases of the Bones (Tuberculosis and Rickets excepted) ...	M.	37	.	.	.	.	.	.	1	2	.	.	3
		F.	20	.	.	.	.	.	.	.	.	3	.	3
156	Diseases of the Joints (Tuberculosis and Rheumatism excepted)	M.	5	.	.	.	.	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	.	.	.	.	.
158	Other Diseases of Organs of Locomotion	M.	7	.	.	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.	.	.	.	.

Periods of Life in the Year 1926.—(*continued*).

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
.	.	.	.	.	.	1	1	.	.	.	2	.	.	1	.	.	134a
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	134b
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	1	3	4	13	25	55	34	8	.	135
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	136
.	.	1	.	1	1	2	.	2	2	2	.	1	2	1	.	.	137
.	.	.	.	1	1	.	.	1	1	1	1	.	.	.	.	.	138
.	.	.	.	.	1	3	6	5	.	1	.	2	5	.	.	.	139
.	.	.	1	.	.	.	1	1	.	.	.	1	1	.	.	.	140
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	141a
.	.	.	.	5	2	2	3	1	.	1	.	.	.	.	.	.	141b
.	.	.	.	.	.	1	.	1	.	1	.	.	.	.	.	.	142
.	.	7	21	69	73	85	38	6	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	143b
.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	1	3	3	1	.	.	.	.	.	.	.	.	
.	.	1	2	14	14	21	9	1	.	.	.	.	.	.	.	.	144
.	.	1	1	3	8	9	5	1	.	.	.	.	.	.	.	.	145
.	.	2	11	30	30	30	10	2	.	.	.	.	.	.	.	.	146
.	.	.	1	6	6	3	5	.	.	.	.	.	.	.	.	.	147
.	.	1	3	11	12	13	2	1	.	.	.	.	.	.	.	.	148
.	.	1	2	3	2	5	4	.	.	.	.	.	.	.	.	.	149
2	.	1	.	5	1	5	3	9	3	11	12	18	19	23	4	.	
.	.	1	1	2	.	1	4	2	10	5	9	7	14	19	5	.	
1	.	.	.	.	.	1	.	2	1	8	2	11	14	21	3	.	151
.	.	.	.	1	.	.	1	1	3	2	4	6	14	14	5	.	
.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	.	152
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
1	.	1	.	5	1	2	3	4	2	.	5	4	1	2	1	.	153
.	.	1	.	.	.	1	2	1	2	.	1	.	.	1	.	.	
.	.	.	.	.	.	2	.	2	.	2	3	2	4	.	.	.	154
.	.	.	1	1	.	.	1	.	5	3	4	1	.	3	.	.	
7	6	8	.	1	.	1	2	2	4	2	3	1	7	2	.	.	
5	2	.	2	1	.	2	1	1	1	3	1	5	2	1	1	.	
7	5	7	.	.	.	1	1	.	3	1	2	1	5	1	.	.	155
5	2	.	2	.	.	2	1	.	.	1	.	2	2	.	.	.	
.	1	1	.	.	.	.	.	.	1	1	.	.	1	.	.	.	156
.	.	.	.	1	.	.	.	1	1	2	.	1	.	1	1	.	
.	.	.	.	1	.	.	1	2	.	.	1	.	1	1	.	.	158
.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	

SAORSTÁT ÉIREANN.—CAUSES of DEATH at different AGES AT

International List Nos.	Causes of Death.		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
	XI. Malformations.													
159	Congenital Malformations (Still-births excepted)	M.	85	44	3	5	7	9	68	5	4	1	1	79
		F.	80	35	9	5	6	9	64	6	2	.	2	74
	XII. Diseases of Early Infancy	M.	962	650	102	52	98	60	962	.	.	.	.	962
		F.	771	472	88	52	104	55	771	.	.	.	.	771
160b	Congenital Debility, Icterus and Sclerema	M.	664	373	92	48	93	58	664	.	.	.	.	664
		F.	520	245	80	45	97	53	520	.	.	.	.	520
161	Premature Birth: Injury at Birth	M.	274	253	10	4	5	2	274	.	.	.	.	274
		F.	218	195	7	7	7	2	218	.	.	.	.	218
162	Other Diseases Peculiar to Early Infancy	M.	11	11	.	.	.	.	11	.	.	.	.	11
		F.	15	14	1	.	.	.	15	.	.	.	.	15
163	Lack of Care	M.	13	13	.	.	.	.	13	.	.	.	.	13
		F.	18	18	.	.	.	.	18	.	.	.	.	18
	XIII. Old Age.													
164	Senility	M.	3,659	.	.	.	.	.	.	.	.	.	.	.
		F.	4,213	.	.	.	.	.	.	.	.	.	.	.
	XIV. External Causes.	M.	594	12	1	.	1	6	20	7	13	15	10	65
		F.	295	11	2	.	3	.	16	9	17	5	16	63
165–174	Suicide	M.	78	.	.	.	.	.	.	.	.	.	.	.
		F.	19	.	.	.	.	.	.	.	.	.	.	.
176	Poisoning by Venomous Animals	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
177	Other Acute Accidental Poisonings	M.	4	.	.	.	.	.	.	1	.	.	.	1
		F.	3	.	.	.	.	.	.	1	.	.	2	3
178	Accidental Conflagration ...	M.	18	.	.	.	.	.	.	.	.	.	.	.
		F.	28	.	.	.	.	.	.	.	.	.	.	.
179	Burns (Conflagration excepted) ...	M.	49	.	.	.	.	3	3	4	10	8	9	34
		F.	90	.	.	.	.	.	.	7	15	5	11	38
180	Accidental Mechanical Suffocation...	M.	12	1	.	.	.	1	2	.	.	.	.	2
		F.	9	3	1	.	3	.	7	.	.	.	1	8
181	Accidental Absorption of Irrespirable or Poisonous Gas	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.	.	.	.	.
182	Accidental Drowning	M.	112	.	.	.	.	1	1	1	1	3	.	6
		F.	19	.	.	.	.	.	.	1	1	.	.	2
183	Accidental Injury by Firearms ...	M.	11	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
185	Accidental Injury by Fall ...	M.	58	.	.	.	.	.	.	1	.	.	.	1
		F.	13	.	.	.	.	.	.	.	.	.	.	.
186	Accidental Injuries in Mines or Quarries	M.	4	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
187	Accidental Injuries by Machinery	M.	8	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
188	Accidental Injury by Crushing, etc. (by Vehicles, Railways, Land-slides, etc.)	M.	105	.	.	.	.	1	1	.	2	1	1	5
		F.	26	.	.	.	.	.	.	.	1	.	2	3
189	Injury by Animals (poisoning excepted)	M.	8	.	.	.	1	.	1	.	.	.	.	1
		F.	4	.	.	.	.	.	.	.	.	.	.	.

Periods of Life in the Year 1926.—(*continued*).

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
4	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	159
3	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	160b
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	162
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	163
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	38	633	1,935	945	108	164
.	.	.	.	.	.	.	.	.	.	.	.	46	828	2,155	1,035	149	
29	27	20	48	43	33	36	40	41	57	34	31	26	40	20	3	1	
10	10	17	9	7	8	5	15	16	16	19	20	15	29	25	11	.	
.	.	1	2	6	6	3	10	7	14	5	10	7	7	.	.	.	165–174
.	.	.	.	1	1	1	2	1	2	3	5	.	2	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	176
.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	177
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	4	2	1	.	2	1	.	2	1	1	1	.	.	.	.	.	178
.	6	6	3	.	.	.	4	2	3	.	2	1	1		.	.	
3	1	1	3	.	.	.	1	.	.	1	1	.	2	1	.	1	179
6	.	4	1	2	1	1	3	4	1	4	5	2	8	8	2	.	
.	1	.	.	.	.	1	1	1	1	1	.	.	1	3	.	.	180
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	181
.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	
6	6	6	13	5	8	11	8	10	10	8	4	4	7	.	.	.	182
.	.	2	2	.	1	.	1	2	1	4	.	1	2	1	.	.	
.	3	1	2	2	.	.	.	.	1	1	.	1	.	.	.	.	183
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
1	5	3	6	5	2	5	3	2	6	5	1	4	3	6	.	.	185
.	3	.	1	.	.	1	1	1	.	2	1	2	.	.	1	.	
.	.	.	1	.	1	.	.	.	1	1	.	.	.	.	.	.	186
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	1	2	1	2	.	1	.	.	.	.	.	.	.	.	187
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
12	3	4	10	11	7	8	9	10	9	3	4	4	5	.	1	.	188
3	1	1	1	1	.	2	.	2	2	3	2	.	4	1	.	.	
1	.	1	.	.	.	.	.	1	1	.	2	.	1	.	.	.	189
.	.	1	.	1	.	.	.	.	1	.	.	1	.	.	.	.	

SAORSTÁT ÉIREANN.—CAUSES of DEATH at different

International List Nos.	Causes of Death.		AGES AT All Ages.	Under 1 Month.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
	XIV. External Causes—*continued.*													
190	Wounds of War	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
194	Excessive Heat	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
195	Lightning	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
196	Electricity (Lightning excepted)	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
197–200	Homicide	M.	27	10	1	.	.	.	11	.	.	.	.	11
		F.	17	8	1	.	.	.	9	.	.	.	.	9
201	Fracture (Cause not specified) ...	M.	49	.	.	.	.	.	.	.	.	1	.	1
		F.	46	.	.	.	.	.	.	.	.	.	.	.
202	Other External Violence ...	M.	30	1	.	.	.	.	1	.	.	1	.	2
		F.	12	.	.	.	.	.	.	.	.	.	.	.
203	Violence (cause unknown) ...	M.	9	.	.	.	.	.	.	.	.	1	.	1
		F.	3	.	.	.	.	.	.	.	.	.	.	.
	XV. Ill-defined Causes.	M.	554	3	6	2	3	5	19	31	18	8	4	80
		F.	686	2	.	1	6	1	10	36	22	6	.	74
204	Sudden Death	M.	37	.	1	.	.	1	2	1	.	.	.	3
		F.	25	.	.	.	1	1	2	.	.	.	.	2
205	Cause of Death Unstated or Ill-Defined	M.	517	3	5	2	3	4	17	30	18	8	4	77
		F.	661	2	.	1	5	.	8	36	22	6	.	72

riods of Life in the Year 1926.—(*continued*).

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	190
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	194
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	195
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	196
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	2	2	1	2	2	1	2	2	1	.	1	.	.	.	197–200
.	.	.	.	.	1	.	.	2	2	1	.	1	.	1	.	.	
2	1	.	.	2	3	1	2	2	4	4	4	3	9	9	2	.	201
.	.	1	.	1	1	.	2	1	1	1	5	5	10	11	7	.	
1	2	1	3	4	.	.	2	3	3	2	2	1	3	1	.	.	202
.	.	2	.	.	2	.	2	.	2	.	.	1	1	2	.	.	
.	.	.	1	.	.	1	1	.	1	.	1	2	1	.	.	.	203
1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	
14	2	6	10	5	7	11	18	22	30	51	90	170	28	9	1	.	
12	11	9	11	11	9	14	22	25	42	64	129	228	18	7	.	.	
.	.	2	.	.	.	.	1	2	1	3	5	7	9	3	1	.	204
.	.	.	1	.	.	.	1	3	2	3	3	3	5	2	.	.	
14	2	4	10	5	7	11	17	20	29	48	85	163	19	6	.	.	205
12	11	9	10	11	9	14	21	22	40	61	126	225	13	5	.	.	

CAUSES OF DEATH IN SAORSTÁT ÉIREANN, by Sexes, Ages and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	76	50	126	.	3	14	83	26	.	13	12	69	32	.
2	Typhus	6	2	8	.	1	.	4	2	1	1	.	6	1	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	263	256	519	97	312	81	27	2	.	38	.	52	429	65
8	Scarlet Fever	60	74	134	2	58	44	26	4	.	30	.	49	55	1
9	Whooping-cough ...	122	136	258	111	126	21	.	.	.	19	.	20	219	44
10	Diphtheria	88	109	197	15	83	73	17	6	3	78	.	54	65	4
16	Dysentery	4	2	6	.	.	.	2	3	1	.	5	1	.	.
11	Influenza	286	368	654	33	28	30	112	186	265	16	11	39	588	173
23	Encephalitis Lethargica	21	22	43	.	1	13	20	7	2	11	.	12	20	.
24	Meningococcal Meningitis	11	6	17	2	.	10	3	2	.	4	.	6	7	.
31	Tuberculosis of Respiratory System	1,667	1,702	3,369	13	40	149	2,409	673	85	475	209	663	2,022	232
32–37	Other Tuberculosis ...	500	493	993	78	166	198	408	117	26	126	52	268	547	26
43–49	Cancer, Malignant Disease	1,558	1,463	3,021	2	3	5	250	1,568	1,193	398	27	565	2,031	144
51	Rheumatic Fever ...	61	48	109	.	3	19	69	15	3	2	.	10	97	7
57	Diabetes	111	115	226	.	2	5	55	80	84	28	2	34	162	17
74	Cerebral Hæmorrhage ...	576	763	1,339	1	2	8	67	480	781	67	34	191	1,047	170
87–90	Heart Disease	2,248	2,408	4,656	4	8	57	469	1,599	2,519	243	165	793	3,455	590
91b	Arterio-sclerosis ...	145	76	221	.	.	.	5	64	152	17	6	46	152	6
99	Bronchitis	1,178	1,255	2,433	258	169	30	109	526	1,341	47	36	372	1,978	518
100–1	Pneumonia (all forms)	1,281	1,033	2,314	374	410	91	365	492	582	176	60	264	1,814	162
97–8 102–7	Other Diseases of Respiratory System ...	373	293	666	33	41	25	106	208	253	65	12	92	497	87
111	Ulcer of Stomach or Duodenum	171	93	264	.	1	.	85	120	58	43	4	59	158	22
113	Diarrhœa and Enteritis under 2 years ...	462	353	815	732	83	.	.	.	.	122	.	88	605	25
117	Appendicitis	101	88	189	.	8	51	83	33	14	90	1	58	40	4
122	Cirrhosis of the Liver ...	72	41	113	1	.	.	14	57	41	9	.	16	88	2
128–9	Acute and Chronic Nephritis	600	545	1,145	6	20	22	220	432	445	91	10	282	762	62
146	Puerperal Sepsis ...	.	115	115	.	.	.	113	2	.	23	1	34	57	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	184	184	.	.	.	180	4	.	40	2	26	116	13
159–161	Congenital Debility and Malformation: Premature Birth ...	1,023	818	1,841	1,808	21	8	4	.	.	244	.	275	1,322	600
165–174	Suicide	78	19	97	.	.	.	33	47	17	8	5	6	78	1
175–203	Other Deaths from Violence	516	276	792	36	92	76	248	187	153	163	2	133	494	44
—	Other Defined Diseases	6,632	7,004	13,636	917	423	285	906	1,534	9,571	648	436	1,471	11,081	6,602
204–205a	Causes Ill-defined or Unknown	554	686	1,240	29	125	39	133	453	461	22	20	35	1,163	956
	ALL CAUSES ...	20,844	20,896	41,740	4,552	2,229	1,354	6,625	8,929	18,051	3,357	1,112	6,089	31,182	10,577

ADMINISTRATIVE COUNTY OF CARLOW.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	1	2	3	1	1	1	.	.	.	.	.	.	3	.
8	Scarlet Fever	4	1	5	.	1	1	3	.	.	.	.	3	2	.
9	Whooping-cough ...	5	4	9	4	5	.	.	.	.	.	.	.	9	1
10	Diphtheria	3	5	8	.	.	8	.	.	.	.	.	5	3	1
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	6	5	11	3	2	.	.	2	4	.	.	.	11	2
23	Encephalitis Lethargica	.	1	1	.	.	.	1	.	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	21	26	47	.	1	.	38	7	1	4	6	14	23	1
32–7	Other Tuberculosis ...	5	5	10	2	.	.	6	2	.	.	.	3	7	.
43–9	Cancer, Malignant Disease	11	21	32	.	.	.	5	12	15	3	.	3	26	1
51	Rheumatic Fever ...	1	.	1	.	.	.	1	.	.	.	.	1	.	.
57	Diabetes	5	1	6	.	.	.	1	2	3	2	.	1	3	1
74	Cerebral Hæmorrhage ...	7	10	17	.	.	.	.	4	13	.	1	1	15	2
87–90	Heart Disease	34	26	60	.	.	.	5	21	34	1	.	17	42	7
91b	Arterio-sclerosis ...	3	1	4	.	.	.	.	3	1	.	2	.	2	.
99	Bronchitis	13	11	24	4	1	.	.	3	16	.	.	5	19	5
100–1	Pneumonia (all forms)	8	7	15	.	.	.	.	6	9	1	1	2	11	.
97–8 102–7	Other Diseases of Respiratory System ...	1	.	1	.	.	.	.	.	1	.	.	.	1	.
111	Ulcer of Stomach or Duodenum	1	2	3	.	.	.	1	2	.	1	1	.	1	.
113	Diarrhœa and Enteritis under 2 years ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
117	Appendicitis	3	1	4	.	.	.	2	1	1	3	.	.	1	.
122	Cirrhosis of the Liver ...	2	.	2	.	.	.	1	1	.	.	.	.	2	.
128–9	Acute and Chronic Nephritis	9	2	11	.	.	.	1	7	3	1	1	4	5	.
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
159–161	Congenital Debility and Malformation: Premature Birth ...	17	9	26	24	1	.	1	.	.	.	.	2	24	11
165–174	Suicide	1	.	1	.	.	.	.	1	.	.	.	.	1	.
175–203	Other Deaths from Violence	7	1	8	.	1	.	4	1	2	.	.	4	4	.
—	Other Defined Diseases	94	88	182	6	3	4	13	14	142	8	3	19	152	89
204–205a	Causes Ill-defined or Unknown	5	3	8	.	3	.	.	2	3	.	.	.	8	7
	ALL CAUSES ...	267	233	500	44	19	14	84	91	248	24	15	84	377	128

II. Administrative County of DUBLIN.—Causes of Death, by Sexes, Ages. and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	2	3	5	.	1	2	2	.	.	5	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	8	10	18	3	14	1	.	.	.	2	.	1	15	.
8	Scarlet Fever	7	7	14	.	9	2	2	1	.	9	.	2	3	.
9	Whooping-cough ...	7	4	11	6	4	1	.	.	.	1	.	.	10	.
10	Diphtheria	6	11	17	2	6	7	1	1	.	10	.	.	7	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	18	28	46	1	.	1	6	15	23	3	2	.	41	.
23	Encephalitis Lethargica	2	3	5	.	.	.	4	1	.	2	.	1	2	.
24	Meningococcal Meningitis	1	2	3	.	.	2	.	1	.	2	.	.	1	.
31	Tuberculosis of Respiratory System	87	92	179	.	3	5	137	29	5	73	7	8	91	1
32–37	Other Tuberculosis ...	31	49	80	9	13	19	32	4	3	21	.	15	44	.
43–49	Cancer, Malignant Disease	114	126	240	2	1	.	17	138	82	72	1	10	157	1
51	Rheumatic Fever ...	2	2	4	.	.	.	3	1	.	.	.	.	4	.
57	Diabetes	10	6	16	.	1	.	3	7	5	3	.	.	13	.
74	Cerebral Hæmorrhage ...	56	82	138	.	.	1	6	48	83	15	1	7	115	5
87–90	Heart Disease	154	176	330	.	1	3	38	110	178	52	13	35	230	4
91b	Arterio-sclerosis ...	15	10	25	.	.	.	.	6	19	5	1	6	13	.
99	Bronchitis	63	87	150	15	10	1	9	23	92	10	2	23	115	3
100–1	Pneumonia (all forms)	81	72	153	28	20	6	24	32	43	27	7	12	107	.
97–8 102–7	Other Diseases of Respiratory System ...	22	22	44	2	2	3	10	13	14	6	1	2	35	.
111	Ulcer of Stomach or Duodenum	5	5	10	.	.	.	2	7	1	6	.	.	4	.
113	Diarrhœa and Enteritis under 2 years ...	49	42	91	90	1	.	.	.	.	15	.	11	65	.
117	Appendicitis	7	8	15	.	1	1	8	4	1	13	.	.	2	.
122	Cirrhosis of the Liver ...	5	5	10	.	.	.	.	7	3	1	.	.	9	.
128–9	Acute and Chronic Nephritis	54	35	89	.	.	5	10	34	40	15	.	15	59	.
146	Puerperal Sepsis ...	.	6	6	.	.	.	6	.	.	4	.	.	2	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	8	8	.	.	.	8	.	.	6	.	.	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	76	81	157	156	.	.	1	.	.	41	.	11	105	15
165–174	Suicide	6	.	6	.	.	.	3	3	.	1	.	.	5	.
175–203	Other Deaths from Violence	44	23	67	4	6	7	24	15	11	35	1	2	29	1
—	Other Defined Diseases	216	315	531	66	31	11	54	93	276	99	29	49	354	34
204–205a	Causes Ill-defined or Unknown	14	10	24	.	7	.	2	11	4	3	.	1	20	6
	All Causes ...	1,162	1,330	2,492	384	131	78	412	604	883	557	65	211	1,659	70

III. COUNTY BOROUGH OF DUBLIN.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	5	.	5	.	.	2	2	1	.	3	.	.	2	.
2	Typhus	.	1	1	.	.	.	1	.	.	1	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	34	21	55	13	39	1	2	.	.	19	.	.	36	.
8	Scarlet Fever	11	9	20	.	12	7	1	.	.	15	.	1	4	.
9	Whooping-cough ...	17	21	38	16	19	3	.	.	.	15	.	.	23	.
10	Diphtheria	19	36	55	9	31	12	2	1	.	51	.	1	3	.
16	Dysentery	1	1	2	.	.	.	.	2	.	.	2	.	.	.
11	Influenza	24	29	53	5	2	2	14	18	12	7	1	3	42	.
23	Encephalitis Lethargica	3	4	7	.	.	4	2	1	.	6	.	.	1	.
24	Meningococcal Meningitis	2	1	3	1	.	1	1	.	.	2	.	.	1	.
31	Tuberculosis of Respiratory System	248	222	470	2	13	9	321	112	13	188	18	71	193	.
32–37	Other Tuberculosis ...	82	85	167	17	44	44	45	13	4	57	1	37	72	.
43–49	Cancer, Malignant Disease	201	153	354	.	.	3	47	203	101	138	3	57	156	.
51	Rheumatic Fever ...	4	6	10	.	.	1	6	3	.	1	.	.	9	.
57	Diabetes	12	15	27	.	1	.	7	11	8	15	2	1	9	.
74	Cerebral Hæmorrhage ...	58	92	150	.	.	.	10	65	75	28	3	22	97	.
87–90	Heart Disease	242	333	575	1	2	10	98	209	255	119	21	103	332	3
91b	Arterio-sclerosis ...	25	9	34	.	.	.	1	12	21	6	1	16	11	.
99	Bronchitis	230	260	490	64	28	2	29	136	231	25	3	147	315	4
100–1	Pneumonia (all forms)	208	186	394	105	103	14	60	57	55	106	7	29	252	.
97–8 102–7	Other Diseases of Respiratory System ...	79	40	119	3	10	3	24	48	31	43	3	21	52	.
111	Ulcer of Stomach or Duodenum	11	5	16	.	1	.	8	6	1	8	.	1	7	.
113	Diarrhœa and Enteritis under 2 years ...	172	136	308	273	35	.	.	.	.	95	.	17	196	.
117	Appendicitis	12	3	15	.	1	5	5	3	1	13	.	2	.	.
122	Cirrhosis of the Liver ...	6	3	9	.	.	.	2	4	3	1	.	1	7	.
128–9	Acute and Chronic Nephritis	78	118	196	2	7	3	44	88	52	45	.	61	90	.
146	Puerperal Sepsis ...	.	15	15	.	.	.	15	.	.	12	.	.	3	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	16	16	.	.	.	15	1	.	14	.	2	.	.
159–161	Congenital Debility and Malformation: Premature Birth ...	226	182	408	402	5	1	.	.	.	134	.	40	234	2
165–174	Suicide	4	2	6	.	.	.	3	3	.	4	1	.	1	.
175–203	Other Deaths from Violence	67	37	104	6	21	12	31	22	12	76	.	6	22	.
—	Other Defined Diseases	520	489	1,009	202	83	38	115	203	368	259	50	191	509	21
204–205a	Causes Ill-defined or Unknown	23	30	53	1	9	1	5	24	13	11	2	.	40	16
	All Causes ...	2,624	2,560	5,184	1,122	466	178	916	1,246	1,256	1,517	118	830	2,719	46

IV. Administrative County of KILDARE.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	1	1	2	.	1	1	.	.	.	.	.	2	.	.
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	2	5	7	2	.	.	1	2	2	.	.	2	5	1
23	Encephalitis Lethargica	.	1	1	.	.	.	.	1	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	37	21	58	.	.	3	43	10	2	6	2	7	43	3
32–37	Other Tuberculosis ...	11	16	27	2	3	1	17	3	1	5	1	1	20	.
43–49	Cancer, Malignant Disease	45	18	63	.	.	.	2	35	26	6	.	9	48	.
51	Rheumatic Fever ...	1	.	1	.	1	.	.	.	.	.	.	1	.	.
57	Diabetes	1	.	1	.	.	.	.	1	.	.	.	1	.	.
74	Cerebral Hæmorrhage ...	17	12	29	.	.	.	3	13	13	1	1	7	20	1
87–90	Heart Disease	73	61	134	.	.	1	8	45	80	2	9	34	89	7
91b	Arterio-sclerosis ...	3	.	3	.	.	.	.	.	3	.	.	.	3	.
99	Bronchitis	30	17	47	3	3	.	3	10	28	.	1	14	32	3
100–1	Pneumonia (all forms)	21	13	34	2	6	.	9	11	6	3	3	4	24	.
97–8 102–7	Other Diseases of Respiratory System ...	8	6	14	.	.	2	1	5	6	1	.	1	12	.
111	Ulcer of Stomach or Duodenum	2	3	5	.	.	.	2	3	.	2	.	.	3	.
113	Diarrhœa and Enteritis under 2 years ...	3	4	7	6	1	.	.	.	.	2	.	.	5	.
117	Appendicitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	1	.	.	.	.	1	.
128–9	Acute and Chronic Nephritis	14	12	26	.	.	2	7	10	7	1	.	3	22	1
146	Puerperal Sepsis ...	.	4	4	.	.	.	4	.	.	.	1	.	3	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	4	4	.	.	.	4	.	.	.	1	.	3	.
159–161	Congenital Debility and Malformation: Premature Birth ...	26	18	44	43	1	.	.	.	.	7	.	4	33	11
165–174	Suicide	2	.	2	.	.	.	1	1	.	.	.	.	2	.
175–203	Other Deaths from Violence	13	4	17	2	1	2	4	5	3	1	.	2	14	.
—	Other Defined Diseases	110	110	220	14	6	3	24	27	146	11	9	28	172	51
204–205a	Causes Ill-defined or Unknown	12	6	18	1	3	2	2	8	2	.	.	1	17	10
	All Causes ...	433	336	769	75	26	17	135	191	325	48	28	121	572	88

V. ADMINISTRATIVE COUNTY OF KILKENNY.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	1	.	1	.	.	1	.	.	.	.	.	1	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	7	5	12	2	8	2	.	.	.	.	.	1	11	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	2	2	4	4	.	.	.	.	.	.	.	.	4	2
10	Diphtheria	2	1	3	.	.	3	.	.	.	.	.	2	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	8	14	22	.	.	.	7	4	11	.	1	4	17	4
23	Encephalitis Lethargica	1	1	2	.	.	.	2	.	.	.	.	1	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	34	31	65	.	2	8	41	14	.	5	11	17	32	4
32–37	Other Tuberculosis ...	12	13	25	3	4	4	10	3	1	1	2	7	15	1
43–49	Cancer, Malignant Disease	27	33	60	.	.	.	2	32	26	5	.	19	36	2
51	Rheumatic Fever ...	1	1	2	.	.	.	2	.	.	1	.	.	1	.
57	Diabetes	4	3	7	.	.	.	1	3	3	.	.	1	6	2
74	Cerebral Hæmorrhage ...	13	24	37	.	.	.	3	11	23	1	.	5	31	5
87–90	Heart Disease	50	49	99	.	.	1	6	33	59	.	3	17	79	23
91b	Arterio-sclerosis ...	4	1	5	.	.	.	.	3	2	.	.	.	5	.
99	Bronchitis	22	30	52	9	4	1	1	10	27	.	.	8	44	9
100–1	Pneumonia (all forms)	21	13	34	4	3	.	6	9	12	1	1	5	27	2
97–8 102–7	Other Diseases of Respiratory System ...	7	1	8	.	.	.	2	1	5	.	.	.	8	3
111	Ulcer of Stomach or Duodenum	4	1	5	.	.	.	1	2	2	.	.	.	5	.
113	Diarrhœa and Enteritis under 2 years ...	8	3	11	8	3	.	.	.	.	.	.	2	9	.
117	Appendicitis	2	2	4	.	.	.	2	1	1	1	.	1	2	.
122	Cirrhosis of the Liver ...	1	1	2	.	.	.	2	.	.	1	.	1	.	.
128–9	Acute and Chronic Nephritis	13	5	18	.	.	.	5	7	6	.	.	4	14	1
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	.	.	.	3	.	.	.	.	.	3	.
159–161	Congenital Debility and Malformation: Premature Birth ...	56	32	88	87	.	1	.	.	.	3	.	19	66	53
165–174	Suicide	5	1	6	.	.	.	2	3	1	.	.	2	4	.
175–203	Other Deaths from Violence	13	6	19	1	2	1	6	4	5	1	.	4	14	2
—	Other Defined Diseases	189	226	415	19	6	3	30	35	322	2	13	63	337	251
204–205a	Causes Ill-defined or Unknown	17	28	45	.	4	.	2	17	22	.	3	1	41	29
	ALL CAUSES ...	524	530	1,054	137	36	25	136	192	528	22	34	185	813	393

VI. Administrative County of LEIX.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	1	1	2	.	1	.	1	.	.	.	.	2	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	4	1	5	2	2	.	1	.	.	.	.	.	5	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping cough ...	.	1	1	1	.	.	.	.	.	.	.	.	1	1
10	Diphtheria	3	.	3	.	2	.	1	.	.	.	.	1	2	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	4	6	10	.	.	1	2	2	5	.	.	.	10	2
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	1	.	1	.	.	1	.	.	.	.	.	.	1	.
31	Tuberculosis of Respiratory System	32	35	67	.	1	4	45	14	3	3	5	9	50	5
32–37	Other Tuberculosis ...	6	6	12	2	2	1	5	.	2	.	1	5	6	2
43–49	Cancer, Malignant Disease	34	25	59	.	.	.	2	31	26	2	.	14	43	4
51	Rheumatic Fever ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
57	Diabetes	4	3	7	.	.	.	2	1	4	.	.	2	5	1
74	Cerebral Hæmorrhage ...	11	12	23	.	.	.	1	11	11	.	.	9	14	.
87–90	Heart Disease	53	37	90	.	.	.	8	33	49	.	4	18	68	18
91b	Arterio-sclerosis ...	.	1	1	.	.	.	.	1	.	.	.	.	1	.
99	Bronchitis	23	14	37	3	3	.	1	12	18	.	.	4	33	9
100–1	Pneumonia (all forms)	19	13	32	6	5	.	7	4	10	.	1	6	25	1
97–8 102–7	Other Diseases of Respiratory System ...	7	3	10	.	.	.	1	4	5	.	.	.	10	1
111	Ulcer of Stomach or Duodenum	5	3	8	.	.	.	1	7	.	.	.	2	6	.
113	Diarrhœa and Enteritis under 2 years ...	.	1	1	1	.	.	.	.	.	.	.	.	1	.
117	Appendicitis ...	5	1	6	.	.	1	1	3	1	1	.	3	2	.
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	1	.	.	.	.	1	.
128–9	Acute and Chronic Nephritis	8	8	16	.	2	.	3	8	3	.	1	4	11	1
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	6	6	.	.	.	6	.	.	1	.	.	5	.
159–161	Congenital Debility and Malformation: Premature Birth ...	13	12	25	25	.	.	.	.	.	1	.	1	23	18
165–174	Suicide	.	1	1	.	.	.	1	.	.	.	.	.	1	.
175–203	Other Deaths from Violence	5	5	10	.	.	2	4	2	2	.	.	3	7	2
—	Other Defined Diseases	142	129	271	19	7	3	15	29	198	5	9	35	222	142
204–205a	Causes Ill-defined or Unknown	15	15	30	1	3	1	4	8	13	2	.	.	28	24
	All Causes ...	396	340	736	60	28	14	113	171	350	15	21	118	582	231

VII. Administrative County of LONGFORD.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	2	.	2	.	.	.	1	1	.	.	.	1	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	3	5	8	2	3	2	1	.	.	.	.	.	8	2
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	1	8	9	.	.	.	3	2	4	.	.	.	9	5
23	Encephalitis Lethargica	1	1	2	.	.	.	1	.	1	.	.	2	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	8	15	23	1	.	1	16	5	.	1	3	3	16	6
32–37	Other Tuberculosis ...	5	4	9	.	.	1	3	4	1	2	.	2	5	1
43–49	Cancer, Malignant Disease	24	16	40	.	.	.	6	18	16	1	2	8	29	5
51	Rheumatic Fever ...	1	2	3	.	.	1	2	.	.	.	.	.	3	.
57	Diabetes	2	.	2	.	.	.	1	1	.	.	.	.	2	.
74	Cerebral Hæmorrhage ...	7	6	13	.	.	.	1	4	8	1	1	1	10	1
87–90	Heart Disease	30	12	42	.	.	2	2	13	25	1	.	14	27	9
91b	Arterio-sclerosis ...	.	1	1	.	.	.	.	.	1	.	.	1	.	.
99	Bronchitis	5	9	14	.	3	.	.	3	8	.	.	.	14	10
100–1	Pneumonia (all forms)	13	6	19	1	3	1	4	5	5	.	3	3	13	3
97–8 102–7	Other Diseases of Respiratory System ...	1	2	3	.	.	.	2	.	1	.	.	.	3	2
111	Ulcer of Stomach or Duodenum	.	1	1	.	.	.	.	1	.	.	.	.	1	.
113	Diarrhœa and Enteritis under 2 years ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
117	Appendicitis	.	3	3	.	.	.	2	1	.	1	.	1	1	.
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	.	1	.	.	.	1	.
128–9	Acute and Chronic Nephritis	13	8	21	.	.	.	7	7	7	.	1	4	16	5
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	1	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	2	2	.	.	.	2	.	.	.	.	1	1	.
159–161	Congenital Debility and Malformation: Premature Birth ...	13	12	25	25	.	.	.	.	.	3	.	4	18	15
165–174	Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.
175–203	Other Deaths from Violence	2	2	4	1	.	.	1	2	.	.	.	2	2	.
—	Other Defined Diseases	133	90	223	6	1	1	10	19	186	2	4	22	195	153
204–205a	Causes Ill-defined or Unknown	12	19	31	1	.	1	2	13	14	.	.	.	31	25
	All Causes ...	277	226	503	37	10	10	69	99	278	12	14	70	407	242

VIII. Administrative County of LOUTH.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere	Uncertified Deaths.
1	Enteric Fever	1	1	2	.	.	.	2	.	.	.	.	.	2	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	13	6	19	1	17	1	.	.	.	1	.	1	17	3
8	Scarlet Fever	3	3	6	.	3	2	1	.	.	.	.	5	1	.
9	Whooping-cough ...	2	6	8	4	3	1	.	.	.	.	.	.	8	1
10	Diphtheria	1	2	3	.	2	1	.	.	.	1	.	2	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	5	3	8	.	1	1	.	4	2	.	.	.	8	.
23	Encephalitis Lethargica	1	.	1	.	.	.	1	.	.	.	.	1	.	.
24	Meningococcal Meningitis	1	.	1	.	.	1	.	.	.	.	.	1	.	.
31	Tuberculosis of Respiratory System	33	38	71	.	1	6	55	9	.	5	4	14	48	1
32–37	Other Tuberculosis ...	12	12	24	2	8	1	9	3	1	1	2	6	15	.
43–49	Cancer, Malignant Disease	30	51	81	.	.	.	6	48	27	4	1	16	60	.
51	Rheumatic Fever ...	.	1	1	.	.	1	.	.	.	.	.	.	1	.
57	Diabetes	2	2	4	.	.	.	1	2	1	.	.	2	2	.
74	Cerebral Hæmorrhage ...	15	24	39	.	.	.	2	9	28	1	.	4	34	5
87–90	Heart Disease	66	63	129	.	.	4	13	43	69	2	5	14	108	9
91b	Arterio-sclerosis ...	9	4	13	.	.	.	.	3	10	.	.	1	12	.
99	Bronchitis	18	22	40	1	1	1	1	11	25	1	3	8	28	1
100–1	Pneumonia (all forms)	23	24	47	5	12	2	6	10	12	1	1	5	40	1
97–8 102–7	Other Diseases of Respiratory System ...	9	9	18	1	.	.	7	2	8	.	.	2	16	.
111	Ulcer of Stomach or Duodenum	2	2	4	.	.	.	2	2	.	1	.	1	2	.
113	Diarrhœa and Enteritis under 2 years ...	4	7	11	9	2	.	.	.	.	.	.	.	11	.
117	Appendicitis	2	1	3	.	.	.	2	.	1	3	.	.	.	.
122	Cirrhosis of the Liver ...	2	1	3	.	.	.	.	2	1	.	.	2	1	.
128–9	Acute and Chronic Nephritis	11	17	28	.	.	1	4	11	12	1	1	6	20	.
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	2	2	.	.	.	2	.	.	.	.	.	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	17	19	36	36	.	.	.	.	.	3	.	8	25	8
165–174	Suicide	3	.	3	.	.	.	2	.	1	.	.	.	3	.
175–203	Other Deaths from Violence	17	8	25	.	.	2	13	8	2	2	.	13	10	.
—	Other Defined Diseases	133	147	280	26	14	8	19	33	180	13	9	47	211	74
204–205a	Causes Ill-defined or Unknown	4	10	14	1	1	.	1	5	6	.	1	2	11	5
	All Causes ...	439	485	924	86	65	33	149	205	386	40	27	161	696	108

X.—Administrative County of MEATH.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere	Uncertified Deaths.
1	Enteric Fever	.	1	1	.	.	.	1	.	.	.	1	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	1	1	2	1	.	1	.	.	.	.	.	.	2	.
8	Scarlet Fever	3	5	8	.	1	5	2	.	.	.	.	4	4	.
9	Whooping-cough ...	1	1	2	2	.	.	.	.	.	.	.	.	2	1
10	Diphtheria	.	3	3	.	.	2	1	.	.	.	.	.	3	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	10	2	12	.	.	.	1	1	10	.	.	.	12	1
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	32	39	71	.	.	3	54	13	1	9	.	12	50	1
32–37	Other Tuberculosis ...	14	7	21	2	3	3	11	1	1	.	.	7	14	.
43–49	Cancer, Malignant Disease	40	34	74	.	.	.	2	33	39	5	.	23	46	1
51	Rheumatic Fever ...	2	.	2	.	.	1	.	1	.	.	.	1	1	.
57	Diabetes	3	2	5	.	.	1	1	3	.	.	.	1	4	.
74	Cerebral Hæmorrhage ...	16	24	40	.	1	.	.	18	21	.	1	5	34	3
87–90	Heart Disease	69	63	132	.	.	1	6	53	72	3	3	38	88	9
91b	Arterio-sclerosis ...	5	4	9	.	.	.	1	2	6	.	.	.	9	.
99	Bronchitis	16	13	29	1	1	.	.	3	24	.	1	3	25	1
100–1	Pneumonia (all forms)	30	18	48	6	2	1	8	10	21	1	1	10	36	3
97–8 102–7	Other Diseases of Respiratory System ...	9	6	15	3	.	.	1	2	9	.	.	4	11	.
111	Ulcer of Stomach or Duodenum	1	3	4	.	.	.	1	2	1	1	.	.	3	1
113	Diarrhœa and Enteritis under 2 years ...	3	4	7	7	.	.	.	.	.	.	.	.	7	.
117	Appendicitis	2	3	5	.	.	.	3	2	.	1	.	2	2	.
122	Cirrhosis of the Liver ...	2	2	4	1	.	.	.	3	.	.	.	.	4	.
128–9	Acute and Chronic Nephritis	23	25	48	1	1	.	8	12	26	2	.	11	35	2
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	7	7	.	.	.	6	1	.	.	.	.	7	.
159–161	Congenital Debility and Malformation: Premature Birth ...	18	19	37	34	3	.	.	.	.	2	.	2	33	6
165–174	Suicide	4	1	5	.	.	.	1	4	.	.	.	2	3	.
175–203	Other Deaths from Violence	11	3	14	.	3	.	3	5	3	.	.	2	12	.
—	Other Defined Diseases	136	107	243	15	7	6	14	28	173	6	8	36	193	98
204–205a	Causes Ill-defined or Unknown	2	15	17	.	1	1	3	10	2	.	.	.	17	15
	All Causes ...	453	413	866	73	23	25	129	207	409	30	15	163	658	142

X. Administrative County of OFFALY.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	5	2	7	.	4	3	.	.	.	.	.	.	7	3
8	Scarlet Fever	1	.	1	.	1	.	.	.	.	.	.	1	.	.
9	Whooping-cough ...	3	2	5	1	3	1	.	.	.	.	.	3	2	1
10	Diphtheria	.	3	3	.	.	1	2	.	.	.	.	3	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	7	8	15	.	.	.	.	5	10	.	1	3	11	4
23	Encephalitis Lethargica	3	2	5	.	.	1	3	.	1	.	.	1	4	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	38	30	68	.	.	4	41	21	2	12	3	3	50	[illegible]
32–37	Other Tuberculosis ...	16	7	23	1	6	3	8	3	2	3	.	6	14	.
43–49	Cancer, Malignant Disease	25	34	59	.	.	.	4	31	24	4	.	14	41	.
51	Rheumatic Fever ...	2	.	2	.	.	.	1	1	.	.	.	.	2	.
57	Diabetes	1	3	4	.	.	.	2	1	1	.	.	.	4	.
74	Cerebral Hæmorrhage ...	6	7	13	.	.	.	.	6	7	.	.	4	9	.
87–90	Heart Disease	35	36	71	.	.	.	2	32	37	.	4	8	59	[illegible]
91b	Arterio-sclerosis ...	2	2	4	.	.	.	.	2	2	.	.	.	4	.
99	Bronchitis	20	9	29	6	1	.	.	4	18	.	2	2	25	[illegible]
100–1	Pneumonia (all forms)	20	9	29	6	5	.	7	3	8	1	.	6	22	[illegible]
97–8 102–7	Other Diseases of Respiratory System ...	2	1	3	.	.	.	.	2	1	.	.	2	1	.
111	Ulcer of Stomach or Duodenum	4	.	4	.	.	.	2	1	1	.	.	1	3	.
113	Diarrhœa and Enteritis under 2 years ...	5	3	8	6	2	.	.	.	.	1	.	.	7	.
117	Appendicitis	3	2	5	.	1	2	2	.	.	.	.	3	2	.
122	Cirrhosis of the Liver ...	1	1	2	.	.	.	.	.	2	.	.	1	1	.
128–9	Acute and Chronic Nephritis	9	6	15	.	.	.	6	6	3	1	.	3	11	
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	.	2	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
159–161	Congenital Debility and Malformation: Premature Birth ...	17	6	23	23	.	.	.	.	.	2	.	8	13	
165–174	Suicide	.	1	1	.	.	.	1	.	.	.	.	.	1	.
175–203	Other Deaths from Violence	5	2	7	.	1	2	.	1	3	.	.	1	6	.
—	Other Defined Diseases	120	148	268	14	3	4	13	29	205	5	9	42	212	12
204–205a	Causes Ill-defined or Unknown	13	11	24	.	2	.	2	6	14	1	1	.	22	1
	All Causes ...	363	338	701	57	29	21	99	154	341	30	20	115	536	17

XI. ADMINISTRATIVE COUNTY OF WESTMEATH.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	2	.	2	.	.	.	2	.	.	.	1	1	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	4	2	6	2	3	1	.	.	.	.	.	.	6	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	1	3	4	2	2	.	.	.	.	.	.	1	3	.
10	Diphtheria	1	1	2	1	.	1	.	.	.	.	.	1	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	2	1	3	.	.	.	1	1	1	.	.	.	3	1
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	44	35	79	2	.	5	56	11	5	5	6	32	36	8
32–37	Other Tuberculosis ...	15	9	24	3	.	7	12	2	.	.	1	12	11	2
43–49	Cancer, Malignant Disease	43	29	72	.	.	.	5	36	31	4	4	23	41	1
51	Rheumatic Fever ...	1	.	1	.	.	.	.	1	.	.	.	.	1	.
57	Diabetes	.	3	3	.	.	.	1	1	1	.	.	2	1	.
74	Cerebral Hæmorrhage ...	9	11	20	.	.	.	.	9	11	.	.	3	17	2
87–90	Heart Disease	27	38	65	.	.	.	6	23	36	.	2	9	54	8
91b	Arterio-sclerosis ...	3	2	5	.	.	.	.	2	3	.	.	.	5	.
99	Bronchitis	15	17	32	3	3	.	1	3	22	.	.	4	28	2
100–1	Pneumonia (all forms)	22	11	33	2	10	1	5	4	11	.	.	2	31	4
97–8 102–7	Other Diseases of Respiratory System ...	4	2	6	1	1	.	1	.	3	.	.	1	5	1
111	Ulcer of Stomach or Duodenum	3	.	3	.	.	.	2	1	.	.	.	1	2	1
113	Diarrhœa and Enteritis under 2 years ...	1	1	2	2	.	.	.	.	.	.	.	.	2	.
117	Appendicitis	4	1	5	.	.	1	4	.	.	2	.	3	.	.
122	Cirrhosis of the Liver ...	2	.	2	.	.	.	.	1	1	.	.	.	2	.
128–9	Acute and Chronic Nephritis	16	13	29	.	.	.	4	12	13	1	.	12	16	1
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	1	.	1	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	5	5	.	.	.	4	1	.	.	.	1	4	.
159–161	Congenital Debility and Malformation: Premature Birth ...	11	15	26	26	.	.	.	.	.	1	.	4	21	12
165–174	Suicide	1	.	1	.	.	.	1	.	.	.	.	.	1	.
175–203	Other Deaths from Violence	9	5	14	2	2	.	3	5	2	1	.	8	5	.
—	Other Defined Diseases	138	132	270	17	6	4	24	33	186	11	16	22	221	135
204–205a	Causes Ill-defined or Unknown	18	16	34	.	2	1	6	11	14	.	.	.	34	28
	ALL CAUSES ...	396	354	750	63	29	21	140	157	340	26	30	143	551	206

XII.—Administrative County of WEXFORD.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrences.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	1	3	4	.	.	.	3	1	.	.	1	2	1	.
2	Typhus	1	.	1	.	.	.	.	1	.	.	.	1	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	2	2	.	1	1	.	.	.	.	.	1	1	1
8	Scarlet Fever	4	8	12	.	3	5	3	1	.	.	.	3	9	1
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	1	2	3	.	.	3	.	.	.	.	.	2	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza ...	4	8	12	.	.	3	2	2	5	1	.	2	9	4
23	Encephalitis Lethargica	.	1	1	.	.	1	.	.	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	68	69	137	.	2	10	103	22	.	4	4	29	100	12
32–37	Other Tuberculosis ...	14	19	33	2	5	11	12	3	.	1	1	5	26	.
43–49	Cancer, Malignant Disease	63	59	122	.	.	.	13	60	49	5	.	22	95	7
51	Rheumatic Fever ...	.	3	3	.	.	1	1	.	1	.	.	.	3	.
57	Diabetes	7	5	12	.	.	.	5	4	3	.	.	.	12	1
74	Cerebral Hæmorrhage ...	20	23	43	.	.	.	7	14	22	.	1	4	38	6
87–90	Heart Disease	91	82	173	.	1	2	13	49	108	1	2	21	149	23
91b	Arterio-sclerosis ...	3	.	3	.	.	.	1	1	1	.	1	.	2	.
99	Bronchitis	40	58	98	10	12	2	6	12	56	.	.	9	89	18
100–1	Pneumonia (all forms)	44	26	70	9	13	2	9	13	24	4	.	7	59	6
97–8 102–7	Other Diseases of Respiratory System ...	15	10	25	1	3	.	2	8	11	.	2	5	18	6
111	Ulcer of Stomach or Duodenum	8	3	11	.	.	.	2	5	4	.	.	4	7	2
113	Diarrhœa and Enteritis under 2 years ...	10	6	16	15	1	.	.	.	.	.	.	2	14	1
117	Appendicitis	2	5	7	.	.	4	2	1	.	2	.	3	2	.
122	Cirrhosis of the Liver ...	6	2	8	.	.	.	.	7	1	.	.	.	8	.
128–9	Acute and Chronic Nephritis	35	33	68	.	.	1	6	22	39	1	.	27	40	3
146	Puerperal Sepsis ...	.	3	3	.	.	.	3	.	.	.	.	1	2	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	6	6	.	.	.	6	.	.	.	.	1	5	.
159–161	Congenital Debility and Malformation: Premature Birth ...	33	27	60	59	.	.	1	.	.	1	.	7	52	33
165–174	Suicide	3	2	5	.	.	.	.	5	.	.	1	.	4	.
175–203	Other Deaths from Violence	18	6	24	.	5	2	8	5	4	1	.	6	17	1
—	Other Defined Diseases	241	270	511	31	12	7	36	74	351	8	21	50	432	226
204–205a	Causes Ill-defined or Unknown	18	19	37	.	7	3	4	14	9	.	1	3	33	27
	All Causes ...	750	760	1,510	127	65	58	248	324	688	29	35	217	1,229	378

XIII. ADMINISTRATIVE COUNTY OF WICKLOW.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	2	5	7	1	4	2	.	.	.	.	.	1	6	1
8	Scarlet Fever	1	2	3	.	1	2	.	.	.	.	.	2	1	.
9	Whooping-cough ...	1	2	3	.	3	.	.	.	.	.	.	.	3	.
10	Diphtheria	2	1	3	.	.	2	.	1	.	2	.	1	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	9	15	24	1	1	1	5	11	5	1	.	2	21	5
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	37	39	76	.	.	8	54	13	1	8	7	7	54	3
32–37	Other Tuberculosis ...	5	7	12	1	1	1	6	3	.	2	.	2	8	.
43–49	Cancer, Malignant Disease	38	38	76	.	.	.	3	35	38	11	2	10	53	3
51	Rheumatic Fever ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
57	Diabetes	.	4	4	.	.	.	.	1	3	.	.	1	3	.
74	Cerebral Hæmorrhage ...	24	28	52	.	.	.	4	20	28	1	.	3	48	5
87–90	Heart Disease	51	51	102	.	.	1	10	40	51	4	4	11	83	6
91b	Arterio-sclerosis ...	2	1	3	.	.	.	.	.	3	2	.	.	1	.
99	Bronchitis	22	26	48	1	1	1	2	9	34	.	1	.	47	5
100–1	Pneumonia (all forms)	32	33	65	5	8	1	11	23	17	3	.	3	59	2
97–8 102–7	Other Diseases of Respiratory System ...	4	12	16	1	.	.	2	4	9	1	.	1	14	2
111	Ulcer of Stomach or Duodenum	.	3	3	.	.	.	.	2	1	.	.	.	3	.
113	Diarrhœa and Enteritis under 2 years ...	2	3	5	5	.	.	.	.	.	2	.	.	3	.
117	Appendicitis	2	4	6	.	1	3	1	1	.	6	.	.	.	.
122	Cirrhosis of the Liver ...	2	1	3	.	.	.	.	3	.	.	.	3	.	.
128–9	Acute and Chronic Nephritis	12	8	20	.	.	1	2	10	7	.	1	3	16	.
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	6	6	.	.	.	6	.	.	2	.	.	4	1
159–161	Congenital Debility and Malformation: Premature Birth ...	22	11	33	32	1	.	.	.	.	5	.	5	23	11
165–174	Suicide	1	.	1	.	.	.	.	1	.	.	.	.	1	.
175–203	Other Deaths from Violence	13	3	16	1	2	2	4	3	4	1	.	4	11	.
—	Other Defined Diseases	120	109	229	13	9	4	13	31	159	16	5	26	182	65
204–205a	Causes Ill-defined or Unknown	4	7	11	.	2	1	3	3	2	.	.	2	9	8
	All Causes ...	408	419	827	61	34	30	126	214	362	67	20	87	653	117

XIV. Administrative County of CLARE.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	2	1	3	.	.	.	2	1	.	.	.	2	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	1	1	.	1	.	.	.	.	.	.	1	.	.
8	Scarlet Fever	.	2	2	.	1	1	.	.	.	.	.	2	.	.
9	Whooping-cough ...	.	1	1	1	.	.	.	.	.	.	.	.	1	1
10	Diphtheria	3	3	6	.	2	3	1	.	.	.	.	3	3	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	6	5	11	.	1	.	1	5	4	.	.	.	11	2
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	56	52	108	.	.	3	73	27	5	.	6	47	55	10
32–37	Other Tuberculosis ...	9	14	23	2	3	4	10	4	.	.	2	10	11	1
43–49	Cancer, Malignant Disease	25	39	64	.	1	.	1	33	29	3	.	15	46	4
51	Rheumatic Fever ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
57	Diabetes	3	2	5	.	.	1	.	.	4	1	.	1	3	.
74	Cerebral Hæmorrhage ...	7	13	20	.	.	1	1	9	9	.	.	6	14	3
87–90	Heart Disease	33	39	72	.	.	1	9	31	31	2	7	14	49	11
91b	Arterio-sclerosis ...	1	.	1	.	.	.	.	1	.	.	.	.	1	.
99	Bronchitis	35	30	65	3	2	1	2	17	40	.	1	23	41	17
100–1	Pneumonia (all forms)	40	17	57	5	4	.	14	18	16	.	1	11	45	7
97–8 102–7	Other Diseases of Respiratory System ...	11	5	16	.	1	1	4	5	5	1	.	6	9	1
111	Ulcer of Stomach or Duodenum	6	2	8	.	.	.	3	1	4	1	.	3	4	.
113	Diarrhœa and Enteritis under 2 years ...	7	2	9	8	1	.	.	.	.	.	.	5	4	.
117	Appendicitis	4	4	8	.	.	2	6	.	.	1	.	6	1	.
122	Cirrhosis of the Liver ...	2	2	4	.	.	.	2	2	.	.	.	1	3	.
128–9	Acute and Chronic Nephritis	11	7	18	.	1	.	7	3	7	1	.	11	6	.
146	Puerperal Sepsis ...	.	6	6	.	.	.	6	.	.	.	.	3	3	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	4	4	.	.	.	4	.	.	1	.	.	3	1
159–161	Congenital Debility and Malformation: Premature Birth ...	28	21	49	48	1	.	.	.	.	2	.	25	22	17
165–174	Suicide	3	3	6	.	.	.	2	3	1	.	.	.	6	.
175–203	Other Deaths from Violence	17	4	21	3	.	1	11	5	1	3	.	6	12	.
—	Other Defined Diseases	269	285	554	21	10	13	31	39	440	6	13	79	456	333
204–205a	Causes Ill-defined or Unknown	25	23	48	1	5	1	5	16	20	1	7	3	37	38
	All Causes ...	603	588	1,191	92	34	33	196	220	616	23	37	283	848	446

XV. ADMINISTRATIVE COUNTY OF CORK.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year, 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	10	9	19	.	.	.	13	6	.	2	1	12	4	.
2	Typhus	1	1	2	.	.	.	1	1	.	.	.	2	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	27	17	44	6	23	9	5	1	.	2	.	2	40	2
8	Scarlet Fever	3	4	7	.	3	3	1	.	.	2	.	3	2	.
9	Whooping-cough ...	7	12	19	10	9	.	.	.	.	.	.	4	15	.
10	Diphtheria	4	7	11	2	2	6	1	.	.	1	.	6	4	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	20	19	39	1	1	3	9	9	16	2	.	1	36	4
23	Encephalitis Lethargica	1	2	3	.	.	.	3	.	.	.	.	.	3	.
24	Meningococcal Meningitis	1	.	1	1	.	.	.	.	.	.	.	.	1	.
31	Tuberculosis of Respiratory System	166	172	338	2	4	12	249	60	11	29	25	71	213	14
32–37	Other Tuberculosis ...	37	37	74	6	7	16	37	8	.	6	9	17	42	4
43–49	Cancer, Malignant Disease	155	147	302	.	.	.	24	160	118	43	2	60	197	5
51	Rheumatic Fever ...	10	4	14	.	.	4	9	.	1	.	.	2	12	1
57	Diabetes	6	8	14	.	.	1	2	6	5	3	.	1	10	.
74	Cerebral Hæmorrhage ...	56	91	147	.	.	.	5	59	83	8	6	19	114	16
87–90	Heart Disease	267	271	538	1	.	4	47	179	307	23	31	75	409	66
91b	Arterio-sclerosis ...	13	7	20	.	.	.	.	2	18	1	.	5	14	.
99	Bronchitis	83	93	176	14	6	3	9	53	91	3	3	18	152	32
100–1	Pneumonia (all forms)	124	112	236	35	30	7	40	46	78	7	14	32	183	13
97–8 102–7	Other Diseases of Respiratory System ...	36	34	70	2	7	3	9	26	23	1	1	7	61	2
111	Ulcer of Stomach or Duodenum	18	9	27	.	.	.	8	14	5	8	1	1	17	1
113	Diarrhœa and Enteritis under 2 years ...	28	18	46	40	6	.	.	.	.	2	.	12	32	2
117	Appendicitis	13	11	24	.	.	5	17	2	.	12	.	9	3	.
122	Cirrhosis of the Liver ...	9	5	14	.	.	.	2	6	6	2	.	.	12	1
128–9	Acute and Chronic Nephritis	56	45	101	1	1	.	28	33	38	6	1	25	69	5
146	Puerperal Sepsis ...	.	12	12	.	.	.	10	2	.	2	.	5	5	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	21	21	.	.	.	20	1	.	4	.	5	12	1
159–161	Congenital Debility and Malformation: Premature Birth ...	70	54	124	119	2	2	1	.	.	5	.	24	95	38
165–174	Suicide	8	4	12	.	.	.	4	6	2	1	.	.	11	.
175–203	Other Deaths from Violence	43	23	66	2	10	4	14	20	16	6	.	9	51	1
—	Other Defined Diseases	641	707	1,348	66	20	40	84	147	991	60	44	110	1,134	607
204–205a	Causes Ill-defined or Unknown	37	58	95	2	6	.	9	38	40	1	1	2	91	70
	All Causes ...	1 950	2,014	3,964	310	137	122	661	885	1,849	242	139	539	3,044	885

XVI. County Borough of CORK.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Death
1	Enteric Fever	1	.	1	.	.	.	1	.	.	1	.	.	.	.
2	Typhus	2	.	2	.	.	.	1	.	1	.	.	2	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	30	47	77	12	59	6	.	.	.	14	.	7	56	.
8	Scarlet Fever	1	6	7	.	7	.	.	.	.	3	.	4	.	.
9	Whooping-cough ...	15	15	30	10	19	1	.	.	.	3	.	6	21	.
10	Diphtheria	12	10	22	.	19	2	1	.	.	13	.	7	2	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	7	4	11	1	1	.	3	.	6	.	.	1	10	.
23	Encephalitis Lethargica	1	.	1	.	.	.	.	1	.	1	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	65	60	125	1	2	9	86	23	4	39	7	18	61	.
32–37	Other Tuberculosis ...	30	21	51	8	20	8	9	6	.	10	3	21	17	.
43–49	Cancer, Malignant Disease	45	44	89	.	.	.	12	53	24	27	1	21	40	.
51	Rheumatic Fever ...	3	2	5	.	.	.	3	1	1	.	.	2	3	.
57	Diabetes	1	2	3	.	.	.	.	2	1	.	.	1	2	.
74	Cerebral Hæmorrhage ...	18	20	38	.	.	1	1	15	21	7	3	9	19	.
87–90	Heart Disease	74	109	183	.	1	3	8	74	97	14	9	67	93	4
91b	Arterio-sclerosis ...	5	1	6	.	.	.	.	1	5	1	.	.	5	.
99	Bronchitis	31	38	69	11	8	.	5	20	25	1	1	6	61	.
100–1	Pneumonia (all forms)	56	62	118	37	41	5	8	18	9	8	.	14	96	.
97–8 102–7	Other Diseases of Respiratory System ...	14	10	24	.	1	1	6	6	10	6	.	3	15	.
111	Ulcer of Stomach or Duodenum	7	5	12	.	.	.	3	5	4	5	.	2	5	.
113	Diarrhœa and Enteritis under 2 years ..	28	25	53	45	8	.	.	.	.	2	.	2	49	.
117	Appendicitis	3	6	9	.	.	1	6	.	2	6	1	2	.	.
122	Cirrhosis of the Liver ...	1	1	2	.	.	.	1	1	.	2	.	.	.	.
128–9	Acute and Chronic Nephritis	9	10	19	.	.	3	9	5	2	5	.	5	9	.
146	Puerperal Sepsis ...	.	3	3	.	.	.	3	.	.	1	.	1	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	8	8	.	.	.	8	.	.	4	.	.	4	.
159–161	Congenital Debility and Malformation: Premature Birth ...	29	29	58	58	.	.	.	.	.	5	.	12	41	10
165–174	Suicide	1	.	1	.	.	.	.	1	.	.	.	.	1	.
175–203	Other Deaths from Violence	16	11	27	.	2	3	7	10	5	13	.	.	14	.
—	Other Defined Diseases	146	164	310	36	30	14	30	48	152	49	10	41	210	16
204–205a	Causes Ill-defined or Unknown	6	11	17	1	3	.	1	7	5	.	.	2	15	1
	All Causes ...	657	724	1,381	220	221	57	212	297	374	240	35	256	850	31

VII. ADMINISTRATIVE COUNTY OF KERRY.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	7	4	11	.	1	1	9	.	.	.	1	8	2	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	31	22	53	11	20	8	13	1	.	.	.	1	52	19
8	Scarlet Fever	8	7	15	.	8	4	3	.	.	.	.	3	12	.
9	Whooping-cough ...	15	17	32	11	15	6	.	.	.	.	.	2	30	6
10	Diphtheria	3	3	6	1	2	2	1	.	.	.	.	2	4	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	17	12	29	2	.	1	3	14	9	.	.	6	23	6
23	Encephalitis Lethargica	.	1	1	.	.	.	.	1	.	1	.	.	.	.
24	Meningococcal Meningitis	.	1	1	.	.	1	.	.	.	.	.	.	1	.
31	Tuberculosis of Respiratory System	96	86	182	1	2	9	140	30	.	5	12	53	112	15
32–37	Other Tuberculosis ...	20	21	41	.	6	9	20	6	.	2	3	21	15	3
43–49	Cancer, Malignant Disease	52	48	100	.	.	.	10	53	37	3	2	27	68	8
51	Rheumatic Fever ...	4	2	6	.	.	1	3	2	.	.	.	1	5	.
57	Diabetes	3	3	6	.	.	.	1	1	4	.	.	3	3	.
74	Cerebral Hæmorrhage ...	17	21	38	.	.	.	2	13	23	.	1	7	30	8
87–90	Heart Disease	89	92	181	.	.	2	24	52	103	.	2	48	131	32
91b	Arterio-sclerosis ...	5	2	7	.	.	.	.	4	3	.	.	2	5	.
99	Bronchitis	31	38	69	8	7	1	3	11	39	.	.	9	60	28
100–1	Pneumonia (all forms)	40	41	81	12	18	2	12	22	15	1	.	17	63	5
97–8 102–7	Other Diseases of Respiratory System ...	6	4	10	.	.	2	1	4	3	.	.	1	9	1
111	Ulcer of Stomach or Duodenum	8	3	11	.	.	.	5	4	2	.	1	2	8	1
113	Diarrhœa and Enteritis under 2 years ...	27	14	41	36	5	.	.	.	.	.	.	20	21	.
117	Appendicitis	2	3	5	.	.	2	2	1	.	2	.	2	1	.
122	Cirrhosis of the Liver ...	3	1	4	.	.	.	1	.	3	.	.	1	3	.
128–9	Acute and Chronic Nephritis	22	13	35	1	2	.	10	12	10	2	1	9	23	1
146	Puerperal Sepsis ...	.	8	8	.	.	.	8	.	.	.	.	4	4	.
43b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	11	11	.	.	.	11	.	.	.	1	1	9	3
159–161	Congenital Debility and Malformation: Premature Birth ...	44	19	63	60	3	.	.	.	.	1	.	10	52	39
165–174	Suicide	1	.	1	.	.	.	1	.	.	.	.	.	1	1
175–203	Other Deaths from Violence	17	9	26	1	6	1	8	7	3	.	.	4	22	3
—	Other Defined Diseases	335	321	656	24	22	14	39	49	508	7	20	42	587	438
204–205a	Causes Ill-defined or Unknown	40	44	84	1	8	2	14	20	39	.	.	1	83	74
	ALL CAUSES ...	943	871	1,814	169	125	68	344	307	801	24	44	307	1,439	691

XVIII. ADMINISTRATIVE COUNTY OF LIMERICK.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1926

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	2	5	7	.	.	2	5	.	.	.	1	5	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	7	5	12	3	8	1	.	.	.	.	.	3	9	3
8	Scarlet Fever	1	3	4	1	.	1	2	.	.	.	.	2	2	.
9	Whooping-cough ...	14	8	22	13	8	1	.	.	.	.	.	2	20	3
10	Diphtheria	2	3	5	.	1	3	1	.	.	.	.	2	3	.
16	Dysentery	2	1	3	.	.	.	2	1	.	.	3	.	.	.
11	Influenza	8	23	31	1	1	.	5	8	16	.	.	1	30	6
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	1	.	1	.	.	.	1	.	.	.	.	.	1	.
31	Tuberculosis of Respiratory System	51	42	93	.	.	4	66	23	.	3	7	23	60	4
32–37	Other Tuberculosis ...	14	8	22	1	5	3	10	3	.	2	6	3	11	.
43–49	Cancer, Malignant Disease	55	44	99	.	.	.	9	53	37	11	1	19	68	5
51	Rheumatic Fever ...	2	2	4	.	1	1	2	.	.	.	.	.	4	.
57	Diabetes	1	6	7	.	.	.	.	3	4	.	.	.	7	1
74	Cerebral Hæmorrhage ...	12	25	37	.	.	.	1	17	19	1	1	2	33	4
87–90	Heart Disease	75	78	153	.	.	3	16	46	88	1	3	19	130	27
91b	Arterio-sclerosis ...	2	1	3	.	.	.	.	2	1	.	.	.	3	.
99	Bronchitis	45	37	82	7	2	.	.	17	56	.	2	4	76	15
100–1	Pneumonia (all forms)	44	30	74	11	13	.	8	19	23	1	3	12	58	4
97–8 102–7	Other Diseases of Respiratory System ...	8	7	15	.	.	.	3	4	8	.	.	2	13	4
111	Ulcer of Stomach or Duodenum	6	2	8	.	.	.	3	4	1	1	1	3	3	.
113	Diarrhœa and Enteritis under 2 years ...	20	11	31	27	4	.	.	.	.	.	.	4	27	1
117	Appendicitis	3	1	4	.	.	.	3	1	.	4	.	.	.	.
122	Cirrhosis of the Liver ...	3	3	6	.	.	.	1	1	4	.	.	.	6	.
128–9	Acute and Chronic Nephritis	15	16	31	.	.	.	4	14	13	2	.	7	22	1
146	Puerperal Sepsis ...	.	9	9	.	.	.	9	.	.	1	.	5	3	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	10	10	.	.	.	10	.	.	1	.	.	9	1
159–161	Congenital Debility and Malformation: Premature Birth ...	36	34	70	69	.	1	.	.	.	6	.	9	55	41
165–174	Suicide	4	1	5	.	.	.	2	1	2	.	.	.	5	.
175–203	Other Deaths from Violence	35	41	76	2	5	13	29	21	6	3	.	2	71	3
—	Other Defined Diseases	256	270	526	32	16	7	19	49	403	20	15	79	412	252
204–205a	Causes Ill-defined or Unknown	19	22	41	.	8	2	5	13	13	.	.	1	40	29
	ALL CAUSES ...	743	748	1,491	167	72	42	216	300	694	57	43	209	1,182	404

XIX. County Borough of LIMERICK.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	3	1	4	.	.	1	2	1	.	1	.	2	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	12	20	32	7	22	3	.	.	.	.	.	2	30	1
8	Scarlet Fever	2	1	3	.	1	1	1	.	.	.	.	2	1	.
9	Whooping-cough ...	5	5	10	6	4	.	.	.	.	.	.	.	10	.
10	Diphtheria	1	3	4	.	4	.	.	.	.	.	.	4	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	6	9	15	.	.	.	3	9	3	.	.	3	12	2
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	31	31	62	.	.	3	47	12	.	1	3	28	30	2
32–37	Other Tuberculosis ...	6	2	8	1	.	3	3	.	1	.	2	1	5	.
43–49	Cancer, Malignant Disease	23	11	34	.	.	.	5	21	8	3	1	14	16	.
51	Rheumatic Fever ...	.	1	1	.	.	.	.	1	.	.	.	.	1	.
57	Diabetes	1	1	2	.	.	.	1	1	.	.	.	1	1	.
74	Cerebral Hæmorrhage ...	11	8	19	.	.	.	2	10	7	1	.	5	13	1
87–90	Heart Disease	19	27	46	.	.	1	6	22	17	6	4	11	25	9
91b	Arterio-sclerosis ...	2	2	4	.	.	.	.	3	1	2	.	.	2	.
99	Bronchitis	53	60	113	16	24	2	11	36	24	4	.	19	90	11
100–1	Pneumonia (all forms)	39	21	60	4	23	2	14	10	7	3	1	8	48	.
97–8 102–7	Other Diseases of Respiratory System ...	8	6	14	1	2	3	5	2	1	4	.	.	10	1
111	Ulcer of Stomach or Duodenum	1	1	2	.	.	.	1	1	.	1	.	.	1	.
113	Diarrhœa and Enteritis under 2 years ...	18	13	31	24	7	.	.	.	.	.	.	.	31	2
117	Appendicitis	.	3	3	.	.	1	1	1	.	3	.	.	.	.
122	Cirrhosis of the Liver ...	1	..	1	.	.	.	.	1	.	.	.	.	1	.
128–9	Acute and Chronic Nephritis	2	5	7	.	.	.	3	3	1	.	.	2	5	.
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	1	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	4	4	.	.	.	4	.	.	3	.	1	.	.
159–161	Congenital Debility and Malformation: Premature Birth ...	17	16	33	33	.	.	.	.	.	17	.	4	12	27
165–174	Suicide	1	.	1	.	.	.	1	.	.	1	.	.	.	.
175–203	Other Deaths from Violence	10	2	12	.	.	2	6	3	1	8	.	.	4	.
—	Other Defined Diseases	101	123	224	63	29	7	14	24	87	13	2	55	154	55
204–205a	Causes Ill-defined or Unknown	3	8	11	.	2	.	.	8	1	.	.	2	9	7
	All Causes ...	376	385	761	155	118	29	131	169	159	72	13	164	512	118

XX. Administrative County of TIPPERARY (North Riding).—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	1	1	2	.	.	.	2	.	.	.	.	1	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	6	7	13	2	9	2	.	.	.	.	.	.	13	4
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	2	.	2	.	2	.	.	.	.	.	.	.	2	.
10	Diphtheria	2	1	3	.	1	2	.	.	.	.	.	1	2	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	10	10	20	.	.	.	1	9	10	.	.	1	19	1
23	Encephalitis Lethargica	.	2	2	.	.	.	1	1	.	.	.	1	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	21	35	56	.	.	2	42	10	2	7	3	6	40	3
32–37	Other Tuberculosis ...	8	4	12	.	1	2	7	2	.	1	.	2	9	1
43–49	Cancer, Malignant Disease	21	24	45	.	.	.	7	17	21	2	.	10	33	4
51	Rheumatic Fever ...	2	1	3	.	.	1	1	1	.	.	.	.	3	.
57	Diabetes	3	5	8	.	.	.	1	3	4	.	.	2	6	.
74	Cerebral Hæmorrhage ...	7	8	15	.	.	.	.	1	14	.	1	3	11	2
87–90	Heart Disease	55	34	89	.	.	2	13	23	51	1	.	9	79	19
91b	Arterio-sclerosis ...	1	1	2	.	.	.	.	.	2	.	.	.	2	.
99	Bronchitis	31	28	59	10	3	1	1	9	35	.	2	3	54	11
100–1	Pneumonia (all forms)	19	10	29	5	2	.	2	11	9	.	.	.	29	1
97–8 102–7	Other Diseases of Respiratory System ...	6	8	14	1	2	1	.	5	5	1	1	1	11	3
111	Ulcer of Stomach or Duodenum	8	4	12	.	.	.	3	6	3	2	.	4	6	1
113	Diarrhœa and Enteritis under 2 years ...	7	4	11	10	1	.	.	.	.	.	.	.	11	1
117	Appendicitis	2	1	3	.	.	1	1	1	.	2	.	.	1	.
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	.	1	.	.	.	1	.
128–9	Acute and Chronic Nephritis	20	22	42	.	.	1	4	22	15	1	1	14	26	2
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	.	.	1		.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	.	.	.	3	.	.	.	.	2	1	.
159–161	Congenital Debility and Malformation: Premature Birth ...	10	15	25	25	.	.	.	.	.	.	.	4	21	11
165–174	Suicide	2	.	2	.	.	.	1	1	.	.	.	.	2	.
175–203	Other Deaths from Violence	17	5	22	1	3	.	10	2	6	1	.	9	12	.
—	Other Defined Diseases	160	168	328	12	4	1	19	42	250	11	11	47	259	160
204–205a	Causes Ill-defined or Unknown	11	7	18	.	3	1	6	4	4	.	.	.	18	11
	All Causes ...	433	409	842	66	31	17	126	170	432	29	19	121	673	235

XXI. ADMINISTRATIVE COUNTY OF TIPPERARY (SOUTH RIDING).—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	1	2	3	.	.	.	2	1	.	.	.	2	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	5	5	10	4	3	3	.	.	.	.	.	1	9	.
8	Scarlet Fever	.	3	3	.	.	2	1	.	.	.	.	2	1	.
9	Whooping-cough ...	.	2	2	.	2	.	.	.	.	.	.	.	2	1
10	Diphtheria	.	1	1	.	1	.	.	.	.	.	.	.	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	5	7	12	.	.	.	6	5	1	.	.	4	8	1
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	4	1	5	.	.	3	1	1	.	.	.	5	.	.
31	Tuberculosis of Respiratory System	35	43	78	.	.	4	62	12	.	3	7	25	43	3
32–37	Other Tuberculosis ...	18	11	29	1	3	8	12	5	.	2	2	10	15	1
43–49	Cancer, Malignant Disease	55	53	108	.	.	1	9	62	36	6	.	31	71	5
51	Rheumatic Fever ...	2	1	3	.	.	1	2	.	.	.	.	.	3	.
57	Diabetes	4	5	9	.	.	1	3	5	.	.	.	2	7	.
74	Cerebral Hæmorrhage ...	23	30	53	.	.	.	1	18	34	.	3	26	24	6
87–90	Heart Disease	81	83	164	.	.	1	19	55	89	.	2	31	131	11
91b	Arterio-sclerosis ...	6	.	6	.	.	.	.	1	5	.	.	3	3	.
99	Bronchitis	35	37	72	7	8	1	2	13	41	.	.	12	60	14
100–1	Pneumonia (all forms)	34	25	59	12	9	3	3	17	15	.	.	15	44	3
97–8 102–7	Other Diseases of Respiratory System ...	10	3	13	1	1	.	2	1	8	.	1	5	7	2
111	Ulcer of Stomach or Duodenum	7	5	12	.	.	.	4	6	2	1	.	4	7	.
113	Diarrhœa and Enteritis under 2 years ...	17	11	28	28	.	.	.	.	.	.	.	7	21	3
117	Appendicitis	.	3	3	.	.	2	1	.	.	1	.	1	1	.
122	Cirrhosis of the Liver ...	2	1	3	.	.	.	1	2	.	.	.	3	.	.
128–9	Acute and Chronic Nephritis	18	7	25	1	1	.	3	11	9	2	.	5	18	.
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	1	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	6	6	.	.	.	6	.	.	.	.	1	5	1
159–161	Congenital Debility and Malformation: Premature Birth ...	21	24	45	45	.	.	.	.	.	.	.	13	32	11
165–174	Suicide	2	.	2	.	.	.	.	2	.	.	.	.	2	.
175–203	Other Deaths from Violence	12	8	20	1	.	2	7	3	7	.	.	9	11	1
—	Other Defined Diseases	162	207	369	25	10	6	23	39	266	3	14	47	305	164
204–205a	Causes Ill-defined or Unknown	11	13	24	.	3	.	1	12	8	.	.	1	23	18
	ALL CAUSES ...	570	599	1,169	125	41	38	173	271	521	18	29	266	856	245

XXII. Administrative County of WATERFORD.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	.	1	1	.	.	.	1	.	.	.	.	.	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	4	1	5	.	3	1	1	.	.	.	.	.	5	.
8	Scarlet Fever	2	1	3	1	1	1	.	.	.	.	.	.	3	.
9	Whooping-cough ...	.	1	1	1	.	.	.	.	.	.	.	.	1	.
10	Diphtheria	1	1	2	.	.	.	.	1	1	.	.	.	2	.
16	Dysentery	1	.	1	.	.	.	.	.	1	.	.	1	.	.
11	Influenza	1	3	4	.	.	1	1	1	1	.	.	.	4	2
23	Encephalitis Lethargica	.	1	1	.	.	1	.	.	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	28	35	63	.	.	8	34	21	.	1	4	7	51	4
32–37	Other Tuberculosis ...	5	13	18	.	5	4	5	3	1	1	1	3	13	.
43–49	Cancer, Malignant Disease	33	23	56	.	.	.	2	28	26	7	.	12	37	.
51	Rheumatic Fever ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
57	Diabetes	3	4	7	.	.	.	2	2	3	1	.	1	5	.
74	Cerebral Hæmorrhage ...	21	16	37	.	.	.	1	14	22	.	.	8	29	3
87–90	Heart Disease	48	42	90	.	.	.	5	36	49	1	4	17	68	14
91b	Arterio-sclerosis ...	3	1	4	.	.	.	.	1	3	.	.	.	4	.
99	Bronchitis	21	16	37	1	4	.	1	7	24	2	.	1	34	3
100–1	Pneumonia (all forms)	31	10	41	4	7	1	8	12	9	1	1	5	34	3
97–8 102–7	Other Diseases of Respiratory System ...	10	7	17	1	1	.	.	7	8	.	.	1	16	.
111	Ulcer of Stomach or Duodenum	5	2	7	.	.	.	4	2	1	.	.	3	4	.
113	Diarrhœa and Enteritis under 2 years ...	6	2	8	8	.	.	.	.	.	.	.	.	8	1
117	Appendicitis	3	2	5	.	.	3	.	1	1	.	.	2	3	1
122	Cirrhosis of the Liver ...	1	1	2	.	.	.	.	1	1	.	.	.	2	.
128–9	Acute and Chronic Nephritis	9	7	16	.	1	2	3	5	5	.	.	2	14	3
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	2	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	2	2	.	.	.	2	.	.	.	.	.	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	16	16	32	31	.	1	.	.	.	.	.	8	24	12
165–174	Suicide	2	1	3	.	.	.	1	1	1	.	.	1	2	.
175–203	Other Deaths from Violence	7	5	12	1	.	1	4	2	4	.	.	5	7	.
—	Other Defined Diseases	115	107	222	9	8	2	14	24	165	1	6	35	180	100
204–205a	Causes Ill-defined or Unknown	7	16	23	.	2	.	2	9	10	.	.	1	22	15
	All Causes ...	383	339	722	57	32	26	93	178	336	15	16	115	576	161

XIII. County Borough of WATERFORD.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere	Uncertified Deaths.
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	13	21	34	6	25	3	.	.	.	.	.	1	33	.
8	Scarlet Fever	.	2	2	.	1	1	.	.	.	1	.	1	.	.
9	Whooping-cough ...	.	3	3	2	.	1	.	.	.	.	.	1	2	.
10	Diphtheria	1	.	1	.	1	.	.	.	.	.	.	1	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	.	.	.	.	.	.	.	.	.	.	.	.	.	.
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	22	20	42	.	.	2	27	13	.	.	.	18	24	.
32–37	Other Tuberculosis ...	7	7	14	1	4	5	3	.	1	1	.	3	10	.
43–49	Cancer, Malignant Disease	13	17	30	.	.	.	3	20	7	4	.	8	18	.
51	Rheumatic Fever ...	3	2	5	.	1	1	3	.	.	.	.	.	5	.
57	Diabetes	1	1	2	.	.	.	.	.	2	1	.	.	1	.
74	Cerebral Hæmorrhage ...	12	12	24	.	.	.	2	11	11	.	.	8	16	1
87–90	Heart Disease	24	47	71	.	.	.	5	29	37	3	2	18	48	2
91b	Arterio-sclerosis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
99	Bronchitis	14	17	31	6	4	.	1	4	16	.	2	3	26	2
100–1	Pneumonia (all forms)	15	15	30	7	9	.	3	6	5	.	.	9	21	.
97–8 102–7	Other Diseases of Respiratory System ...	2	1	3	.	.	1	.	.	2	.	.	.	3	.
111	Ulcer of Stomach or Duodenum	1	1	2	.	.	.	1	.	1	1	.	.	1	.
113	Diarrhœa and Enteritis under 2 years ...	10	11	21	20	1	.	.	.	.	.	.	.	21	.
117	Appendicitis	1	1	2	.	.	.	.	1	1	1	.	.	1	.
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	1	.	1	.	.	.	.
128–9	Acute and Chronic Nephritis	5	4	9	.	.	.	1	5	3	.	.	2	7	.
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
159–161	Congenital Debility and Malformation: Premature Birth ...	11	7	18	17	.	1	.	.	.	1	.	2	15	2
165–174	Suicide	1	.	1	.	.	.	.	1	.	1	.	.	.	.
175–203	Other Deaths from Violence	1	3	4	1	.	.	.	1	2	.	.	1	3	.
—	Other Defined Diseases	31	45	76	9	3	3	10	23	28	3	4	19	50	9
204–205a	Causes Ill-defined or Unknown	1	4	5	.	1	1	.	2	1	.	.	1	4	3
	All Causes ...	190	241	431	69	50	19	59	117	117	18	8	96	309	19

XXIV. Administrative County of GALWAY.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	10	5	15	.	.	.	11	4	.	1	3	6	5	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	16	26	42	10	22	8	2	.	.	.	.	27	15	9
8	Scarlet Fever	3	1	4	.	3	1	.	.	.	.	.	1	3	.
9	Whooping-cough ...	5	11	16	5	10	1	.	.	.	.	.	.	16	6
10	Diphtheria	5	3	8	.	3	3	2	.	.	.	.	2	6	2
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	13	14	27	.	1	2	8	6	10	.	.	1	26	18
23	Encephalitis Lethargica	4	2	6	.	1	4	.	1	.	.	.	5	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	86	87	173	1	1	5	135	31	.	28	11	27	107	30
32–37	Other Tuberculosis ...	22	15	37	3	5	3	20	6	.	2	.	15	20	2
43–49	Cancer, Malignant Disease	60	76	136	.	1	1	9	64	61	6	.	31	99	16
51	Rheumatic Fever ...	1	2	3	.	.	.	3	.	.	.	.	1	2	.
57	Diabetes	4	4	8	.	.	.	2	2	4	.	.	2	6	1
74	Cerebral Hæmorrhage ...	19	26	45	1	1	2	.	15	26	1	1	6	37	10
87–90	Heart Disease	99	109	208	.	.	2	13	62	131	2	9	44	153	57
91b	Arterio-sclerosis ...	4	7	11	.	.	.	.	3	8	.	.	.	11	3
99	Bronchitis	57	41	98	13	11	3	3	10	58	.	2	11	85	52
100–1	Pneumonia (all forms)	60	51	111	18	8	7	29	18	31	3	1	16	91	27
97–8 102–7	Other Diseases of Respiratory System ...	20	18	38	2	2	1	3	17	13	1	1	10	26	9
111	Ulcer of Stomach or Duodenum	4	4	8	.	.	.	3	3	2	.	.	2	6	4
113	Diarrhœa and Enteritis under 2 years ...	8	9	17	16	1	.	.	.	.	2	.	1	14	3
117	Appendicitis	3	3	6	.	.	3	2	.	1	1	.	3	2	.
122	Cirrhosis of the Liver ...	2	1	3	.	.	.	.	1	2	.	.	1	2	.
128–9	Acute and Chronic Nephritis	22	19	41	.	.	1	7	11	22	1	1	10	29	2
146	Puerperal Sepsis ...	.	8	8	.	.	.	8	.	.	.	.	4	4	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	7	7	.	.	.	7	.	.	1	.	4	2	1
159–161	Congenital Debility and Malformation: Premature Birth ...	36	23	59	59	.	.	.	.	.	1	.	16	42	24
165–174	Suicide	4	1	5	.	.	.	2	.	3	.	.	.	5	.
175–203	Other Deaths from Violence	21	17	38	3	4	3	12	8	8	1	.	11	26	8
—	Other Defined Diseases	439	445	884	54	15	18	60	57	680	7	23	75	779	618
204–205a	Causes Ill-defined or Unknown	47	42	89	8	7	6	6	30	32	1	1	3	84	72
	All Causes ...	1,074	1,077	2,151	193	96	74	347	349	1,092	59	53	335	1,704	974

XXV. Administrative County of LEITRIM.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	4	1	5	.	.	.	2	3	.	.	.	3	2	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	3	3	.	2	1	.	.	.	.	.	.	3	3
8	Scarlet Fever	.	1	1	.	.	.	1	.	.	.	.	.	1	.
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	6	9	15	.	2	.	4	3	6	.	.	.	15	9
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	30	31	61	.	.	2	35	21	3	7	6	9	39	10
32–37	Other Tuberculosis ...	8	4	12	.	1	1	8	2	.	.	2	6	4	.
43–49	Cancer, Malignant Disease	21	19	40	.	.	.	3	19	18	.	2	4	34	5
51	Rheumatic Fever ...	2	1	3	.	.	.	2	1	.	.	.	.	3	.
57	Diabetes	3	1	4	.	.	.	1	3	.	.	.	1	3	1
74	Cerebral Hæmorrhage ...	9	10	19	.	.	.	2	4	13	.	2	1	16	7
87–90	Heart Disease	28	29	57	.	.	1	9	23	24	1	4	4	48	19
91b	Arterio-sclerosis ...	1	1	2	.	.	.	.	1	1	.	.	.	2	.
99	Bronchitis	26	23	49	3	.	1	1	10	34	.	1	1	47	33
100–1	Pneumonia (all forms)	12	18	30	1	3	5	10	3	8	.	1	4	25	6
97–8 102–7	Other Diseases of Respiratory System ...	5	7	12	1	.	.	2	3	6	.	1	2	9	6
111	Ulcer of Stomach or Duodenum	7	3	10	.	.	.	2	5	3	.	.	3	7	2
113	Diarrhœa and Enteritis under 2 years ...	1	3	4	4	.	.	.	.	.	.	.	.	4	1
117	Appendicitis	3	1	4	.	.	.	1	2	1	2	.	.	2	1
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	1	.	.	.	.	1	.
128–9	Acute and Chronic Nephritis	14	6	20	.	.	.	.	10	10	.	.	4	16	1
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	1	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	.	.	.	3	.	.	.	.	.	3	.
159–161	Congenital Debility and Malformation: Premature Birth ...	14	14	28	28	.	.	.	.	.	1	.	6	21	19
165–174	Suicide	1	.	1	.	.	.	.	.	1	.	.	.	1	.
175–203	Other Deaths from Violence	10	3	13	.	2	.	2	5	4	.	.	4	9	2
—	Other Defined Diseases	153	148	301	6	8	2	22	33	230	3	13	18	267	216
204–205a	Causes Ill-defined or Unknown	27	38	65	4	3	1	7	28	22	.	.	5	60	60
	All Causes ...	386	379	765	47	21	14	119	180	384	14	32	76	643	401

XXVI.—Administrative County of MAYO.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	1	2	3	.	.	1	1	1	.	.	.	1	2	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	7	7	14	2	4	7	1	.	.	.	.	2	12	4
8	Scarlet Fever	2	.	2	.	.	1	.	1	.	.	.	.	2	.
9	Whooping-cough ...	5	2	7	4	3	.	.	.	.	.	.	.	7	7
10	Diphtheria	1	1	2	.	1	.	.	1	.	.	.	1	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	16	9	25	2	5	2	2	5	9	.	.	.	25	18
23	Encephalitis Lethargica	1	.	1	.	.	.	1	.	.	.	.	.	1	.
24	Meningococcal Meningitis	.	1	1	.	.	1	.	.	.	.	.	.	1	.
31	Tuberculosis of Respiratory System	80	87	167	.	3	8	118	31	7	10	8	31	118	34
32–37	Other Tuberculosis ...	28	22	50	3	3	19	18	6	1	2	5	17	26	2
43–49	Cancer, Malignant Disease	54	62	116	.	.	.	2	65	49	3	1	15	97	13
51	Rheumatic Fever ...	5	6	11	.	.	2	7	2	.	.	.	1	10	3
57	Diabetes	4	3	7	.	.	.	1	3	3	.	.	.	7	2
74	Cerebral Hæmorrhage ...	15	22	37	.	.	.	3	11	23	1	.	2	34	8
87–90	Heart Disease	53	73	126	1	.	4	20	50	51	1	7	5	113	33
91b	Arterio-sclerosis ...	5	.	5	.	.	.	.	2	3	.	1	.	4	1
99	Bronchitis	45	61	106	10	9	1	8	14	64	.	1	5	100	74
100–1	Pneumonia (all forms)	54	39	93	11	11	12	13	18	28	1	.	3	89	23
97–8 102–7	Other Diseases of Respiratory System ...	18	22	40	7	4	2	3	10	14	.	.	8	32	13
111	Ulcer of Stomach or Duodenum	9	5	14	.	.	.	3	11	.	1	.	7	6	1
113	Diarrhœa and Enteritis under 2 years ...	4	5	9	9	.	.	.	.	.	.	.	1	8	1
117	Appendicitis	10	5	15	.	1	6	5	3	.	3	.	6	6	2
122	Cirrhosis of the Liver ...	5	3	8	.	.	.	1	2	5	.	.	.	8	.
128–9	Acute and Chronic Nephritis	20	18	38	.	.	1	6	15	16	1	.	7	30	7
146	Puerperal Sepsis ...	.	11	11	.	.	.	11	.	.	1	.	1	9	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	5	5	.	.	.	5	.	.	1	.	.	4	1
159–161	Congenital Debility and Malformation: Premature Birth ...	30	21	51	51	.	.	.	.	.	.	.	5	46	28
165–174	Suicide	2	1	3	.	.	.	1	2	.	.	.	1	2	.
175–203	Other Deaths from Violence	27	9	36	.	3	7	11	6	9	2	.	3	31	5
—	Other Defined Diseases	448	464	912	33	22	18	33	58	748	3	15	43	851	722
204–205a	Causes Ill-defined or Unknown	30	50	80	.	4	7	8	24	37	1	.	.	79	71
	All Causes ...	979	1,016	1,995	133	73	99	282	341	1,067	31	38	165	1,761	1,073

XXVII. ADMINISTRATIVE COUNTY OF ROSCOMMON.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	4	4	8	.	.	2	4	2	.	.	1	7	.	.
2	Typhus	1	.	1	.	1	.	.	.	.	.	.	1	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	2	1	3	.	.	2	1	.	.	.	.	.	3	1
8	Scarlet Fever	.	1	1	.	.	.	1	.	.	.	.	1	.	.
9	Whooping-cough ...	3	5	8	3	3	2	.	.	.	.	.	.	8	4
10	Diphtheria	4	2	6	.	1	3	1	1	.	.	.	2	4	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	8	6	14	.	1	2	3	4	4	.	.	4	10	4
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	25	26	51	1	.	.	40	8	2	3	5	9	34	7
32–37	Other Tuberculosis ...	6	6	12	.	.	1	9	1	1	1	1	2	8	.
43–49	Cancer, Malignant Disease	36	25	61	.	.	.	10	25	26	7	1	10	43	4
51	Rheumatic Fever ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
57	Diabetes	3	3	6	.	.	.	2	1	3	1	.	3	2	.
74	Cerebral Hæmorrhage ...	6	9	15	.	.	.	1	5	9	.	.	3	12	3
87–90	Heart Disease	57	55	112	.	1	3	16	38	54	2	.	12	98	29
91b	Arterio-sclerosis ...	4	1	5	.	.	.	.	1	4	.	.	.	5	.
99	Bronchitis	37	31	68	3	.	.	4	23	38	.	.	10	58	34
100–1	Pneumonia (all forms)	24	18	42	3	5	6	6	9	13	.	5	1	36	9
97–8 102–7	Other Diseases of Respiratory System ...	3	2	5	.	.	.	1	3	1	.	.	1	4	1
111	Ulcer of Stomach or Duodenum	7	2	9	.	.	.	4	1	4	.	.	3	6	1
113	Diarrhœa and Enteritis under 2 years ...	.	1	1	1	.	.	.	.	.	1	.	.	.	.
117	Appendicitis	.	2	2	.	.	1	.	1	.	2	.	.	.	.
122	Cirrhosis of the Liver ...	2	3	5	.	.	.	.	1	4	.	.	.	5	.
128–9	Acute and Chronic Nephritis	11	16	27	.	.	1	7	10	9	1	.	7	19	2
146	Puerperal Sepsis ...	.	3	3	.	.	.	3	.	.	.	.	.	3	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	.	.	.	3	.	.	.	.	1	2	2
159–161	Congenital Debility and Malformation: Premature Birth ...	21	21	42	40	2	.	.	.	.	.	.	5	37	35
165–174	Suicide	1	.	1	.	.	.	.	1	.	.	1	.	.	.
175–203	Other Deaths from Violence	10	3	13	2	1	1	3	3	3	1	.	4	8	.
—	Other Defined Diseases	230	249	479	10	6	6	15	36	406	2	10	41	426	358
204–205a	Causes Ill-defined or Unknown	38	48	86	1	5	2	12	37	29	.	.	.	86	76
	ALL CAUSES ...	543	546	1,089	64	26	32	146	211	610	21	24	127	917	570

XXVIII.—Administrative County of SLIGO.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	1	1	2	.	.	1	.	1	.	.	.	1	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	2	2	4	1	2	1	.	.	.	.	.	.	4	1
8	Scarlet Fever	2	3	5	.	1	1	3	.	.	.	.	2	3	.
9	Whooping-cough ...	1	2	3	.	2	1	.	.	.	.	.	.	3	2
10	Diphtheria	2	2	4	.	2	1	.	.	1	.	.	3	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	8	13	21	2	1	1	5	5	7	1	.	.	20	15
23	Encephalitis Lethargica	1	.	1	.	.	.	1	.	.	1	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	27	32	59	.	.	4	41	9	5	1	3	17	38	12
32–37	Other Tuberculosis ...	8	10	18	1	1	2	10	2	2	.	2	4	12	1
43–49	Cancer, Malignant Disease	30	35	65	.	.	.	6	34	25	4	.	12	49	8
51	Rheumatic Fever ...	2	1	3	.	.	.	3	.	.	.	.	.	3	.
57	Diabetes	7	2	9	.	.	.	3	4	2	1	.	1	7	3
74	Cerebral Hæmorrhage ...	7	13	20	.	.	.	.	1	19	.	.	1	19	1
87–90	Heart Disease	44	55	99	.	1	2	12	31	53	1	3	40	55	11
91b	Arterio-sclerosis ...	.	2	2	.	.	.	.	1	1	.	.	.	2	.
99	Bronchitis	30	15	45	3	3	5	1	7	26	1	5	3	36	24
100–1	Pneumonia (all forms)	13	14	27	3	.	1	7	12	4	1	3	1	22	4
97–8 102–7	Other Diseases of Respiratory System ...	12	11	23	1	1	.	1	9	11	.	.	2	21	14
111	Ulcer of Stomach or Duodenum	5	2	7	.	.	.	2	4	1	2	.	.	5	1
113	Diarrhœa and Enteritis under 2 years ...	2	4	6	6	.	.	.	.	.	.	.	3	3	.
117	Appendicitis	.	2	2	.	.	1	.	.	1	2	.	.	.	.
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	.	1	.	.	1	.	.
128–9	Acute and Chronic Nephritis	13	6	19	.	.	.	5	6	8	1	1	.	17	4
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	6	6	.	.	.	6	.	.	.	.	.	6	.
159–161	Congenital Debility and Malformation: Premature Birth ...	16	7	23	22	1	.	.	.	.	.	.	4	19	13
165–174	Suicide	5	.	5	.	.	.	1	2	2	.	1	.	4	.
175–203	Other Deaths from Violence	8	9	17	1	3	.	2	5	6	7	.	.	10	3
—	Other Defined Diseases	187	204	391	17	5	5	18	42	304	9	8	19	355	281
204–205a	Causes Ill-defined or Unknown	28	29	57	2	9	1	2	13	30	1	.	.	56	56
	All Causes ...	462	483	945	59	32	27	130	188	509	33	26	114	772	454

XXIX.—Administrative County of CAVAN.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	3	.	3	.	.	.	3	.	.	.	.	2	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	6	1	7	1	3	3	.	.	.	.	.	.	7	1
8	Scarlet Fever	1	1	2	.	.	1	.	1	.	.	.	1	1	.
9	Whooping-cough ...	2	2	4	.	3	1	.	.	.	.	.	1	3	2
10	Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	9	9	18	.	.	3	4	4	7	1	4	.	13	7
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	29	28	57	.	.	2	32	21	2	1	8	11	37	3
32–7	Other Tuberculosis ...	15	13	28	.	3	4	12	8	1	1	.	7	20	2
43–9	Cancer, Malignant Disease	53	47	100	.	.	.	6	52	42	4	1	13	82	9
51	Rheumatic Fever ...	5	3	8	.	.	2	6	.	.	.	.	.	8	2
57	Diabetes	3	6	9	.	.	.	3	3	3	.	.	1	8	1
74	Cerebral Hæmorrhage ...	20	19	39	.	.	.	4	16	19	.	1	6	32	13
87–90	Heart Disease	78	58	136	.	.	.	12	38	86	.	1	21	114	23
91b	Arterio-sclerosis ...	4	.	4	.	.	.	.	1	3	.	.	.	4	1
99	Bronchitis	28	31	59	7	2	1	.	7	42	.	2	6	51	19
100–1	Pneumonia (all forms)	28	25	53	2	10	2	9	6	24	1	.	7	45	10
97–8 102–7	Other Diseases of Respiratory System ...	5	5	10	.	.	.	3	2	5	.	.	2	8	2
111	Ulcer of Stomach or Duodenum	11	4	15	.	.	.	4	7	4	.	.	5	10	2
113	Diarrhœa and Enteritis under 2 years ...	4	.	4	3	1	.	.	.	.	.	.	.	4	2
117	Appendicitis	2	.	2	.	.	.	2	.	.	1	.	1	.	.
122	Cirrhosis of the Liver ...	.	1	1	.	.	.	.	1	.	.	.	.	1	.
128–9	Acute and Chronic Nephritis	19	12	31	.	.	.	5	9	17	.	.	5	26	7
146	Puerperal Sepsis ...	.	6	6	.	.	.	6	.	.	.	.	3	3	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	6	6	.	.	.	6	.	.	1	.	3	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	23	17	40	38	1	1	.	.	.	2	.	5	33	16
165–174	Suicide	6	.	6	.	.	.	1	4	1	.	.	.	6	.
175–203	Other Deaths from Violence	7	5	12	.	3	1	1	2	5	.	.	2	10	4
—	Other Defined Diseases	207	187	394	17	9	5	19	46	298	3	8	25	358	251
204–205a	Causes Ill-defined or Unknown	20	24	44	.	1	.	10	19	14	.	1	3	40	40
	All Causes ...	588	510	1,098	68	36	26	148	247	573	15	26	130	927	417

XXX. ADMINISTRATIVE COUNTY OF DONEGAL.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the Year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	8	4	12	.	.	1	8	3	.	.	.	9	3	.
2	Typhus	1	.	1	.	.	.	1	.	.	.	.	.	1	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	9	7	16	2	8	6	.	.	.	.	.	.	16	5
8	Scarlet Fever	.	1	1	.	.	.	1	.	.	.	.	1	.	.
9	Whooping-cough ...	5	1	6	2	3	1	.	.	.	.	.	.	6	2
10	Diphtheria	5	3	8	.	2	4	1	.	1	.	.	.	8	1
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	41	68	109	11	8	6	9	24	51	.	1	1	107	41
23	Encephalitis Lethargica	2	.	2	.	.	2	.	.	.	.	.	.	2	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	72	110	182	2	4	5	136	28	7	4	16	27	135	22
32–37	Other Tuberculosis ...	21	29	50	3	8	8	24	5	2	.	4	12	34	3
43–49	Cancer, Malignant Disease	81	73	154	.	.	.	13	51	90	2	1	18	133	25
51	Rheumatic Fever ...	4	1	5	.	.	1	4	.	.	.	.	.	5	1
57	Diabetes	4	8	12	.	.	1	5	1	5	.	.	.	12	3
74	Cerebral Hæmorrhage ...	33	35	68	.	.	2	3	13	50	.	4	3	61	29
87–90	Heart Disease	91	118	209	.	1	3	11	63	131	.	5	12	192	70
91b	Arterio-sclerosis ...	13	13	26	.	.	.	2	4	20	.	.	12	14	1
99	Bronchitis	35	49	84	12	4	2	2	12	52	.	1	10	73	38
100–1	Pneumonia (all forms)	73	65	138	18	19	6	16	36	43	1	3	10	124	22
97–8 102–7	Other Diseases of Respiratory System ...	23	19	42	4	3	2	9	7	17	.	1	1	40	10
111	Ulcer of Stomach or Duodenum	12	7	19	.	.	.	7	4	8	.	.	6	13	3
113	Diarrhœa and Enteritis under 2 years ...	16	4	20	19	1	.	.	.	.	.	.	.	20	5
117	Appendicitis	5	3	8	.	1	3	1	2	1	.	.	6	2	.
122	Cirrhosis of the Liver ...	3	2	5	.	.	.	.	5	.	1	.	1	3	.
128–9	Acute and Chronic Nephritis	32	29	61	.	4	.	8	17	32	.	.	7	54	11
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	.	2	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	9	9	.	.	.	9	.	.	.	.	1	8	1
159–161	Congenital Debility and Malformation: Premature Birth ...	39	28	67	67	.	.	.	.	.	.	.	7	60	43
165–174	Suicide	3	.	3	.	.	.	.	1	2	.	1	.	2	.
175–203	Other Deaths from Violence	24	10	34	1	4	5	15	2	7	.	1	5	28	7
—	Other Defined Diseases	318	409	727	19	12	25	52	77	542	2	23	41	661	443
204–205a	Causes Ill-defined or Unknown	34	37	71	4	6	2	4	25	30	.	2	.	69	65
	All Causes ...	1,007	1,144	2,151	164	88	85	343	380	1,091	10	63	190	1,888	851

XXI. ADMINISTRATIVE COUNTY OF MONAGHAN.—CAUSES OF DEATH, by Sexes, Ages, and Places of Occurrence, in the year 1926.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	3	.	3	.	.	.	3	.	.	.	2	1	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	4	1	5	2	2	1	.	.	.	.	.	.	5	2
8	Scarlet Fever	.	1	1	.	.	1	.	.	.	.	.	1	.	.
9	Whooping-cough ...	4	3	7	3	4	.	.	.	.	.	.	.	7	3
10	Diphtheria	4	1	5	.	.	4	1	.	.	.	.	2	3	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	5	16	21	1	.	.	3	6	11	.	1	.	20	8
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	28	33	61	.	1	1	42	13	4	10	2	10	39	5
32–37	Other Tuberculosis ...	10	17	27	2	2	2	15	6	.	2	1	6	18	.
43–49	Cancer, Malignant Disease	51	39	90	.	.	.	5	46	39	3	1	17	69	8
51	Rheumatic Fever ...	1	2	3	.	.	.	3	.	.	.	.	.	3	.
57	Diabetes	6	4	10	.	.	.	3	2	5	.	.	2	8	
74	Cerebral Hæmorrhage ...	24	30	54	.	.	1	1	16	36	.	2	1	51	20
87–90	Heart Disease	58	62	120	1	.	.	9	43	67	.	2	7	111	20
91b	Arterio-sclerosis ...	2	1	3	.	.	.	.	1	2	.	.	.	3	.
99	Bronchitis	24	37	61	4	1	.	2	17	37	.	.	1	60	35
100–1	Pneumonia (all forms)	33	29	62	7	8	4	7	24	12	.	2	5	55	2
97–8 102–7	Other Diseases of Respiratory System ...	8	10	18	.	.	.	1	8	9	.	.	1	17	3
111	Ulcer of Stomach or Duodenum	3	1	4	.	.	.	1	1	2	1	.	1	2	1
113	Diarrhœa and Enteritis under 2 years ...	2	6	8	6	2	.	.	.	.	.	.	1	7	2
117	Appendicitis	3	3	6	.	2	3	1	.	.	1	.	2	3	.
122	Cirrhosis of the Liver ...	2	1	3	.	.	.	.	1	2	.	.	.	3	1
128–9	Acute and Chronic Nephritis	7	13	20	.	.	.	3	7	10	.	.	3	17	1
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	.	2	.
43b–5 47–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	10	10	.	.	.	10	.	.	1	.	2	7	.
59–161	Congenital Debility and Malformation: Premature Birth ...	17	9	26	26	.	.	.	.	.	.	.	1	25	12
65–174	Suicide	1	.	1	.	.	.	1	.	.	.	.	.	1	.
75–203	Other Deaths from Violence	10	4	14	.	2	.	1	4	7	.	.	2	12	1
—	Other Defined Diseases	142	141	283	16	6	3	24	53	181	1	12	25	245	120
204–205a	Causes Ill-defined or Unknown	13	23	36	.	5	2	5	16	8	.	.	.	36	33
	ALL CAUSES ...	465	499	964	68	35	22	143	264	432	19	25	91	829	277

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1926. DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Saorstat Eireann.*		Province of Leinster.†		Carlow County.		Dublin County.								
		Total U.D.'s	Total R.D.'s	Total U.D.'s	Total R.D.'s	Carlow U.D.	Total R.D.'s	Blackrock U.D.	Dalkey U.D.	Dun Laoghaire U.D.	Howth U.D.	Killiney and Ballybrack U.D.	Pembroke U.D.	Rathmines & Rathgar U.D.	Total U.D.'s	Total R.D.'s
	All Causes ...	13,380	28,360	8,419	8,397	103	397	140	53	314	32	26	451	532	1,548	944
1	Enteric Fever	24	102	12	12	.	.	.	.	.	.	.	3	1	4	1
2	Typhus	3	5	1	1	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	297	222	93	51	.	3	.	.	5	1	.	5	.	11	7
8	Scarlet Fever	63	71	39	32	.	5	.	.	2	.	.	1	3	6	8
9	Whooping-cough ...	117	141	52	33	.	9	.	.	.	.	.	5	1	6	5
10	Diphtheria	103	94	70	33	.	8	.	.	1	1	.	4	5	11	6
16	Dysentery	2	4	2	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	163	491	103	129	3	8	4	.	7	.	.	4	15	30	16
23	Encephalitis Lethargica	15	28	11	14	1	.	1	.	.	.	.	.	1	2	3
24	Meningococcal Meningitis	6	11	5	3	.	.	.	.	1	.	.	.	.	1	2
31	Tuberculosis of Respiratory System	1,206	2,163	721	690	13	34	11	2	25	1	5	29	28	101	78
32–7	Other Tuberculosis ...	404	589	260	207	1	9	9	1	8	2	.	13	15	48	32
43–9	Cancer, Malignant Disease	995	2,026	656	676	9	23	17	4	33	2	2	44	62	164	76
51	Rheumatic Fever ...	36	73	17	14	.	1	1	.	.	.	.	1	1	3	1
57	Diabetes	68	158	46	52	1	5	1	1	1	.	2	.	6	11	5
74	Cerebral Hæmorrhage ...	481	858	307	307	2	15	5	2	16	1	4	22	33	83	55
87–90	Heart Disease	1,612	3,044	1,006	996	9	51	20	10	53	3	6	69	75	236	94
91b	Arterio-sclerosis ...	96	125	69	41	.	4	1	2	.	1	1	5	6	16	9
99	Bronchitis	1,034	1,399	690	400	10	14	5	4	16	3	.	25	32	85	65
100–1	Pneumonia (all forms) ...	937	1,377	596	377	1	14	3	1	22	1	.	41	33	101	52
97–8 102–7	Other Diseases—Respiratory System	245	421	168	114	.	1	3	1	4	.	1	11	9	29	15
111	Ulcer of Stomach or Duodenum	60	204	27	50	.	3	1	1	1	.	.	2	.	5	5
113	Diarrhœa and Enteritis under 2 years ...	556	259	383	84	.	.	3	.	12	1	.	22	8	46	45
117	Appendicitis	56	133	33	45	1	3	2	1	1	1	.	4	4	13	2
122	Cirrhosis of the Liver ...	24	89	14	34	.	2	.	1	.	1	.	1	1	4	6
128–9	Acute and Chronic Nephritis	399	746	296	289	6	5	7	3	12	3	.	13	10	48	41
146	Puerperal Sepsis ...	38	77	22	14	.	1	.	.	.	.	.	2	.	2	4
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	52	132	27	39	.	.	1	.	.	.	.	3	3	7	1
159-161	Congenital Debility and Malformation: Premature Birth	795	1,046	590	398	7	19	6	5	20	.	.	24	35	90	67
165-174	Suicide	22	75	15	23	.	1	.	.	.	.	.	.	3	3	3
175-203	Other Deaths from Violence	267	525	177	152	5	3	3	.	3	.	3	13	12	34	33
—	Other Defined Diseases ...	3,043	10,593	1,818	2,834	33	149	36	11	69	10	2	80	126	334	197
204–205a	Causes Ill-defined or Unknown	161	1,079	93	253	1	7	.	3	2	.	.	5	4	14	10
Deaths under one year of age ...		2,306	2,246	1,561	765	15	29	17	7	46	4	.	69	70	213	171
,, 65 years and upwards		3,880	14,171	2,384	4,010	41	207	57	21	106	7	15	150	206	562	321
Uncertified Deaths		602	9,975	205	2,120	19	109	1	5	3	.	.	3	6	18	52
Number of Births		20,894	40,282	13,845	11,661	137	494	175	84	383	54	38	654	819	2,207	1,54[illegible]
Population (Census 1926, unrevised)		862,008	2,110,794	546,821	602,090	7,175	27,329	9,931	4,135	18,992	4,032	2,069	33,395	40,367	112,921	76,32[illegible]

* Including County Boroughs. † Including Dublin County Borough (see page 31).

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1926, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

Inter ational List Nos.	CAUSES OF DEATH, ETC.	KILDARE COUNTY.				KILKENNY COUNTY.		LEIX COUNTY.	LONGFORD COUNTY.				LOUTH COUNTY.			
		Athy U.D.	Naas U.D.	Total U.D.'s	Total R.D.'s	Kil-kenny U.D.	Total R.D.'s	Total R.D.'s	Gran-ard U.D.	Long-ford U.D.	Total U.D.'s	Total R.D.'s	Drogh-eda U.D.	Dun-dalk U.D.	Total U.D.'s	Total R.D.'s
	ALL CAUSES ...	60	51	111	658	160	894	736	17	35	52	451	223	163	386	538
1	Enteric Fever	.	.	.	.	.	1	2	.	1	1	1	1	1	2	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	11	1	5	2	.	2	6	10	3	13	6
8	Scarlet Fever	.	.	.	2	.	.	.	.	.	.	.	1	1	2	4
9	Whooping-cough ...	.	.	.	.	.	4	1	.	.		.	3	.	3	5
10	Diphtheria	.	.	.	.	.	3	3	.	.	.	.	2	.	2	1
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	.	.	.	7	.	22	10	1	1	2	7	2	.	2	6
23	Encephalitis Lethargica	.	.	.	1	.	2	.	.	.	.	2	.	.	.	1
24	Meningococcal Meningitis	.	.	.	.	.	.	1	.	.	.	.	.	1	1	.
31	Tuberculosis of Respiratory System	1	5	6	52	8	57	67	.	1	1	22	19	23	42	29
32–7	Other Tuberculosis ...	1	2	3	24	4	21	12	.	.	.	9	4	5	9	15
43–9	Cancer, Malignant Disease	4	3	7	56	13	47	59	1	3	4	36	20	14	34	47
51	Rheumatic Fever ...	.	.	.	1	2	.	1	.	.	.	3	1	.	1	.
57	Diabetes	.	.	.	1	.	7	7	.	.	.	2	2	1	3	1
74	Cerebral Hæmorrhage ...	3	1	4	25	3	34	23	4	1	5	8	10	7	17	22
87–90	Heart Disease	14	5	19	115	9	90	90	2	5	7	35	32	14	46	83
91b	Arterio-sclerosis ...	.	.	.	3	1	4	1	.	1	1	.	2	3	5	8
99	Bronchitis	8	3	11	36	13	39	37	.	.	.	14	14	6	20	20
100–1	Pneumonia (all forms) ...	5	3	8	26	9	25	32	.	6	6	13	10	12	22	25
97–8 102–7	Other Diseases—Respiratory System	.	1	1	13	1	7	10	.	.	.	3	2	3	5	13
111	Ulcer of Stomach or Duodenum	.	.	.	5	2	3	8	.	.	.	1	.	.	.	4
113	Diarrhœa and Enteritis under 2 years ...	2	.	2	5	4	7	1	.	.	.	.	4	5	9	2
117	Appendicitis	.	.	.	.	.	4	6	.	1	1	2	1	1	2	1
122	Cirrhosis of the Liver ...	.	.	.	1	.	2	1	.	.	.	1	.	.	.	3
128–9	Acute and Chronic Nephritis	3	1	4	22	.	18	16	.	1	1	20	4	3	7	21
146	Puerperal Sepsis ...	1	1	2	2	.	.	.	.	1	1	1	.	.	.	.
43b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	.	.	4	.	3	6	.	.	.	2	1	.	1	1
159-161	Congenital Debility and Malformation: Premature Birth	2	5	7	37	20	68	25	.	3	3	22	8	13	21	15
165-174	Suicide	1	1	2	.	1	5	1	.	.	.	.	.	1	1	2
175-203	Other Deaths from Violence	.	1	1	16	5	14	10	.	1	1	3	3	7	10	15
—	Other Defined Diseases ...	14	18	32	188	50	365	271	6	7	13	210	62	37	99	181
204–205a	Causes Ill-defined or Unknown	1	1	2	16	4	41	30	1	2	3	28	5	2	7	7
Deaths under one year of age ...		4	7	11	64	36	101	60	1	3	4	33	28	24	52	34
,, 65 years and upwards ...		26	10	36	289	49	479	350	7	13	20	258	73	46	119	267
Uncertified Deaths		.	1	1	87	28	365	231	3	7	10	232	4	8	12	96
Number of Births		72	86	158	1,044	282	1,201	1,011	19	84	103	669	326	376	702	696
Population (Census 1926, unrevised)		3,459	3,443	6,902	51,133	10,056	60,909	51,549	1,270	3,682	4,952	34,879	12,688	14,007	26,695	35,992

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1926, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Meath County.					Offaly.				Westmeath County.		Wexford County.				
		An Uaimh U.D.	Ceannanus Mor U.D.	Trim U.D.	Total U.D.'s	Total R.D.'s	Birr U.D.	Tullamore U.D.	Total U.D.'s	Total R.D.'s	Athlone U.D.	Total R.D.'s	Enniscorthy U.D.	New Ross U.D.	Wexford U.D.	Total U.D.'s	Total R.D.'s
	All Causes ...	54	31	19	104	762	52	56	108	513	91	659	70	87	191	348	1,162
1	Enteric Fever	.	.	.	.	1	.	.	.	.	.	2	.	.	.	.	4
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	2	.	1	1	6	.	6	.	.	.	.	2
8	Scarlet Fever	4	.	.	4	4	.	.	.	1	.	.	3	.	1	4	8
9	Whooping-cough ...	.	.	.	.	2	.	.	.	5	2	2	.	.	.	.	.
10	Diphtheria	.	.	.	.	3	.	.	.	3	1	1	.	.	.	.	3
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	1	1	.	2	10	1	.	1	14	3	.	2	.	.	2	10
23	Encephalitis Lethargica	.	.	.	.	.	.	1	1	4	.	.	.	.	.	.	1
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	7	1	1	9	62	5	8	13	55	10	69	5	8	15	28	109
32–7	Other Tuberculosis ...	2	.	.	2	19	4	5	9	14	1	23	.	.	11	11	22
43–9	Cancer, Malignant Disease	6	3	4	13	61	3	1	4	55	14	58	5	5	12	22	100
51	Rheumatic Fever ...	.	1	.	1	1	.	.	.	2	.	1	.	.	.	.	3
57	Diabetes	.	.	.	.	5	.	.	.	4	1	2	.	1	2	3	9
74	Cerebral Hæmorrhage ...	1	.	.	1	39	.	1	1	12	4	16	1	4	13	18	25
87–90	Heart Disease	4	4	4	12	120	7	4	11	60	7	58	5	13	21	39	134
91b	Arterio-sclerosis ...	.	3	.	3	6	2	.	2	2	1	4	1	.	2	3	1
99	Bronchitis	.	1	2	3	26	2	1	3	26	7	25	7	5	21	33	63
100–1	Pneumonia (all forms) ...	5	4	1	10	38	3	4	7	22	3	30	2	3	15	20	50
97–8 102–7	Other Diseases—Respiratory System	1	.	1	2	13	1	1	2	1	2	4	.	2	3	5	20
111	Ulcer of Stomach or Duodenum	.	.	.	.	4	.	.	.	4	1	2	1	.	1	2	9
113	Diarrhœa and Enteritis under 2 years ...	.	.	.	.	7	1	1	2	6	.	2	3	2	4	9	7
117	Appendicitis	1	.	.	1	4	.	.	.	5	.	5	.	.	.	.	7
122	Cirrhosis of the Liver ...	.	.	.	.	4	.	.	.	2	.	2	.	.	.	.	8
128–9	Acute and Chronic Nephritis	10	3	1	14	34	1	2	3	12	3	26	3	4	3	10	58
146	Puerperal Sepsis ...	.	.	.	.	1	.	.	.	2	.	2	.	1	1	2	1
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	.	1	1	6	.	.	.	1	.	5	.	.	1	1	3
159-161	Congenital Debility and Malformation: Premature Birth	1	.	2	3	34	2	4	6	17	1	25	1	4	9	14	46
165-174	Suicide	.	1	.	1	4	.	.	.	1	1	.	.	.	.	.	7
175-203	Other Deaths from Violence	.	4	.	4	10	1	.	1	6	1	13	1	3	4	8	16
—	Other Defined Diseases ...	11	5	2	18	225	18	21	39	229	26	244	28	31	52	111	400
204–205a	Causes Ill-defined or Unknown	.	.	.	.	17	1	1	2	22	2	32	2	1	.	3	3
	Deaths under one year of age ...	5	3	3	11	62	5	13	18	39	12	51	6	13	28	47	80
	" 65 years and upwards ...	20	12	7	39	370	17	18	35	306	27	313	24	30	70	124	564
	Uncertified Deaths	.	1	.	1	141	4	8	12	164	8	198	4	9	27	40	333
	Number of Births	68	50	31	149	1,028	86	117	203	845	180	1,038	108	138	304	550	1,30[illegible]
	Population (Census 1926, unrevised)	3,649	2,198	1,325	7,172	55,737	3,391	4,924	8,315	44,206	7,546	49,250	5,545	5,009	11,870	22,424	73,28[illegible]

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1926, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Wicklow County.					Province of Munster.*		Clare County.				Cork County.			
		Arklow U.D.	Bray U.D.	Wicklow U.D.	Total U.D.'s	Total R.D.'s	Total U.D.'s	Total R.D.'s	Ennis U.D.	Kilrush U.D.	Total U.D.'s	Total R.D.'s	Clonakilty U.D.	Cobh U.D.	Fermoy U.D.	Kinsale U.D.
	All Causes ...	63	105	56	224	603	4,212	9,554	74	60	134	1,057	41	103	89	57
1	Enteric Fever	.	.	.	.	.	12	39	.	.	.	3	.	.	.	2
2	Typhus	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	7	187	94	.	1	1	.	.	3	.	4
8	Scarlet Fever	.	3	.	3	.	22	24	1	.	1	1	.	.	1	.
9	Whooping-cough ...	.	.	3	3	.	63	59	.	.	.	1	.	4	.	.
10	Diphtheria	.	1	.	1	2	32	29	.	.	.	6	.	.	.	2
16	Dysentery	.	.	.	.	.	.	4	.	.	.	.	.	.	.	.
11	Influenza	.	1	4	5	19	52	120	.	.	.	11	1	2	.	3
23	Encephalitis Lethargica	.	.	.	.	.	4	4	.	.	.	.	.	1	.	.
24	Meningococcal Meningitis	.	.	.	.	.	1	7	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	8	7	5	20	56	400	747	9	10	19	89	6	7	10	8
32–37	Other Tuberculosis ...	3	2	.	5	7	115	177	.	.	.	23	1	2	3	1
43–49	Cancer, Malignant Disease	8	8	2	18	58	280	647	6	5	11	53	5	8	5	3
51	Rheumatic Fever ...	.	.	.	.	.	16	26	.	.	.	1	.	.	.	1
57	Diabetes	.	.	.	.	4	17	46	.	1	1	4	.	.	.	.
74	Cerebral Hæmorrhage ...	6	9	4	19	33	146	282	3	.	3	17	1	4	3	2
87–90	Heart Disease	4	23	9	36	66	515	1,072	8	2	10	62	5	25	13	7
91b	Arterio-sclerosis ...	.	2	1	3	.	23	30	.	.	.	1	4	1	.	.
99	Bronchitis	4	9	2	15	33	317	456	8	5	13	52	.	3	5	1
100–1	Pneumonia (all forms) ...	1	7	7	15	50	303	482	3	5	8	49	3	5	6	2
97–8 102–7	Other Diseases—Respiratory System	.	1	1	2	14	60	136	.	1	1	15	2	.	4	.
111	Ulcer of Stomach or Duodenum	.	.	1	1	2	26	75	1	.	1	7	.	1	.	1
113	Diarrhœa and Enteritis under 2 years ...	.	3	.	3	2	157	122	.	.	.	9	1	1	4	.
117	Appendicitis	.	.	.	.	6	20	46	.	.	.	8	.	.	1	1
122	Cirrhosis of the Liver ...	.	1	.	1	2	8	30	.	.	.	4	.	2	.	.
128–9	Acute and Chronic Nephritis	4	.	.	4	16	85	218	.	1	1	17	.	6	2	2
146	Puerperal Sepsis ...	.	.	.	.	.	12	32	2	.	2	4	1	.	.	1
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	1	.	1	5	21	48	.	.	.	4	.	.	.	.
159–161	Congenital Debility and Malformation: Premature Birth	2	6	2	10	23	175	342	5	8	13	36	.	3	7	1
165–174	Suicide	.	.	.	.	1	7	27	.	.	.	6	1	2	.	1
175–203	Other Deaths from Violence	2	.	1	3	13	69	217	1	2	3	18	.	1	2	1
—	Other Defined Diseases ...	21	21	12	54	175	1,007	3,606	27	18	45	509	9	21	22	12
204–205a	Causes Ill-defined or Unknown	.	.	2	2	9	58	308	.	1	1	47	1	1	1	1
	Deaths under one year of age ...	3	14	3	20	41	645	785	8	10	18	74	3	13	12	4
	" 65 years and upwards ...	24	35	17	76	286	1,212	4,687	26	24	50	566	19	35	34	16
	Uncertified Deaths	6	.	4	10	107	299	2,936	4	8	12	434	6	3	7	1
	Number of Births	113	183	76	372	732	5,702	13,613	124	85	209	1,492	55	123	90	57
	Population (Census 1926, unrevised)	4,526	8,639	3,027	16,192	41,391	249,261	721,772	5,517	3,346	8,863	86,165	2,771	7,070	4,505	2,881

* Including the County Boroughs of Cork, Limerick, and Waterford (see pp. 44, 47 and 51).

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1926, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Cork County—*continued.*								Kerry County.					Limerick County.
		Macroom U.D.	Mallow U.D.	Middleton U.D.	Passage West U.D.	Skibbereen U.D.	Youghal U.D.	Total U.D.'s	Total R.D.'s	Killarney U.D.	Listowel U.D.	Tralee U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s
	All Causes ...	44	85	44	53	35	62	613	3,351	70	71	150	291	1,523	1,491
1	Enteric Fever	1	.	.	.	.	.	3	16	1	.	2	3	8	7
2	Typhus	.	.	.	.	.	.	.	2	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	1	.	3	3	1	15	29	1	3	12	16	37	12
8	Scarlet Fever	.	.	.	1	.	1	3	4	2	.	4	6	9	4
9	Whooping-cough ...	1	1	.	2	.	2	10	9	.	9	.	9	23	22
10	Diphtheria	.	.	.	.	.	.	2	9	.	.	3	3	3	5
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	3
11	Influenza	1	.	.	1	.	.	8	31	2	.	4	6	23	31
23	Encephalitis Lethargica	.	.	.	.	.	1	2	1	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	1	.	.	.	.	1	1
31	Tuberculosis of Respiratory System	4	9	1	5	3	6	59	279	5	10	24	39	143	93
32–7	Other Tuberculosis ...	.	.	.	3	1	2	13	61	.	2	4	6	35	22
43–9	Cancer, Malignant Disease	5	7	3	3	4	8	51	251	5	3	11	19	81	99
51	Rheumatic Fever ...	.	.	.	.	.	1	2	12	.	1	1	2	4	4
57	Diabetes	.	.	.	1	.	1	2	12	.	.	1	1	5	7
74	Cerebral Hæmorrhage ...	2	5	5	5	.	.	27	120	2	6	1	9	29	37
87–90	Heart Disease	5	6	3	12	5	16	97	441	21	6	10	37	144	153
91b	Arterio-sclerosis ...	.	.	.	.	2	.	7	13	1	.	1	2	5	3
99	Bronchitis	2	5	5	1	5	4	31	145	4	3	5	12	57	82
100–1	Pneumonia (all forms) ...	2	5	8	4	.	1	36	200	4	3	8	15	66	74
97–8 102–7	Other Diseases—Respiratory System	1	1	1	.	1	1	11	59	.	.	1	1	9	15
111	Ulcer of Stomach or Duodenum	1	.	.	.	.	.	3	24	.	.	.	.	11	8
113	Diarrhœa and Enteritis under 2 years ...	.	5	1	.	.	2	14	32	5	4	11	20	21	31
117	Appendicitis	.	.	2	.	.	.	4	20	.	1	.	1	4	4
122	Cirrhosis of the Liver ...	.	.	.	.	.	1	3	11	.	1	.	1	3	6
128–9	Acute and Chronic Nephritis	2	3	.	1	2	1	19	82	.	4	5	9	26	31
146	Puerperal Sepsis ...	.	.	.	.	.	.	2	10	.	.	2	2	6	9
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	.	.	.	1	4	17	.	.	1	1	10	10
159-161	Congenital Debility and Malformation: Premature Birth	3	2	1	2	1	3	23	101	2	.	4	6	57	70
165-174	Suicide	.	.	.	.	.	.	4	8	.	.	.	.	1	5
175-203	Other Deaths from Violence	.	3	1	.	.	2	10	56	1	1	2	4	22	76
—	Other Defined Diseases ...	14	25	13	9	8	7	140	1,208	13	13	29	55	601	526
204–205a	Causes Ill-defined or Unknown	.	4	.	.	.	.	8	87	1	1	4	6	78	41
Deaths under one year of age ...		3	10	2	6	4	4	61	249	10	8	24	42	127	167
" 65 years and upwards ...		26	25	18	21	20	18	232	1,617	29	21	28	78	723	694
Uncertified Deaths		7	8	3	.	2	2	39	846	7	7	17	31	660	404
Number of Births		53	109	51	45	46	98	727	4,342	75	68	220	363	2,685	2,158
Population (Census 1926, unrevised.)		2,413	4,562	2,731	3,024	2,620	5,340	37,917	249,337	5,325	2,908	10,536	18,769	132,096	100,244

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1926, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Tipperary North Riding.					Tipperary South Riding.						Waterford County.		Province of Connaught.	
		Nenagh U.D.	Templemore U.D.	Thurles U.D.	Total U.D.'s	Total R.D.'s	Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.	Total U.D.'s	Total R.D.'s	Dungarvan U.D.	Total R.D.'s	Total U.D.'s	Total R.D.'s
	All Causes ...	55	38	83	176	666	86	39	129	100	354	815	71	651	477	6,468
1	Enteric Fever	1	.	.	1	1	.	.	.	.	.	3	.	1	.	33
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	7	7	6	.	.	2	3	5	5	.	5	11	55
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	3	.	3	2	11
9	Whooping-cough ...	.	1	.	1	1	.	.	.	.	.	2	.	1	1	33
10	Diphtheria	.	.	.	.	3	.	.	.	.	.	1	.	2	.	20
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
11	Influenza	5	.	.	5	15	5	1	1	.	7	5	.	4	4	98
23	Encephalitis Lethargica	.	.	.	.	2	.	.	.	.	.	.	1	.	.	8
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	1	1	4	.	.	.	1
31	Tuberculosis of Respiratory System	7	3	3	13	43	9	2	14	9	34	44	7	56	57	454
32–7	Other Tuberculosis ...	2	3	3	8	4	8	1	3	1	13	16	2	16	17	112
43–9	Cancer, Malignant Disease	1	4	1	6	39	6	6	19	4	35	73	5	51	32	386
51	Rheumatic Fever ...	.	.	1	1	2	.	.	.	.	.	3	.	.	3	17
57	Diabetes	1	1	1	3	5	1	.	1	.	2	7	1	6	3	31
74	Cerebral Hæmorrhage ...	2	.	.	2	13	5	4	7	5	21	32	3	34	17	119
87–90	Heart Disease	4	3	2	9	80	5	6	28	17	56	108	6	84	58	544
91b	Arterio-sclerosis ...	.	.	1	1	1	.	.	1	1	2	4	1	3	2	23
99	Bronchitis	7	3	9	19	40	5	2	7	12	26	46	3	34	18	348
100–1	Pneumonia (all forms) ...	2	1	5	8	21	8	.	7	9	24	35	4	37	20	283
97–8 102–7	Other Diseases—Respiratory System	1	1	3	5	9	.	.	1	.	1	12	.	17	15	103
111	Ulcer of Stomach or Duodenum	.	2	1	3	9	.	.	1	1	2	10	1	6	4	44
113	Diarrhœa and Enteritis under 2 years ...	3	.	1	4	7	3	3	.	6	12	16	2	6	13	24
117	Appendicitis	.	.	.	.	3	1	.	.	.	1	2	.	5	2	27
122	Cirrhosis of the Liver ...	.	.	.	.	1	.	.	.	.	.	3	.	2	1	17
128–9	Acute and Chronic Nephritis	2	.	8	10	32	3	2	2	1	8	17	3	13	13	132
146	Puerperal Sepsis ...	.	.	1	1	.	.	.	1	.	1	1	.	2	3	22
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	1	.	1	2	1	1	.	.	.	1	5	1	1	2	22
159-161	Congenital Debility and Malformation: Premature Birth	1	1	3	5	20	2	4	4	4	14	31	5	27	21	182
165-174	Suicide	.	.	.	.	2	.	.	.	.	.	2	.	3	.	15
175-203	Other Deaths from Violence	.	.	3	3	19	3	1	.	1	5	15	1	11	15	102
—	Other Defined Diseases ...	15	13	23	56	272	19	7	27	25	78	291	23	199	137	2,830
204–205a	Causes Ill defined or Unknown	.	2	1	3	15	2	.	3	.	5	19	2	21	6	371
Deaths under one year of age ...		6	4	12	22	44	14	8	12	15	49	76	9	48	72	424
„ 65 years and upwards ...		17	14	36	67	365	22	13	40	34	109	412	26	310	177	3,485
Uncertified Deaths		3	6	14	23	212	8	1	8	1	18	227	8	153	70	3,402
Number of Births		110	71	121	302	917	122	42	202	136	502	1,150	123	869	899	9,680
Population (Census 1926, unrevised)		4,517	2,230	4,796	11,543	48,073	4,675	2,945	8,989	5,554	22,163	59,167	5,202	46,690	43,523	509,234

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1926, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Galway County.				Leitrim County.	Mayo County.					Roscommon County.	Sligo County.		Province of Ulster (pt. of)	
		Ballinasloe U.D.	Galway U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s	Ballina U.D.	Castlebar U.D.	Westport U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s	Sligo U.D.	Total R.D.'s	Total U.D.'s	Total R.D.'s
	All Causes ...	25	196	221	1,930	765	68	22	29	119	1,876	1,089	137	808	272	3,941
1	Enteric Fever	.	.	.	15	5	.	.	.	.	3	8	.	2	.	18
2	Typhus	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	8	8	34	3	.	.	.	.	14	3	3	1	6	22
8	Scarlet Fever	.	1	1	3	1	.	.	.	.	2	1	1	4		4
9	Whooping-cough ...	.	.	.	16	.	.	.	.	.	7	8	1	2	1	16
10	Diphtheria	.	.	.	8	.	.	.	.	.	2	6	.	4	1	12
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	.	3	3	24	15	.	.	.	.	25	14	1	20	4	144
23	Encephalitis Lethargica	.	.	.	6	.	.	.	.	.	1	.	.	1	.	2
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
31	Tuberculosis of Respiratory System	1	30	31	142	61	9	2	3	14	153	51	12	47	28	272
32–7	Other Tuberculosis ...	1	6	7	30	12	6	2	.	8	42	12	2	16	12	93
43–9	Cancer, Malignant Disease	2	11	13	123	40	4	4	.	8	108	61	11	54	27	317
51	Rheumatic Fever ...	.	.	.	3	3	1	.	.	1	10	.	2	1	.	16
57	Diabetes	.	2	2	6	4	.	.	.	.	7	6	1	8	2	29
74	Cerebral Hæmorrhage ...	1	7	8	37	19	4	.	.	4	33	15	5	15	11	150
87–90	Heart Disease	6	17	23	185	57	6	2	2	10	116	112	25	74	33	482
91b	Arterio-sclerosis ...	.	1	1	10	2	.	.	.	.	5	5	1	1	2	31
99	Bronchitis	.	11	11	87	49	3	1	.	4	102	68	3	42	9	195
100–1	Pneumonia (all forms) ...	1	9	10	101	30	4	1	2	7	86	42	3	24	18	235
97–8 102–7	Other Diseases—Respiratory System	.	7	7	31	12	1	1	2	4	36	5	4	19	2	68
111	Ulcer of Stomach or Duodenum	.	1	1	7	10	3	.	.	3	11	9	.	7	3	35
113	Diarrhœa and Enteritis under 2 years ...	.	7	7	10	4	2	1	.	3	6	1	3	3	3	29
117	Appendicitis	.	1	1	5	4	.	.	.	.	15	2	1	1	1	15
122	Cirrhosis of the Liver ...	1	.	1	2	1	.	.	.	.	8	5	.	1	1	8
128–9	Acute and Chronic Nephritis	1	3	4	37	20	4		2	6	32	27	3	16	5	107
146	Puerperal Sepsis ...	.	2	2	6	2	1		.	1	10	3	.	1	1	9
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	.	.	7	3	.		.	.	5	3	2	4	2	23
159-161	Congenital Debility and Malformation: Premature Birth	.	9	9	50	28	1	1	3	5	46	42	7	16	9	124
165-174	Suicide	.	.	.	5	1	.	.	.	.	3	1	.	5	.	10
175-203	Other Deaths from Violence	1	4	5	33	13	9	.	.	9	27	13	1	16	6	54
—	Other Defined Diseases ...	9	52	61	823	301	10	7	15	32	880	479	44	347	81	1,323
204–205a	Causes Ill-defined or Unknown	1	4	5	84	65	.	.	.	.	80	86	1	56	4	147
Deaths under one year of age ...		2	34	36	157	47	8	3	7	18	115	64	18	41	28	272
" 65 years and upwards ...		11	65	76	1,016	384	18	8	14	40	1,027	610	61	448	107	1,989
Uncertified Deaths		2	30	32	942	401	7	1	9	17	1,056	570	21	433	28	1,517
Number of Births		85	333	418	3,076	959	125	50	63	238	3,033	1,636	243	976	448	5,328
Population (Census 1926, unrevised)		5,243	14,223	19,466	149,845	55,888	4,872	4,256	3,490	12,618	160,043	83,504	11,439	59,954	22,403	277,698

SAORSTÁT ÉIREANN.—CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1926, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	CAUSES OF DEATH, ETC.	CAVAN COUNTY.					DONEGAL COUNTY.					MONAGHAN COUNTY.					
		Belturbet U.D.	Cavan U.D.	Cootehill U.D.	Total U.D.'s	Total R.D.'s	Buncrana U.D.	Bundoran U.D.	Letterkenny U.D.	Total U.D.'s	Total R.D.'s	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.	Total U.D.'s	Total R.D.'s
	ALL CAUSES ...	16	42	23	81	1,017	16	19	41	76	2,075	22	23	26	44	115	849
1	Enteric Fever	.	.	.	.	3	.	.	.	.	12	.	.	.	.	.	3
2	Typhus	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	4	.	4	3	.	.	1	1	15	.	.	1	.	1	4
8	Scarlet Fever	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	1
9	Whooping-cough ...	.	.	.	.	4	.	1	.	1	5	.	.	.	.	.	7
10	Diphtheria	.	.	.	.	.	.	.	.	.	8	.	.	1	.	1	4
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	1	1	.	2	16	.	.	2	2	107	.	.	.	.	.	21
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	.	2	2	4	53	2	3	6	11	171	1	1	1	10	13	48
32–7	Other Tuberculosis ...	.	1	2	3	25	.	2	1	3	47	1	2	1	2	6	21
43–9	Cancer, Malignant Disease	.	6	4	10	90	.	1	5	6	148	1	2	4	4	11	79
51	Rheumatic Fever ...	.	.	.	.	8	.	.	.	.	5	.	.	.	.	.	3
57	Diabetes	.	1	.	1	8	.	.	.	.	12	.	.	.	1	1	9
74	Cerebral Hæmorrhage ...	3	.	1	4	35	.	.	1	1	67	3	.	.	3	6	48
87–90	Heart Disease	1	5	2	8	128	3	.	6	9	200	1	1	4	10	16	104
91b	Arterio-sclerosis ...	.	.	.	.	4	.	1	1	2	24	.	.	.	.	.	3
99	Bronchitis	.	3	.	3	56	.	.	1	1	83	1	.	1	3	5	56
100–1	Pneumonia (all forms) ...	.	4	.	4	49	1	3	2	6	132	1	3	4	.	8	54
97–8 102–7	Other Diseases—Respiratory System	.	.	.	.	10	.	.	.	.	42	.	.	.	2	2	16
111	Ulcer of Stomach or Duodenum	.	1	.	1	14	.	.	1	1	18	1	.	.	.	1	3
113	Diarrhœa and Enteritis under 2 years ...	.	.	.	.	4	1	.	.	1	19	1	.	.	1	2	6
117	Appendicitis	.	.	.	.	2	.	.	.	.	8	.	1	.	.	1	5
122	Cirrhosis of the Liver ...	.	.	.	.	1	.	.	.	.	5	.	.	.	1	1	2
128–9	Acute and Chronic Nephritis	2	.	1	3	28	.	1	.	1	60	.	.	1	.	1	19
146	Puerperal Sepsis ...	.	1	.	1	5	.	.	.	.	2	.	.	.	.	.	2
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	1	.	.	1	5	.	.	.	.	9	1	.	.	.	1	9
159-161	Congenital Debility and Malformation: Premature Birth	.	3	2	5	35	1	.	1	2	65	.	1	1	.	2	24
165-174	Suicide	.	.	.	.	6	.	.	.	.	3	.	.	.	.	.	1
175-203	Other Deaths from Violence	.	.	.	.	12	1	2	.	3	31	.	3	.	.	3	11
—	Other Defined Diseases ...	8	10	9	27	367	7	4	13	24	703	9	9	5	7	30	253
204–205a	Causes Ill defined or Unknown	.	.	.	.	44	.	1	.	1	70	1	.	2	.	3	33
Deaths under one year of age ...		.	7	3	10	58	4	1	3	8	156	1	2	4	3	10	58
„ 65 years and upwards ...		10	12	9	31	542	8	6	19	33	1,058	11	8	6	18	43	389
Uncertified Deaths		3	3	4	10	407	2	3	3	8	843	3	.	4	3	10	267
Number of Births		21	59	47	127	1,465	57	24	53	134	2,815	25	36	48	78	187	1,048
Population (Census 1926, unrevised)		1,305	3,056	1,534	5,895	76,552	2,309	1,337	2,308	5,954	146,557	2,000	1,553	2,358	4,643	10,554	54,589

I.—Statement showing, by Sexes, the Population of Saorstát Éireann area at each of the nine Censuses, 1841 to 1926, with the percentage of the Population of Ireland in each Census year.

—	1841.	1851.	1861.	1871.	1881.	1891.	1901.	1911.	1926. (Unrevised).
Persons	6,547,652	5,131,761	4,402,111	4,053,187	3,870,020	3,468,694	3,221,823	3,139,688	2,972,802
Males	3,241,338	2,514,681	2,169,042	1,992,468	1,912,438	1,728,601	1,610,085	1,589,509	1,506,916
Females	3,306,314	2,617,080	2,233,069	2,060,719	1,957,582	1,740,093	1,611,738	1,550,179	1,465,886
Percentage of the Population of Ireland.									
Persons	79·9	78·1	75·9	74·9	74·8	73·7	72·3	71·5	70·3
Males	80·2	78·3	76·5	75·5	75·5	74·5	73·2	72·5	71·2
Females	79·6	77·8	75·4	74·3	74·1	72·9	71·4	70·5	69·3

II.—Statement showing, by certain Age-periods, the Population of Saorstát Éireann, according to the Census of 1911.

Ages	Persons	Males	Females	Ages	Persons	Males	Females	Ages	Persons	Males	Females
Under 5 years ...	307,165	155,887	151,278	30 and under 35 ...	217,919	111,381	106,538	60 and under 65 ...	98,264	47,334	50,930
5 and under 10 ...	310,163	157,597	152,566	35 ,, ,, 40 ...	204,739	106,205	98,534	65 ,, ,, 70 ...	108,639	52,799	55,840
10 ,, ,, 15 ...	303,149	154,182	148,967	40 ,, ,, 45 ...	175,660	92,166	83,494	70 ,, ,, 75 ...	126,899	56,347	70,552
15 ,, ,, 20 ...	303,443	155,523	147,920	45 ,, ,, 50 ...	141,976	73,690	68,286	75 ,, ,, 85 ...	82,580	40,172	42,408
20 ,, ,, 25 ...	269,058	141,288	127,770	50 ,, ,, 55 ...	137,213	69,189	68,024	85 ,, ,, 95 ...	10,767	5,171	5,596
25 ,, ,, 30 ...	236,357	117,352	119,005	55 ,, ,, 60 ...	104,634	52,776	51,858	95 and upwards ...	1,063	450	613
								TOTAL ...	3,139,688	1,589,509	1,550,179

III.—Statement showing, by sexes, the Estimated Population of Saorstát Éireann, in the middle of each of the years 1911–26.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1911	3,132,000	1,586,000	1,546,000	1917	3,065,000	1,551,000	1,514,000	1923	3,014,000	1,526,000	1,488,000
1912	3,120,000	1,581,000	1,539,000	1918	3,066,000	1,553,000	1,513,000	1924	3,005,000	1,521,000	1,484,000
1913	3,103,000	1,572,000	1,531,000	1919	3,102,000	1,598,000	1,504,000	1925	2,985,000	1,512,000	1,473,000
1914	3,092,000	1,568,000	1,524,000	1920	3,103,000	1,598,000	1,505,000	1926	2,970,000	1,505,000	1,465,000
1915	3,068,000	1,546,000	1,522,000	1921	3,096,000	1,599,000	1,497,000				
1916	3,068,000	1,549,000	1,519,000	1922	3,022,000	1,529,000	1,493,000				

Note.—This Table has been constructed by adding the births registered in each year to the estimated population for the previous year, deducting the deaths and the number of emigrants, and adjusting the results so as to allow for the discrepancy for 1911 and 1926, and the population as shown by the Censuses of each of these years.

INDEX TO SUPERINTENDENT REGISTRARS' DISTRICTS.

[The following Index furnishes a reference to the NUMBER or NUMBERS of each Superintendent Registrar's District in the Tables of Abstracts contained in the Report, in which the numbers run consecutively from 1 to 130.]

A.

Abbeyleix 14
Ardee 19
Athlone 30
Athy 6

B.

Bailieborough 116
Ballina 103
Ballinasloe 90
Ballinrobe 104
Ballymahon 16
Ballyshannon 119
Ballyvaghan 40
Balrothery 2
Baltinglass 37
Bandon 47
Bantry 48
Bawnboy 117
Belmullet 105
Birr 27
Borrisokane 76
Boyle 110

C.

Caherciveen ... 64
Callan 9
Carlow 1
Carrickmacross 127
Carrick-on-Shannon ... 100
Carrick-on-Suir 80
Cashel 81
Castlebar 106
Castleblayney 128
Castlecomer 10
Castlereagh 111
Castletown 49
Cavan 118
Celbridge 7
Claremorris 107
Clifden 91
Clogheen 82
Clonakilty 50
Clones 129
Clonmel 83
Cork 51, 63
Corofin 41
Croom 70

D.

Delvin 31
Dingle 65
Donegal 120
Drogheda 20
Dromore West 113
Dublin 3, 5
Dundalk 21
Dunfanaghy 121
Dungarvan 85
Dunmanway 52
Dunshaughlin 22

E.

Edenderry 28
Ennis 42
Enniscorthy 33
Ennistymon 43

F.

Fermoy 53

G.

Galway 92
Glennamaddy 93
Glenties 122
Gorey 34
Gort 94
Granard 17

I.

Inishowen 123

K.

Kanturk 54
Kells 23
Kenmare 66
Kilkenny 11
Killadysert 44
Killarney 67
Kilmacthomas 86
Kilmallock 71
Kilrush 45
Kinsale 55

L.

Letterkenny 124
Limerick 72, 75
Lismore 87
Listowel 68
Longford 18
Loughrea 95

M.

Macroom 56
Mallow 57
Manorhamilton 101
Middleton 58
Milford 125
Millstreet 59
Mohill 102
Monaghan 130
Mount Bellew 96
Mountmellick 15
Mullingar 32

N.

Naas 8
Navan 24
Nenagh 77
Newcastle 73
New Ross 35

O.

Oldcastle 25
Oughterard 97

P.

Portumna 98

R.

Rathdown 4
Rathdrum 38
Rathkeale 74
Roscommon 112
Roscrea 78

S.

Scarriff 46
Shillelagh 39
Skibbereen 60
Skull 61
Sligo 114
Stranorlar 126
Swineford 108

T.

Thomastown 12
Thurles 79
Tipperary 84
Tobercurry 115
Tralee 69
Trim 26
Tuam 99
Tullamore 29

U.

Urlingford 13

W.

Waterford 88, 89
Westport 109
Wexford 36

Y.

Youghal 62

APPENDIX.

Table showing the number of Searches made, number of Certificates issued, and the total amounts received as Fees for same at the General Register Office, Dublin, during the 63 years 1864-1926.

YEARS.	Annual Number of Searches in the Registers.	Annual Number of Certificates.	Amount received as Fees for Searches and Certificates. £	s.	d.
1864	15	3	1	10	6
1865	41	20	4	12	0
1866	55	34	7	0	0
1867	46	26	5	12	0
1868	69	42	9	13	0
1869	80	34	8	15	0
1870	93	54	11	10	0
1871	112	67	14	6	6
1872	120	76	15	14	0
1873	100	106	21	14	0
1874	166	107	22	6	6
1875	244	166	33	15	0
1876	270	185	36	16	0
1877	312	202	42	14	0
1878	391	286	55	15	0
1879	522	399	78	0	0
1880	753	596	114	7	0
1881	743	583	111	8	6
1882	852	688	129	11	0
1883	1,036	773	149	1	6
1884	1,254	966	185	3	0
1885	1,412	1,116	212	8	0
1886	1,527	1,173	225	7	4
1887	1,693	1,307	251	7	0
1888	1,778	1,404	266	9	0
1889	1,986	1,561	297	4	6
1890	2,448	2,042	383	2	9
1891	2,815	2,297	433	1	6
1892	3,209	2,534	489	17	0
1893	3,559	2,733	532	2	2
1894	3,492	2,678	512	7	0
1895	3,482	2,618	508	8	0
1896	4,046	3,103	596	10	6
1897	3,917	2,960	572	3	0
1898	4,132	3,207	613	1	2
1899	4,133	3,201	616	13	6
1900	4,558	3,481	672	7	6
1901	4,843	3,733	718	18	0
1902	4,871	3,719	716	16	6
1903	4,944	3,796	731	12	6
1904	5,183	3,958	769	19	7
1905	5,110	3,954	759	8	5
1906	5,714	4,409	849	6	0
1907	5,877	4,544	875	0	2
1908	5,984	4,670	894	19	7
1909	6,220	4,761	920	8	0
1910	6,387	4,903	944	18	4
1911	6,128	4,778	914	9	11
1912	6,811	5,160	998	7	2
1913	6,462	4,972	957	9	0
1914	7,552	6,140	1,157	10	0
1915	7,398	5,898	1,118	7	0
1916	7,729	6,198	1,172	1	2
1917	8,151	6,475	1,225	13	6
1918	10,702	8,499	1,611	11	6
1919	11,513	8,998	1,712	16	0
1920	11,484	8,810	1,688	2	0
1921	11,419	8,499	1,646	0	6
1922	18,413	7,675	1,892	9	6
1923	19,377	8,808	2,076	0	0
1924	23 947	14,367	3,003	0	6
1925	33,945	45,435	8,940	12	0
1926	[Not yet	available.]	13,493	13	0*

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

* Subject to revision.

Printed under the authority of the Stationery Office by A. THOM & Co., Iona Printing Works, Dublin.
B. 6621. 1943—74. 4, 3, 3, 250. 11. 1927.